

# MASTER BORN TO BE EXTREME



# ABOUT US


Fami was founded as a specialist industrial furnishing manufacturer. Over the years, considerable resources and energy have been invested in growing our professional skills, establishing an impressive network of contacts and transforming research and materials into highly functional, innovative and top quality products. Fami is a solid business organization with a number of production divisions operating from a location of 230 thousand square meters, buildings of 95 thousand square meters and employs over 400 people. We have six subsidiaries abroad, in Germany, Poland, Austria, Switzerland, China and Argentina. Our authorized distributor network covers every major country in Europe, South East Asia, the Middle East and Latin America. Every year we transform over eight million kilograms of iron and steel and two million kilograms of raw plastic into industry leading storage solutions. All of our production processes take place in house and there is a specific division focused on the production, transformation and molding of plastics.



## ECO-SUSTAINABILITY

Fami is the first environmentally sustainable company in the industrial furniture market





# WHERE WE ARE



**FAMI S.R.L.**



**BRANCHES**



**DISTRIBUTORS**

**FAMI S.R.L.**

Via Stazione Rossano, 13  
36027 Rosà (VI) - ITALY  
phone: + 39 0424 585455  
fax: +39 0424 585470  
commerciale@famispa.com  
www.famispa.com  
EXPORT DEPARTMENT  
phone: +39 0424 585455  
fax: +39 0424 585472  
export@famispa.com  
www.famispa.com

**FAMI DEUTSCHLAND**

Lager Systeme GmbH  
Riedweg, 14  
89340 Leipheim, Germany  
phone: +49 8221 - 27870  
fax: +49 8221 - 278727  
info@fami.de - www.fami.de

**FAMI AG**

Betriebs-und Lagereinrichtungen  
Industrie Süd  
8573 Siegershausen, Switzerland  
phone: +41/71 - 6991914  
fax: +41/71 - 6991912  
info@fami-ag.ch - www.fami-ag.ch



FAMI HANDELS GmbH  
Triester Strasse, 136  
1230 Wien  
Austria  
phone: +43/1 - 6629889  
fax: +43/1 - 662988915  
office@fami.at - www.fami.at

FAMI POLSKA Sp. z o.o.  
Ul. Wielkopolska, 3 E  
26-100 Radom, Polska  
phone: +48/48 - 3845850  
fax: +48/48 - 3845851  
famipoland@fami.com.pl  
www.fami.com.pl

FAMI (Shanghai)  
Storage Co., Ltd.  
388 Yingxiu Rd-Qingpu District,  
201700 Shanghai, P.R. China  
phone: (86) 21 - 59291558  
fax: (86) 21 - 59291562  
info@fami.cn - www.fami.cn

FAMI ARGENTINA  
STORAGE COMPAT SA  
Panamericana Km. 47.500  
Colectora Oeste, ramal Escobar  
Ciudad Escobar,  
Buenos Aires - Argentina - (1625)  
phone: +54 348 - 4421460  
fax: +54 348 - 4639980  
ventas@storagecompat.com.ar  
www.storagecompat.com.ar

# BRANDS



## storevan

Store Van was founded in 2003 to respond to the very precise market of fitting out and customization of commercial vehicles.

Store Van, with its dedicated design and production departments, is as innovative as Fami, whose philosophy and managerial approach it shares. Store Van operates all over Italy and Europe and has set its sights on continued expansion. As a brand of the Fami Group, the flexibility of its products is a source of pride within the industrial group and helps ensure its position as a solid partner for its customers. Increased production efficiency and high quality yield are of great importance for all companies, and it is in this light that Store Van offers a range of accessories for the fitting out of a wide variety of commercial vehicles.

Store Van studies, designs and manufactures the products and fits out all the interior spaces, making use of Innovative accessories specially made to measure for all types of vehicles.

[www.storevan.com](http://www.storevan.com)



## mial

MIAL is a team of young professionals who have succeeded, day by day, in meeting the needs of the sales sector in a dynamic, flexible, versatile way, offering a selection of articles chosen for their high quality and their compliance with Italian and European standards. A new way of working more closely with the customer, with outstanding service and the capability for immediate response.

[www.mialsrl.it](http://www.mialsrl.it)





## gam

GonzagArredi Montessori maintained the commercial structure of the cooperative company, and produces today equipment and furnitures for kids in infant toddlers, kindergartens, schools, libraries, day care, and Montessori educational materials.

The company has always worked in cooperation with university professors and experts in the field of furniture and education. New range of products, efficiency and the ability to respond to custom requests are essential characteristics in order to supply adequately schools and cultural or social buildings.

Montessori Materials are recognised and approved by Association Montessori Internationale (AMI), which was founded in Amsterdam by Maria Montessori. Gonzagarredi is the only company in Italy whose products are certified by AMI association.

[www.gonzagarredi.com](http://www.gonzagarredi.com)



## furgomarket

FURGOmarket is a Fami S.r.l. registered trademark that promotes the online sale of vans, trucks and other commercial vehicles, working with the industry's best dealers and experts.


All the dealers selected by FURGOmarket in cooperation with the auto manufacturers are able to publish their advertisements, to provide customers greater security when purchase a van on the FURGOmarket portal.

Choose FURGOmarket! You will find official advertising campaigns by the best automotive producers relating not only to the vehicles themselves but also to their internal and external fittings. A complete package delivering a quality service, an opportunity for filling the gap still felt in Italy in the online promotion of commercial vehicles.

[www.furgomarket.it](http://www.furgomarket.it)



# OUR MINDSET



## we invent

Awareness of the need for solutions tailored to requirements, or the story of an idea waiting to be put into practice is our guiding philosophy when we visit our customers. Travel, observing the places we pass through with a curious eye, ready to be amazed and to grasp the sensations that will lead to intuitions of practical value. A look, a phrase, a different viewpoint or an unexpected situation may provide the stimulus needed for the invention of the effective, simple solutions our customers require.

## we try and test

Prototypes are built, tested, dismantled and reassembled an infinite number of times, until the object required is obtained. We use a very wide variety of materials, but mainly metal, plastic and wood. We build equipment enabling us to simulate the stresses applied to products during use, to check their degree of resistance to lengthy conditions of stress and ensure that they are of excellent quality. Innovative industrial storage systems, workstations and conductive systems for the electronics industry are extremely versatile products, allowing a wide range of applications and fulfilling their intended functions to the highest standards.

## we design

With computerized systems that enable us to view objects right to their core, with the craftsman's obsessive attention to detail, we create and re-create virtual objects that must be high-performing, attractive and, foremost, efficient. We develop and design customized systems for all logistical functions, never forgetting the fundamental qualities and characteristics of the material used, to obtain the object that was first imagined or desired. Highly qualified designers and state-of-the-art tools make the initial ideal into the real.

## we create

With a craftsman-like flexibility and the efficiency of manufacturing on an industrial scale, we make good ideas into reality with speed, vision and versatility, all qualities deeply imprinted in FAMI's heritage, which we never tire of applying. The experience acquired over many years at work is constantly activated and used to implement new solutions, new technologies and new processes. This enable us to stay at the top of our sector. The result is a durable, attractive, perfectly ergonomic and absolutely user- friendly product. There is a particular focus on product quality, certified in accordance with the latest international standards.

# WHAT WE USE



## metal

Sheet metal is without a doubt the foundation on which FAMI's destiny has been built, and the key to our success. Originally processed with rudimentary hand tools, over time it began to be cut, shaped and assembled by the brute force of the first presses, but now, with the advent of electronics, it undergoes innovative production processes during which the metal is shaped, drilled, assembled and coated to deliver exclusive products. Thanks to the use of industrialized manufacturing processes, state-of-the-art technologies and the staff's peerless professional expertise, Fami's plants take in the raw material and turn out the finished, high-performance object the customer expects from us.



## wood

Wood has always been a living material, and as such, it must be handled with great care during processing. In-depth knowledge is required to choose the correct cutting direction, the right equipment to shape it, and the appropriate coatings to make the most of all its characteristics. The types of timber used are of the highest quality: beech, a very hard, tough wood, is ideal for contact with metal parts while birch, exceptionally strong for its weight, is used for van interiors.

# PRODUCTION PROCESSES



metal

Making full use of the possibilities of leading-edge technology, both automation and production management and focusing above all on the dynamics of “best practice” are the key resources of a successful company.

The metal division has all the equipment needed to transform a plain sheet of metal into a finished, functioning item: Automatic processing lines, robotic assembly systems and automatic coating plants are just some of the tools available to the Fami production group.

The skilled, able staff, who manage the company and drive it to develop better and more efficient metal-working solutions, are the jewel in our crown, the essential powerhouse that accelerates our daily progress towards growth.



wood

Woodworking is also highly mechanized, using a numerically controlled machining center which processes the piece to obtain the component required in a series of programmed operations.

The wood is moved to the processing line presses, where robots pick it up and load it into the machines for processing, while other robots automatically change the tools needed for the insertion of threaded inserts, the drilling of locator holes and shaping.

# INDEX




MASTER 18x27 Eh

pages 18 - 39



MASTER 27x27 Eh

pages 40 - 65




MASTER 36x27 Eh

pages 66 - 103




MASTER 54x27 Eh

pages 104 - 133



MASTER 27x36 Eh

pages 134 - 161



MASTER 36x36 Eh

pages 162 - 197



MASTER 45x36 Eh

pages 198 - 221



MASTER 54x36 Eh

pages 222 - 251



MASTER 64x36 Eh

pages 252 - 275



MASTER 78x36 Eh

pages 276 - 300

METAL COLOURS

Choosing the color you want is very easy. It is enough to replace the two final digits of the item number (04) with the digits for the desired color, among the options below.  
**ATTENTION: The cabinet solutions presented in this catalog are in blue color RAL 5012.**



COLOURS NO ADDITIONAL CHARGE

|    |                           |    |                           |    |                                |
|----|---------------------------|----|---------------------------|----|--------------------------------|
| 01 | GREY<br>RAL 7000          | 02 | GREEN<br>RAL 6011         | 1G | RUBY<br>RED<br>RAL 3003        |
| 1F | GREY<br>WHITE<br>RAL 9002 | 48 | BLUE CAPRI<br>RAL 5019    | 39 | ANTHRACITE<br>GREY<br>RAL 7016 |
| 04 | BLUE<br>RAL 5012          | 08 | LIGHT<br>GREY<br>RAL 7035 | 34 | GENTIAN<br>BLUE<br>RAL 5010    |
| 35 | PURE<br>WHITE<br>RAL 9010 |    |                           |    |                                |

PLASTIC COLOURS

To choose a color for the plastic different from the standard Dark Grey is sufficient to match the version of the article without kit plastic kit of the desired color, among the options set out in the tables.  
**ATTENTION: Cabinet solutions presented in this catalog are plastic Dark Grey.**




COLOURS NO ADDITIONAL CHARGE

|    |                       |
|----|-----------------------|
| M0 | DARK GREY<br>RAL 7016 |
|----|-----------------------|

COLOURS OPTIONS WITH AN EXTRA PRICE

|    |                                   |    |                          |    |                          |
|----|-----------------------------------|----|--------------------------|----|--------------------------|
| M1 | MEDITERRANEAN<br>BLUE<br>RAL 5010 | M2 | SKY BLUE<br>RAL 5024     | M3 | GLAMOUR RED<br>RAL 3003  |
| M4 | RED CARPET<br>RAL 3020            | M5 | JUICE ORANGE<br>RAL 2004 | M6 | SUNNY YELLOW<br>RAL 1028 |
| M7 | FOREST GREEN<br>RAL 6001          |    |                          |    |                          |

MASTER CABINET CODING




Example: cabinet 18x27 Eh  
700 mm high with a mechanical lock.  
Blue RAL 5012.

| ART.                  | VERSION |     |
|-----------------------|---------|-----|
| M 12 A070 C0 10 38 04 | FLEX    | KEY |

Cabinet with 7 drawers.  
Dimensions mm 408x573x700 h.





The transmission system from the cylinder of the lock to the head of the locking bar is a steel cable with elastic sheath with a linear movement. Compared to conventional fixed mounted locking systems using a square rod with rotary movement, this mechanism is independent of the parallelism of the position of the cylinder head relative to the head of the locking bar. This allows the designer to place the cylinder lock in the most convenient place on the cabinet.

**Cylinder Lock: Pressing against a return drum.**  
Compared to conventional systems where the cylinder is directly connected to the transmission system, this system allows you to choose from a wide range of manufacturers of cylinders (option on request at extra cost).  
The result: the cabinet lock can be matched with other existing cabinets while maintaining the same type of key.



KEY COMFORT

C0

CYLINDER LOCK WITH DIFFERENT NUMBERS  
Ability to configure the cylinder lock with 4.000 combinations



KEY COMFORT

C1


CYLINDER LOCK FOR GROUPS OF 160 NUMBERS  
Ability to configure the cylinder lock with 4,000 combinations and 25 master keys.  
The numbering of the master keys is from F 01 to F 25.  
The numbering in the key goes from 001 to 160.



KEY COMFORT

C2

CYLINDER LOCK FOR GROUPS OF 160 NUMBERS AND EQUAL COMBINATIONS  
Possibility to configure the cylinder lock with equal combinations within a group of 160 combinations and one master key.



36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

K

KEY SMART

(PUSH TO OPEN)

S0

S1

S2

MECHANICAL SYSTEM



**Linear motion control: PUSH TO OPEN**  
Compared to conventional systems that require the additional components on the front of the cabinet, the drawer opening is integrated in the cylinder. To open the drawer, just turn the key and press the cylinder lock. With less components in the mechanism, there is less chance of breakage.



KEY SMART

S0

CYLINDER LOCK WITH DIFFERENT NUMBERS

Ability to configure the cylinder lock with 4.000 combinations

F 01 001

F 01 002

F 01 003

F 01 004

KEY SMART

S1

CYLINDER LOCK FOR GROUPS OF 160 NUMBERS

Ability to configure the cylinder lock with 4,000 combinations and 25 master keys. The numbering of the master keys is from F 01 to F 25. The numbering in the key goes from 001 to 160.

F 01 001

F 01 160

F 25 001

F 25 160

MASTER KEY

F 01

MASTER KEY

F 25

KEY SMART

S2

CYLINDER LOCK FOR GROUPS OF 160 NUMBERS AND EQUAL COMBINATION

Possibility to configure the cylinder lock with equal combinations within a group of 160 combinations and one master key.

F 01 001

F 01 001

F 01 001

F 01 001

F 01 002

F 01 002

F 01 002

F 01 002

MASTER KEY

F 01

13





18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH




ELECTRONIC SYSTEM

## CODE EASY

# E1

LOCKING WITH A NUMERICAL CODE BATTERY POWER (VERTEBRATE LOCKING BAR)

- ✓ Locking with a numerical code
- ✓ Remote control ready
- ✓ Management master code output 1
- ✓ Management 10 users numeric code output 1
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code




## CODE EASY

# E2

LOCKING WITH A NUMERICAL CODE BATTERY POWER (VERTEBRATE LOCKING BAR)

- ✓ Locking with a numerical code
- ✓ Remote control ready
- ✓ Management master code output 1
- ✓ Management 10 users numeric code output 1
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events




PROGRAMMABLE

## CODE EASY

# E4

LOCKING WITH A NUMERICAL CODE EXTERNAL POWER 230V (VERTEBRATE LOCKING BAR)

- ✓ Locking with a numerical code
- ✓ Remote control ready
- ✓ Management master code output 1
- ✓ Management 10 users numeric code output 1
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code




## CODE EASY

# E5

LOCKING WITH A NUMERICAL CODE EXTERNAL POWER 230V (VERTEBRATE LOCKING BAR)

- ✓ Locking with a numerical code
- ✓ Remote control ready
- ✓ Management master code output 1
- ✓ Management 10 users numeric code output 1
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events



PROGRAMMABLE

36x36 EH

45x36 EH


54x36 EH

64x36 EH


78x36 EH

**FAMI**  
**MASTER**



CODE TOP




T0



T1



T2



T3


ELECTRONIC SYSTEM

## CODE TOP

T0

LOCKING WITH A NUMERICAL CODE BATTERY POWER + PRIVATE (VERTEBRATE LOCKING BAR)

- ✓ Locking with a numerical code
- ✓ Remote control ready output 1
- ✓ Management master code output 1
- ✓ Management master code output 2
- ✓ Management 10 users numeric code output 1
- ✓ Management 5 users numeric code output 2 (private)
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events




## CODE TOP

T1

Locking with a numerical code EXTERNAL POWER 230V + PRIVATE (vertebrate locking bar)

- ✓ Locking with a numerical code
- ✓ Predisposition for remote control output 1
- ✓ Management master code output 1
- ✓ Management master code output 2
- ✓ Management 10 users numeric code output 1
- ✓ Management 5 users numeric code output 2 (private)
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events




## CODE TOP

T2

LOCKING WITH A NUMERICAL CODE BATTERY POWER (VERTEBRATE LOCKING BAR + DOOR)

- ✓ Locking with a numerical code
- ✓ Remote control ready output 1
- ✓ Management master code output 1
- ✓ Management master code output 2
- ✓ Management 10 users numeric code output 1
- ✓ Management 5 users numeric code output 2
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events








## CODE TOP

T3

LOCKING WITH A NUMERICAL CODE EXTERNAL POWER 230V (VERTEBRATE LOCKING BAR + DOOR)

- ✓ Locking with a numerical code
- ✓ Remote control Ready output 1
- ✓ Management master code output 1
- ✓ Management master code output 2
- ✓ Management 10 users numeric code output 1
- ✓ Management 5 users numeric code output 2
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events




| 18x27 EH                                                                          | 27x27 EH                                                                           | 36x27 EH                                                                            | 54x27 EH                                                                            | 27x36 EH                                                                            |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |
| ELECTRONIC SYSTEM                                                                 |                                                                                    |                                                                                     |                                                                                     |                                                                                     |

CODE PLUS

P1

LOCKING WITH A NUMERICAL CODE BATTERY POWER (VERTEBRATE LOCKING BAR)

- ✓ Locking with a numerical code
- ✓ Remote control ready
- ✓ Management master code output 1
- ✓ Management 10 users numeric code output 1
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Opening and closing cabinet with user code with push-to-open (cabinet with wheels)




CODE PLUS

P2

LOCKING WITH A NUMERICAL CODE BATTERY POWER (VERTEBRATE LOCKING BAR)

- ✓ Locking with a numerical code
- ✓ Remote control ready
- ✓ Management master code output 1
- ✓ Management 10 users numeric code output 1
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events
- ✓ Opening and closing cabinet with user code with push-to-open (cabinet with wheels)




CODE PLUS

P4

LOCKING WITH A NUMERICAL CODE BATTERY POWER (DOOR)

- ✓ Locking with a numerical code
- ✓ Remote control ready
- ✓ Management master code output 1
- ✓ Management 10 users numeric code output 1
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Opening and closing cabinet with user code with push-to-open (cabinet with wheels)




CODE PLUS

P5

LOCKING WITH A NUMERICAL CODE BATTERY POWER (DOOR)

- ✓ Locking with a numerical code
- ✓ Remote control ready
- ✓ Management master code output 1
- ✓ Management 10 users numeric code output 1
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events
- ✓ Opening and closing cabinet with user code with push-to-open (cabinet with wheels)



36x36 EH


45x36 EH

54x36 EH


64x36 EH

78x36 EH


**FAMI**  
**MASTER**

**CODE ADVANCE**  
 (PUSH TO OPEN)



A0




A1



A2



A3



A4


ELECTRONIC SYSTEM

## CODE ADVANCE

A0

LOCKING WITH A NUMERICAL CODE BATTERY POWER + PRIVATE (VERTEBRATE LOCKING BAR)

- ✓ Locking with a numerical code
- ✓ Remote control ready output 1
- ✓ Management master code output 1
- ✓ Management master code output 2
- ✓ Management 10 users numeric code output 1
- ✓ Management 5 users numeric code output 2 (private)
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events
- ✓ Opening and closing cabinet with user code with push-to-open output 1 (cabinet with wheels)




PROGRAMMABLE

## CODE ADVANCE

A1

LOCKING WITH A NUMERICAL CODE BATTERY POWER (VERTEBRATE LOCKING BAR + DOOR)

- ✓ Locking with a numerical code
- ✓ Remote control ready output 1
- ✓ Management master code output 1
- ✓ Management master code output 2
- ✓ Management 10 users numeric code output 1
- ✓ Management 5 users numeric code output 2 (private)
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events
- ✓ Opening and closing cabinet with user code with push-to-open output 1 (cabinet with wheels)




PROGRAMMABLE

## CODE ADVANCE

A2

LOCKING WITH A NUMERICAL CODE BATTERY POWER (DOOR + VERTEBRATE LOCKING BAR)

- ✓ Locking with a numerical code
- ✓ Remote control ready output 1
- ✓ Management master code output 1
- ✓ Management master code output 2
- ✓ Management 10 users numeric code output 1
- ✓ Management 5 users numeric code output 2
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events
- ✓ Opening and closing cabinet with user code with push-to-open output 1 (port)




PROGRAMMABLE

## CODE ADVANCE

A3

LOCKING WITH A NUMERICAL CODE EXTERNAL POWER 230V (DOOR + VERTEBRATE LOCKING BAR)

- ✓ Locking with a numerical code
- ✓ Remote control ready output 1
- ✓ Management master code output 1
- ✓ Management master code output 2
- ✓ Management 10 users numeric code output 1
- ✓ Management 5 users numeric code output 2
- ✓ Management programming input 1 / input 2
- ✓ Change master code
- ✓ Management of memory banks
- ✓ Delete User Code
- ✓ Change User Code
- ✓ Download historical events
- ✓ Opening and closing cabinet with user code with push-to-open output 1 (port)




PROGRAMMABLE

A4


HANDLE PREDISPOSED FOR ELECTRONIC CYLINDER WITHOUT KEYPAD

- ✓ Handle prepared for electronic cylinder without numeric keypad. To be ordered in combination with the configurations T2 or T3 or A1.





MASTER **18x27** EH



BENELLI

The more intelligent and **idea** is,  
the easier it is to use

CABINETS  
SERIES  
MASTER  
18x27



SUPPLEMENTARY PARTS



■ Spare key

Always indicate the number on the cylinder lock of the key to be replace.

ORD. NO. **M 00 CF00 00 00 00 00**



■ Master key

Master key are available in 25 series, numbered from F 01 to F 25.

Master key series F 01

ORD. NO. **M 00 PF01 00 00 00 00**

Master key series F 02

ORD. NO. **M 00 PF02 00 00 00 00**

Master key series F ..

ORD. NO. **M 00 PF .. 00 00 00 00**

Master key series F 25

ORD. NO. **M 00 PF25 00 00 00 00**

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock  
page 12 - 13

123

456

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

FAMI

MASTER

400 MM

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 12 A040 C0 10 02 04 | FLEX | KEY  |
| M 12 A040 E1 10 02 04 | FLEX | CODE |

Cabinet with 3 drawers.  
Dimensions mm 408x573x400 h.

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 12 A040 C0 10 01 04 | FLEX | KEY  |
| M 12 A040 E1 10 01 04 | FLEX | CODE |

Cabinet with 3 drawers.  
Dimensions mm 408x573x400 h.

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 12 A040 C0 10 03 04 | FLEX | KEY  |
| M 12 A040 E1 10 03 04 | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 408x573x400 h.

600 MM

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 12 A060 C0 10 19 04 | FLEX | KEY  |
| M 12 A060 E1 10 19 04 | FLEX | CODE |

Cabinet with 3 drawers.  
Dimensions mm 408x573x600 h.

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 12 A060 C0 10 20 04 | FLEX | KEY  |
| M 12 A060 E1 10 20 04 | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 408x573x600 h.

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 12 A060 C0 10 21 04 | FLEX | KEY  |
| M 12 A060 E1 10 21 04 | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 408x573x600 h.

600 MM

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 12 A060 C0 10 22 04 | FLEX | KEY  |
| M 12 A060 E1 10 22 04 | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 408x573x600 h.

DOOR 425 MM

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 12 A060 C0 10 17 04 | FLEX | KEY  |
| M 12 A060 T2 10 17 04 | FLEX | CODE |

Cabinet with 1 drawer, 1 retractable shelf.  
Dimensions mm 408x598x600 h.

DOOR 500 MM

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 12 A060 C0 10 18 04 | FLEX | KEY  |
| M 12 A060 P4 10 18 04 | FLEX | CODE |

Cabinet with 1 adjustable shelf, 1 retractable shelf.  
Dimensions mm 408x598x600 h.

21

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction

**SYLOGIK**  
smart solutions

700 MM



100  
200  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 A070 C0 10 29 04</b> | FLEX | KEY  |
| <b>M 12 A070 E1 10 29 04</b> | FLEX | CODE |

Cabinet with 3 drawers.  
Dimensions mm 408x573x700 h.



100  
100  
100  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 A070 C0 10 34 04</b> | FLEX | KEY  |
| <b>M 12 A070 E1 10 34 04</b> | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 408x573x700 h.



75  
75  
150  
150  
150

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 A070 C0 10 35 04</b> | FLEX | KEY  |
| <b>M 12 A070 E1 10 35 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 408x573x700 h.



75  
75  
100  
150  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 A070 C0 10 31 04</b> | FLEX | KEY  |
| <b>M 12 A070 E1 10 31 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 408x573x700 h.

700 MM



50  
75  
75  
100  
100  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 A070 C0 10 32 04</b> | FLEX | KEY  |
| <b>M 12 A070 E1 10 32 04</b> | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 408x573x700 h.



50  
50  
75  
75  
75  
75  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 A070 C0 10 38 04</b> | FLEX | KEY  |
| <b>M 12 A070 E1 10 38 04</b> | FLEX | CODE |

Cabinet with 7 drawers.  
Dimensions mm 408x573x700 h.

700 MM

DOOR 425 MM



75  
100

PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 A070 C0 10 30 04</b> | FLEX | KEY  |
| <b>M 12 A070 T2 10 30 04</b> | FLEX | CODE |

Cabinet with 1 retractable shelf.  
Dimensions mm 408x598x700 h.

DOOR 600 MM



PR

PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 A070 C0 10 36 04</b> | FLEX | KEY  |
| <b>M 12 A070 P4 10 36 04</b> | FLEX | CODE |

Cabinet with 1 adjustable shelf, 1 retractable shelf.  
Dimensions mm 408x598x700 h.



36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE

5 YEARS

FLEX flexible extraction

100% = 50 Kg

96% = 75 Kg

92% = 100 Kg

TELE telescopic extraction

100% = 200 Kg

KEY = cylinder lock page 12 - 13

CODE = electronic lock page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf


PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

800 MM



700 mm

100

100

200

300

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 12 A080 C0 10 55 04 | FLEX | KEY  |
| M 12 A080 E1 10 55 04 | FLEX | CODE |

Cabinet with 4 drawers.

Dimensions mm 408x573x800 h.



50

100

100

100

150

300

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 12 A080 C0 10 54 04 | FLEX | KEY  |
| M 12 A080 E1 10 54 04 | FLEX | CODE |

Cabinet with 5 drawers.

Dimensions mm 408x573x800 h.



75

75

100

100

150

200

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 12 A080 C0 10 56 04 | FLEX | KEY  |
| M 12 A080 E1 10 56 04 | FLEX | CODE |

Cabinet with 6 drawers.

Dimensions mm 408x573x800 h.

800 MM

DOOR 425 MM



125

150

PE

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 12 A080 C0 10 68 04 | FLEX | KEY  |
| M 12 A080 T2 10 68 04 | FLEX | CODE |

Cabinet with 2 drawers, 1 retractable shelf.

Dimensions mm 408x598x800 h.

425 MM



75

100

100

PE

ORD. NO.


TYPE

|                       |      |      |
|-----------------------|------|------|
| M 12 A080 C0 10 57 04 | FLEX | KEY  |
| M 12 A080 T2 10 57 04 | FLEX | CODE |

Cabinet with 3 drawers, 1 retractable shelf.

Dimensions mm 408x598x800 h.

1000 MM



75

75

100

150

150

150

200

900 mm

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 12 A100 C0 10 AW 04 | FLEX | KEY  |
| M 12 A100 E1 10 AW 04 | FLEX | CODE |

Cabinet with 7 drawers.

Dimensions mm 408x573x1000 h.

625 MM



50

100

125

PR

PE

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 12 A100 C0 10 BD 04 | FLEX | KEY  |
| M 12 A100 T2 10 BD 04 | FLEX | CODE |

Cabinet with 3 drawers, 1 adjustable shelf, 1 retractable shelf.

Dim. mm 408x598x1000 h.

23

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
5  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



818 MM



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 R060 S0 10 19 04</b> | FLEX | KEY  |
| <b>M 12 R060 P1 10 19 04</b> | FLEX | CODE |

Cabinet with 3 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 245 kg.  
**Dimensions mm 434x647x818 h.**



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 R060 S0 10 20 04</b> | FLEX | KEY  |
| <b>M 12 R060 P1 10 20 04</b> | FLEX | CODE |

Cabinet with 4 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 245 kg.  
**Dimensions mm 434x647x818 h.**



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 R060 S0 10 21 04</b> | FLEX | KEY  |
| <b>M 12 R060 P1 10 21 04</b> | FLEX | CODE |


Cabinet with 5 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 245 kg.  
**Dimensions mm 434x647x818 h.**



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 R060 S0 10 22 04</b> | FLEX | KEY  |
| <b>M 12 R060 P1 10 22 04</b> | FLEX | CODE |

Cabinet with 6 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 245 kg.  
**Dimensions mm 434x647x818 h.**

918 MM



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 R070 S0 10 29 04</b> | FLEX | KEY  |
| <b>M 12 R070 P1 10 29 04</b> | FLEX | CODE |

Cabinet with 3 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 245 kg.  
**Dimensions mm 434x647x918 h.**



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 R070 S0 10 34 04</b> | FLEX | KEY  |
| <b>M 12 R070 P1 10 34 04</b> | FLEX | CODE |

Cabinet with 4 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 245 kg.  
**Dimensions mm 434x647x918 h.**



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 R070 S0 10 35 04</b> | FLEX | KEY  |
| <b>M 12 R070 P1 10 35 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 245 kg.  
**Dimensions mm 434x647x918 h.**



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 12 R070 S0 10 30 04</b> | FLEX | KEY  |
| <b>M 12 R070 A1 10 30 04</b> | FLEX | CODE |

Cabinet with 2 drawers, 1 retractable shelf.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 245 kg.  
**Dimensions mm 434x647x918 h.**

DOOR 425 MM

|                                              |                                                                                                                                                                     |                                                                                                                                         |                                                                                                                                                                                                                                                                       |                                                                                                                                                                               |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 36x36 EH                                     | 45x36 EH                                                                                                                                                            | 54x36 EH                                                                                                                                | 64x36 EH                                                                                                                                                                                                                                                              | 78x36 EH                                                                                                                                                                      |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br><br>100% = 50 Kg<br>96% = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br><br>100% = 200 Kg | <br><b>KEY</b> = cylinder lock<br>page 12 - 13<br><br><b>CODE</b> = electronic lock<br>page 14 - 17 | <br>YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS<br>AVAILABLE ON PAGE 10. |

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
 \* 50 mm drawer height is available only in the flexible extraction



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.


**PLASTIC** IN 8  
COLOURS



EMPTY CABINET BODY WITH LOCKING MECHANISM

WIDTH = 408 mm

DEPTH = 573 mm



| HEIGHT MM (A)                                    |    | 400                   | 600                   | 700                   | 800                   |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| USABLE HEIGHT MM (B)                             |    | 300                   | 500                   | 600                   | 700                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 12 A040 X0 10 00 04 | M 12 A060 X0 10 00 04 | M 12 A070 X0 10 00 04 | M 12 A080 X0 10 00 04 |
| CABINET WITH VERTEBRATE BAR WITHOUT LOCK*        | C5 | M 12 A040 C5 10 00 04 | M 12 A060 C5 10 00 04 | M 12 A070 C5 10 00 04 | M 12 A080 C5 10 00 04 |
| KEY COMFORT                                      |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | C0 | M 12 A040 C0 10 00 04 | M 12 A060 C0 10 00 04 | M 12 A070 C0 10 00 04 | M 12 A080 C0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | C1 | M 12 A040 C1 10 00 04 | M 12 A060 C1 10 00 04 | M 12 A070 C1 10 00 04 | M 12 A080 C1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | C2 | M 12 A040 C2 10 00 04 | M 12 A060 C2 10 00 04 | M 12 A070 C2 10 00 04 | M 12 A080 C2 10 00 04 |
| CODE EASY                                        |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | E1 | M 12 A040 E1 10 00 04 | M 12 A060 E1 10 00 04 | M 12 A070 E1 10 00 04 | M 12 A080 E1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | E2 | M 12 A040 E2 10 00 04 | M 12 A060 E2 10 00 04 | M 12 A070 E2 10 00 04 | M 12 A080 E2 10 00 04 |
| EXTERNAL POWERED                                 | E4 | M 12 A040 E4 10 00 04 | M 12 A060 E4 10 00 04 | M 12 A070 E4 10 00 04 | M 12 A080 E4 10 00 04 |
| EXTERNAL POWERED - PROGRAMMABLE                  | E5 | M 12 A040 E5 10 00 04 | M 12 A060 E5 10 00 04 | M 12 A070 E5 10 00 04 | M 12 A080 E5 10 00 04 |
| CODE TOP                                         |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T0 | M 12 A040 T0 10 00 04 | M 12 A060 T0 10 00 04 | M 12 A070 T0 10 00 04 | M 12 A080 T0 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T1 | M 12 A040 T1 10 00 04 | M 12 A060 T1 10 00 04 | M 12 A070 T1 10 00 04 | M 12 A080 T1 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T2 | M 12 A040 T2 10 00 04 | M 12 A060 T2 10 00 04 | M 12 A070 T2 10 00 04 | M 12 A080 T2 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T3 | M 12 A040 T3 10 00 04 | M 12 A060 T3 10 00 04 | M 12 A070 T3 10 00 04 | M 12 A080 T3 10 00 04 |


\* The vertebrate bar and locking systems are available on page 32 - 33

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3.

In configurations with the letter T the remote control always acts on the output 1 (see page 15).

Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE


electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



|                       |
|-----------------------|
| 1000                  |
| 900                   |
| M 12 A100 X0 10 00 04 |
| M 12 A100 C5 10 00 04 |
| M 12 A100 C0 10 00 04 |
| M 12 A100 C1 10 00 04 |
| M 12 A100 C2 10 00 04 |
| M 12 A100 E1 10 00 04 |
| M 12 A100 E2 10 00 04 |
| M 12 A100 E4 10 00 04 |
| M 12 A100 E5 10 00 04 |
| M 12 A100 T0 10 00 04 |
| M 12 A100 T1 10 00 04 |
| M 12 A100 T2 10 00 04 |
| M 12 A100 T3 10 00 04 |

KEY COMFORT

C0

C1

C2

CODE EASY

E1

E2

E4

E5

CODE TOP

T0

T1

T2

T3

SEE PAGE 12 - 14 - 15

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

EMPTY CABINET BODY READY FOR WHEELS **WITH LOCKS**

**WIDTH = 434 mm**

**DEPTH = 647 mm**



|                                                  |    |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 663                   | 763                   |
| USABLE HEIGHT MM (B)                             |    | 500                   | 600                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 12 R060 X0 10 00 04 | M 12 R070 X0 10 00 04 |
| KEY SMART (Push to Open)                         |    |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | S0 | M 12 R060 S0 10 00 04 | M 12 R070 S0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | S1 | M 12 R060 S1 10 00 04 | M 12 R070 S1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | S2 | M 12 R060 S2 10 00 04 | M 12 R070 S2 10 00 04 |
| CODE PLUS (Push to Open)                         |    |                       |                       |
| BATTERY POWERED                                  | P1 | M 12 R060 P1 10 00 04 | M 12 R070 P1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | P2 | M 12 R060 P2 10 00 04 | M 12 R070 P2 10 00 04 |
| CODE ADVANCE (Push to Open)                      |    |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A0 | M 12 R060 A0 10 00 04 | M 12 R070 A0 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A1 | M 12 R060 A1 10 00 04 | M 12 R070 A1 10 00 04 |

Full versions of cabinet includes: 4 border top with oil-resistant rubber cover, pair of handles, longitudinal wheel plates.

Wheels available on page 29.


\*Vertebrate bar and locking systems available on page 32 - 33

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL


Receiver module hardware with remote control to insert into the control card hardware for configurations P1 - P2 - A0 - A1.

In configurations with the letter A the remote control always acts on the output 1 (see page 17).

Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |



36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI

MASTER

WHEELS

STANDARD RUBBER WHEELS



Ø 100  
Ø 125



Ø 150  
Ø 200



Ø 100  
Ø 125



Ø 150  
Ø 200

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BAC11 100</b> | 100  | 75           | 128  |
| <b>C RG BAC12 125</b> | 125  | 100          | 155  |
| <b>C RG BAC13 150</b> | 150  | 115          | 180  |
| <b>C RG BAC15 200</b> | 200  | 205          | 240  |

Standard rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DAC11 100</b> | 100  | 75           | 128  |
| <b>C RG DAC12 125</b> | 125  | 100          | 155  |
| <b>C RG DAC13 150</b> | 150  | 115          | 180  |
| <b>C RG DAC15 200</b> | 200  | 205          | 240  |

Standard rubber swivel wheels with brake

NYLON WHEELS



Ø 100  
Ø 125



Ø 160



Ø 100  
Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BAD10 100</b> | 100  | 125          | 128  |
| <b>C RN BAD11 125</b> | 125  | 180          | 155  |
| <b>C RN BAD04 160</b> | 160  | 300          | 200  |

Nylon fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DAD10 100</b> | 100  | 125          | 128  |
| <b>C RN DAD11 125</b> | 125  | 180          | 155  |
| <b>C RN DAD04 160</b> | 160  | 300          | 200  |

Nylon swivel wheels with brake

SYNTHETIC MARK-PROOF RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BPH22 125</b> | 125  | 100          | 155  |
| <b>C RG BPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DPH22 125</b> | 125  | 100          | 155  |
| <b>C RG DPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber swivel wheels with brake

ELASTIC RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BCE15 125</b> | 125  | 180          | 155  |
| <b>C RG BCE15 160</b> | 160  | 300          | 200  |

Elastic rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DCE15 125</b> | 125  | 180          | 155  |
| <b>C RG DCE15 160</b> | 160  | 300          | 200  |

Elastic rubber swivel wheels with brake

POLYURETHANE WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BDD31 125</b> | 125  | 180          | 155  |
| <b>C RN BDD44 160</b> | 160  | 300          | 200  |

Polyurethane fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DDD31 125</b> | 125  | 180          | 155  |
| <b>C RN DDD44 160</b> | 160  | 300          | 200  |

Polyurethane swivel wheels with brake



To calculate load capacity of the cabinet with standard non-marking rubber and nylon wheels, Ø 100 mm use the formula: (Ax3) - 55 kg

A = wheel load capacity

The load capacity of the cabinet with elastic, polyurethane and nylon wheels Ø 125 mm is 400 kg.

29

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.



**PLASTIC** IN 8  
COLOURS

**SYLOGIK**  
smart solutions

DOORS WITH LOCKS



WIDTH = 408 mm

DOORS FOR FULL HEIGHT



| CABINET HEIGHT MM (B)                    | 600                            |                              | 700                            |                              |
|------------------------------------------|--------------------------------|------------------------------|--------------------------------|------------------------------|
| DOOR HEIGHT MM (A)                       | 544                            |                              | 644                            |                              |
|                                          | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     |
| KEY COMFORT                              |                                |                              |                                |                              |
| CYLINDER LOCK WITH DIFFERENT NUMBERS     | <b>C0</b>                      | <b>M 10 P050 C0 10 00 04</b> | <b>M 10 P050 C0 00 00 04</b>   | <b>M 10 P060 C0 10 00 04</b> |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS  | <b>C1</b>                      | <b>M 10 P050 C1 10 00 04</b> | <b>M 10 P050 C1 00 00 04</b>   | <b>M 10 P060 C1 10 00 04</b> |
| CYLINDER LOCK WITH IDENTICAL NUMBERS     | <b>C2</b>                      | <b>M 10 P050 C2 10 00 04</b> | <b>M 10 P050 C2 00 00 04</b>   | <b>M 10 P060 C2 10 00 04</b> |
| CODE PLUS (Push to Open)                 |                                |                              |                                |                              |
| BATTERY POWERED                          | <b>P4</b>                      | <b>M 10 P050 P4 10 00 04</b> | <b>M 10 P050 P4 00 00 04</b>   | <b>M 10 P060 P4 10 00 04</b> |
| BATTERY POWERED - PROGRAMMABLE           | <b>P5</b>                      | <b>M 10 P050 P5 10 00 04</b> | <b>M 10 P050 P5 00 00 04</b>   | <b>M 10 P060 P5 10 00 04</b> |
| CODE ADVANCE (Push to Open)              |                                |                              |                                |                              |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE | <b>A2</b>                      | <b>M 10 P050 A2 10 00 04</b> | <b>M 10 P050 A2 00 00 04</b>   | <b>M 10 P060 A2 10 00 04</b> |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE | <b>A3</b>                      | <b>M 10 P050 A3 10 00 04</b> | <b>M 10 P050 A3 00 00 04</b>   | <b>M 10 P060 A3 10 00 04</b> |

DOORS FOR PARTIAL HEIGHT



| OVERALL HEIGHT MM (D)                     | 425 (D)                        |                              | 525 (D)                        |                              |
|-------------------------------------------|--------------------------------|------------------------------|--------------------------------|------------------------------|
| USABLE HEIGHT MM (C) - DOOR HEIGHT MM (A) | 400 (C) - 444 (A)              |                              | 500 (C) - 544 (A)              |                              |
|                                           | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     |
| KEY COMFORT                               |                                |                              |                                |                              |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | <b>C0</b>                      | <b>M 10 P042 C0 10 01 04</b> | <b>M 10 P042 C0 00 01 04</b>   | <b>M 10 P052 C0 10 01 04</b> |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | <b>C1</b>                      | <b>M 10 P042 C1 10 01 04</b> | <b>M 10 P042 C1 00 01 04</b>   | <b>M 10 P052 C1 10 01 04</b> |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | <b>C2</b>                      | <b>M 10 P042 C2 10 01 04</b> | <b>M 10 P042 C2 00 01 04</b>   | <b>M 10 P052 C2 10 01 04</b> |
| CODE PLUS (Push to Open)                  |                                |                              |                                |                              |
| BATTERY POWERED                           | <b>P4</b>                      | <b>M 10 P042 P4 10 01 04</b> | <b>M 10 P042 P4 00 01 04</b>   | <b>M 10 P052 P4 10 01 04</b> |
| BATTERY POWERED - PROGRAMMABLE            | <b>P5</b>                      | <b>M 10 P042 P5 10 01 04</b> | <b>M 10 P042 P5 00 01 04</b>   | <b>M 10 P052 P5 10 01 04</b> |
| CODE ADVANCE (Push to Open)               |                                |                              |                                |                              |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | <b>A2</b>                      | <b>M 10 P042 A2 10 01 04</b> | <b>M 10 P042 A2 00 01 04</b>   | <b>M 10 P052 A2 10 01 04</b> |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | <b>A3</b>                      | <b>M 10 P042 A3 10 01 04</b> | <b>M 10 P042 A3 00 01 04</b>   | <b>M 10 P052 A3 10 01 04</b> |
| LOCKING PREDISPOSED FOR T2 - T3 - A1      | <b>A4</b>                      | <b>M 10 P042 A4 10 01 04</b> | <b>M 10 P042 A4 00 01 04</b>   | <b>M 10 P052 A4 10 01 04</b> |

\*Match the item number to one of the plastic kits available at page 31

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI


MASTER

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P4 - P5 - A2 - A3.

In configurations with the letter A the remote control always acts on the output 1 (see page 17).

Each receiver module can manage up to 10 remote controls.




| Description                         | ORD. NO.              | Reference |
|-------------------------------------|-----------------------|-----------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B       |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A         |

KEY COMFORT

CODE PLUS (Push to Open)

CODE ADVANCE (Push to Open)

SEE PAGE 12 - 16 - 17



| 625 (D)                        |                           |
|--------------------------------|---------------------------|
| 600 (C) - 644 (A)              |                           |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit * |
| M 10 P062 C0 10 01 04          | M 10 P062 C0 00 01 04     |
| M 10 P062 C1 10 01 04          | M 10 P062 C1 00 01 04     |
| M 10 P062 C2 10 01 04          | M 10 P062 C2 00 01 04     |
| M 10 P062 P4 10 01 04          | M 10 P062 P4 00 01 04     |
| M 10 P062 P5 10 01 04          | M 10 P062 P5 00 01 04     |
| M 10 P062 A2 10 01 04          | M 10 P062 A2 00 01 04     |
| M 10 P062 A3 10 01 04          | M 10 P062 A3 00 01 04     |
| M 10 P062 A4 10 01 04          | M 10 P062 A4 00 01 04     |

PLASTIC KIT FOR DOORS


Plastic kit for wing doors with handle and hinges.

| LOCKING            | KEY                   | CODE                  |
|--------------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 20 M1 | M 00 PLS0 00 00 21 M1 |
| SKY BLUE           | M 00 PLS0 00 00 20 M2 | M 00 PLS0 00 00 21 M2 |
| GLAMOUR RED        | M 00 PLS0 00 00 20 M3 | M 00 PLS0 00 00 21 M3 |
| RED CARPET         | M 00 PLS0 00 00 20 M4 | M 00 PLS0 00 00 21 M4 |
| JUICY ORANGE       | M 00 PLS0 00 00 20 M5 | M 00 PLS0 00 00 21 M5 |
| SUNNY YELLOW       | M 00 PLS0 00 00 20 M6 | M 00 PLS0 00 00 21 M6 |
| FOREST GREEN       | M 00 PLS0 00 00 20 M7 | M 00 PLS0 00 00 21 M7 |

LOCKING SYSTEMS


ELECTRONIC LOCKING (CODE)

The electronic keypad can be inserted under the locking shelf or under for the top of the Master cabinet series and can be powered either from the grid with a transformer or with 4 AA batteries 1.5 V - 0.15 A. The **Programmable** card comes with two inputs and two outputs depending on the needs of the customer. For more information contact a Fami technician.




| CODE EASY                                 |    |                       |                                 |
|-------------------------------------------|----|-----------------------|---------------------------------|
| BATTERY POWERED                           | E1 | M 12 V000 E1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | E2 | M 12 V000 E2 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED                          | E4 | M 12 V000 E4 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED - PROGRAMMABLE           | E5 | M 12 V000 E5 00 00 00 | A + B + C + D + E + F + G       |
| CODE TOP                                  |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T0 | M 12 V000 T0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T1 | M 12 V000 T1 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T2 | M 12 V000 T2 00 00 00 | A + B + C + D + E + F + G + H   |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T3 | M 12 V000 T3 00 00 00 | A + B + C + D + E + F + G + H   |
| CODE PLUS (Push to Open)                  |    |                       |                                 |
| BATTERY POWERED                           | P1 | M 12 V000 P1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | P2 | M 12 V000 P2 00 00 00 | A + B + C + D + E + F + G       |
| CODE ADVANCE (Push to Open)               |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A0 | M 12 V000 A0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A1 | M 12 V000 A1 00 00 00 | A + B + C + D + E + F + G + H   |


CODE EASY




CODE TOP



CODE PLUS (Push to Open)




CODE ADVANCE (Push to Open)



SEE PAGE 14 - 17

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3 - P1 - P2 - A0 - A1. In configurations with the letter T the remote control always acts on the output 1 (see page 15 - 17). Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5 YEARS

FLEXflexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELEtelescopic extraction

100% = 200 Kg

KEY = cylinder lock  
page 12 - 13

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIKsmart solutions




VERTEBRATE BAR

The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.



| ORD. NO.              | Useful height insertion<br>drawers mm |
|-----------------------|---------------------------------------|
| M 00 V030 00 00 00 00 | 300                                   |
| M 00 V050 00 00 00 00 | 500                                   |
| M 00 V060 00 00 00 00 | 600                                   |
| M 00 V070 00 00 00 00 | 700                                   |
| M 00 V075 00 00 00 00 | 750                                   |
| M 00 V090 00 00 00 00 | 900                                   |


CYLINDER LOCK (KEY)




- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |                          |
|-----------------------------------------|--------------------------|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 M 12 V000 C0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 M 12 V000 C1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 M 12 V000 C2 00 00 00 |
|                                         |                          |
| KEY SMART (Push to Open)                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | S0 M 12 V000 S0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | S1 M 12 V000 S1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | S2 M 12 V000 S2 00 00 00 |

KEY COMFORT



KEY SMART (Push to Open)



SEE PAGE 12 - 13

SHELVES FOR LOCKS AND ADJUSTABLE SHELF

UPPER SHELF FOR LOCKING SYSTEM

This upper shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 12 PS46 00 10 00 04 | 46              | 150              |

Dimensions mm 357x571x46 h.

LOWER SHELF FOR LOCKING SYSTEM

This lower shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 12 PS46 10 10 00 04 | 46              | 150              |

Dimensions mm 357x571x46 h.

ADJUSTABLE SHELF

This adjustable height shelf, comes standard with 2 guides, is designed to be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 12 PR25 00 00 01 04 | 25              | 70               |

Usable dimensions mm 351x464x25 h.

SLOTTED ADJUSTABLE SHELF

This adjustable height shelf cannot be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 12 PR35 10 00 00 04 | 35              | 100              |

Dimensions mm 357x568x35 h.

DRAWERS AND RETRACTABLES SHELVES

FLEXIBLE EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom in fixed increments makes inserting the partitioning elements simple and rational. Drawers are supplied with the flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|----------------------------|----------------------------|
| <b>M 12 C050 01 10 0F 04</b>      | <b>M 12 C050 01 00 0F 04</b> | 50                 | 33                  | 28                | 100                        | 50                         |
| <b>M 12 C075 01 10 0F 04</b>      | <b>M 12 C075 01 00 0F 04</b> | 75                 | 58                  | 53                | 100                        | 50                         |
| <b>M 12 C100 01 10 0F 04</b>      | <b>M 12 C100 01 00 0F 04</b> | 100                | 83                  | 75                | 100                        | 50                         |
| <b>M 12 C125 01 10 0F 04</b>      | <b>M 12 C125 01 00 0F 04</b> | 125                | 108                 | 75                | 100                        | 50                         |
| <b>M 12 C150 01 10 0F 04</b>      | <b>M 12 C150 01 00 0F 04</b> | 150                | 133                 | 125               | 100                        | 50                         |
| <b>M 12 C200 01 10 0F 04</b>      | <b>M 12 C200 01 00 0F 04</b> | 200                | 183                 | 175               | 100                        | 50                         |
| <b>M 12 C250 01 10 0F 04</b>      | <b>M 12 C250 01 00 0F 04</b> | 250                | 233                 | 175               | 100                        | 50                         |
| <b>M 12 C300 01 10 0F 04</b>      | <b>M 12 C300 01 00 0F 04</b> | 300                | 283                 | 275               | 100                        | 50                         |

Volume / extractability kg/% : 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 294x447.**

\*Match the item number to one of the plastic kits available at page 35

FULL TELESCOPIC EXTENSION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom with fixed increments make inserting the partitioning elements simple and rational. Drawers supplied with a telescopic extraction system with 8 bearings in high strength polymer allows a consistently smooth, durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|---------------------|---------------------|
| <b>M 12 C075 01 10 0T 04</b>      | <b>M 12 C075 01 00 0T 04</b> | 75                 | 58                  | 53                | 100                 | 200                 |
| <b>M 12 C100 01 10 0T 04</b>      | <b>M 12 C100 01 00 0T 04</b> | 100                | 83                  | 75                | 100                 | 200                 |
| <b>M 12 C125 01 10 0T 04</b>      | <b>M 12 C125 01 00 0T 04</b> | 125                | 108                 | 75                | 100                 | 200                 |
| <b>M 12 C150 01 10 0T 04</b>      | <b>M 12 C150 01 00 0T 04</b> | 150                | 133                 | 125               | 100                 | 200                 |
| <b>M 12 C200 01 10 0T 04</b>      | <b>M 12 C200 01 00 0T 04</b> | 200                | 183                 | 175               | 100                 | 200                 |
| <b>M 12 C250 01 10 0T 04</b>      | <b>M 12 C250 01 00 0T 04</b> | 250                | 233                 | 175               | 100                 | 200                 |
| <b>M 12 C300 01 10 0T 04</b>      | <b>M 12 C300 01 00 0T 04</b> | 300                | 283                 | 275               | 100                 | 200                 |

**Usable dimensions mm 294x447.**

\*Match the item number to one of the plastic kits available at page 35

36x36 EH

GUARANTEE

5

YEARS

FLEXflexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELEtelescopic extraction

100% = 200 Kg

KEY = cylinder lock  
page 12 - 13

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI

MASTER

FLEXIBLE RETRACTABLE SHELVES

These retractable shelves were designed to fit in the cabinets. The shelves are supplied with a flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|----------------------------|----------------------------|
| M 12 C057 01 10 0F 04             | M 12 C057 01 00 0F 04       | 70                 | 53                | 96                         | 75                         |

Volume / extractability    kg/%: 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 294x447.**

\*Match the item number to one of the plastic kits available in the table below

TELESCOPIC RETRACTABLE SHELVES

These retractable shelves were designed to be inserted in the cabinet. The shelves are supplied with a telescopic extraction system with 8 bearings in high strength polymer that allows a consistently smooth, durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|---------------------|---------------------|
| M 12 C057 01 10 0T 04             | M 12 C057 01 00 0T 04       | 70                 | 53                | 100                 | 200                 |

**Usable dimensions mm 294x447.**

\*Match the item number to one of the plastic kits available in the table below

PLASTIC KIT FOR DRAWERS AND RETRACTABLE SHELVES

Plastic kit for drawers and retractable shelves with left handle, door profile in white plastic, right plug h = 25 mm

|                    |             | ORD. NO.              |
|--------------------|-------------|-----------------------|
| MEDITERRANEAN BLUE | <div></div> | M 10 PLS1 00 00 00 M1 |
| SKY BLUE           | <div></div> | M 10 PLS1 00 00 00 M2 |
| GLAMOUR RED        | <div></div> | M 10 PLS1 00 00 00 M3 |
| RED CARPET         | <div></div> | M 10 PLS1 00 00 00 M4 |
| JUICY ORANGE       | <div></div> | M 10 PLS1 00 00 00 M5 |
| SUNNY YELLOW       | <div></div> | M 10 PLS1 00 00 00 M6 |
| FOREST GREEN       | <div></div> | M 10 PLS1 00 00 00 M7 |



GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17




YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC** IN 8  
COLOURS

**SYLOGIK**  
smart solutions

ACCESSORIES

MDF TOP WITH RUBBER COVERING



ORD. NO.

**M 12 T030 MD GM 21 07**

MDF top with rubber covering and side profile.

For end cabinets.

Colour: Black RAL 9011.

Dimensions mm 408x573x32 h.



ORD. NO.

**M 12 T030 MD GM 11 07**

MDF top with rubber covering, no side profile.

For additional central cabinets.

Colour: Black RAL 9011.

Dimensions mm 408x573x32 h.



ORD. NO.

**M 12 T030 MD GM 01 07**

MDF top with rubber covering and 2 side profiles.

For single cabinet.

Colour: Black RAL 9011.

Dimensions mm 408x573x32 h.

ORD. NO.

**M 00 T030 MD 00 F0 00**

Drilling of the cabinet upper shelf for the  
MDF top fixing.

TOP SHELF WITH 3 EDGES



ORD. NO.

**M 12 T023 AG 00 31 07**

Oil-resistant rubber cover top with 3 edges for single  
cabinet. Colour: Black RAL 9011.

Dimensions mm 408x573x23 h.

TOP SHELF WITH 4 EDGES



ORD. NO.

**M 12 T023 AG 00 41 07**

Oil-resistant rubber cover top with 4 edges for single  
cabinet. Colour: Black RAL 9011.

Dimensions mm 408x573x23 h.

ORD. NO.

**M 00 T023 AG 00 F0 00**

Predrilled cabinet top for fixing the top with 4 edges.

PAIR OF HANDLES

Steel handles coated in oil-resistant rubber with screws for fixing, applicable only for the top with 4 edges.  
The handles can be fitted towards the bottom thereby reducing the height by 37 mm. Colour: Black RAL 9011.



ORD. NO.

**F AG 9330 00 07**

LONGITUDINAL WHEELS PLATES



ORD. NO.

M 02 R023 00 00 00 07

Length 570 mm. Colour: Black RAL 9011.

TWO SIDED ADHESIVE TAPE



ORD. NO.

R CMV 0025 00

Length 50 meters - Widht 15 mm.

PLINTHS



ORD. NO.

M 12 Z050 00 00 00 04

Plinth. Dimensions mm 406x572x50 h.



ORD. NO.

M 12 Z100 00 00 00 04

Plinth. Dimensions mm 406x572x100 h.



FIXING

The cabinet must be fixed to the floor or wall. If the cabinets are stacked they must be secured to the wall and their load rating must to be divided by 2.



ORD. NO.

F AG 9200 00 99

Pair of galvanized brackets for mounting the cabinet to the floor, hole 6 mm.




ORD. NO.

F AG 9204 00 99

Floor fixing set. Features:

- N° 2 “HILTI” plugs for concrete floors ≥ to classes C 20/25
- Recommended traction of the plug: 2.9 KN
- Plug diameter: Ø 6 mm.



ORD. NO.

M 00 FISO 00 00 00 99

Fixing set for cabinet including 4 screws with M8 nuts.

ORD. NO.

M 00 SVR0 00 00 00 99

Predrilled holes and screws for attachment of the two stacked cabinets.

PARTITIONING MATERIAL



| FOR FRONT HEIGHTS   | ORD. NO.               |
|---------------------|------------------------|
| 50 - 300            | <b>F FH 8205 02 00</b> |
| Set including:      |                        |
| 3 Troughs           | 4 grooves              |
| 3 Troughs           | 3 grooves              |
| 16 Plain partitions | 36 mm                  |
| 7 Plain partitions  | 47 mm                  |



| FOR FRONT HEIGHTS   | ORD. NO.               |
|---------------------|------------------------|
| 50 - 300            | <b>F FH 8205 03 00</b> |
| Set including:      |                        |
| 3 Troughs           | 3 grooves              |
| 3 Troughs           | 2 grooves              |
| 15 Plain partitions | 47 mm                  |
| 8 Plain partitions  | 73 mm                  |



| FOR FRONT HEIGHTS   | ORD. NO.               |
|---------------------|------------------------|
| 50 - 300            | <b>F FH 8205 04 00</b> |
| Set including:      |                        |
| 6 Troughs           | 2 grooves              |
| 18 Plain partitions | 73 mm                  |



| FOR FRONT HEIGHTS   | ORD. NO.               |
|---------------------|------------------------|
| 50                  | <b>F FH 8005 08 00</b> |
| 75                  | <b>F FH 8007 08 00</b> |
| 100 - 125           | <b>F FH 8010 08 00</b> |
| 150                 | <b>F FH 8015 08 00</b> |
| 200 - 250           | <b>F FH 8020 08 00</b> |
| 300                 | <b>F FH 8030 08 00</b> |
| Set including:      |                        |
| 1 Slotted partition | 455 mm                 |
| 2 Plain partitions  | 149 mm                 |



| FOR FRONT HEIGHTS    | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 8005 09 00</b> |
| 75                   | <b>F FH 8007 09 00</b> |
| 100 - 125            | <b>F FH 8010 09 00</b> |
| 150                  | <b>F FH 8015 09 00</b> |
| Set including:       |                        |
| 2 Slotted partitions | 455 mm                 |
| 6 Plain partitions   | 98 mm                  |




| FOR FRONT HEIGHTS  | ORD. NO.               |
|--------------------|------------------------|
| 50                 | <b>F FH 8405 13 00</b> |
| 75                 | <b>F FH 8407 13 00</b> |
| 100 - 125          | <b>F FH 8410 13 00</b> |
| 150                | <b>F FH 8415 13 00</b> |
| 200 - 250          | <b>F FH 8420 13 00</b> |
| Set including:     |                        |
| 2 Plain partitions | 455 mm                 |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 8205 18 00</b> |
| 75                | <b>F FH 8207 18 00</b> |
| 100 - 125         | <b>F FH 8210 18 00</b> |
| Set including:    |                        |
| 4 Plastic boxes   | 150x75 mm              |
| 4 Plastic boxes   | 150x150 mm             |




| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 8205 17 00</b> |
| 75                | <b>F FH 8207 17 00</b> |
| Set including:    |                        |
| 4 Plastic boxes   | 75x75 mm               |
| 6 Plastic boxes   | 150x75 mm              |
| 2 Plastic boxes   | 150x150 mm             |



| FOR FRONT HEIGHTS       | ORD. NO.               |
|-------------------------|------------------------|
| 50 - 300                | <b>F FH 8605 19 00</b> |
| Set including:          |                        |
| 2 Multi-purpose support | 440 mm                 |

|                                              |                                                                                                                                                                     |                                                                                                                                                                                     |                                                                                                                                    |                                                                                                                                       |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| 36x36 EH                                     | 45x36 EH                                                                                                                                                            | 54x36 EH                                                                                                                                                                            | 64x36 EH                                                                                                                           | 78x36 EH                                                                                                                              |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br><br>100% = 50 Kg<br>96% = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br><br>100% = 200 Kg                                             | <br><b>KEY</b> =<br>cylinder lock<br>page 12 - 13 | <br><b>CODE</b> =<br>electronic lock<br>page 14 - 17 |
|                                              |                                                                                                                                                                     | <br>YOU CAN CHANGE THE<br>COLOUR OF ARTICLE 04 WITH<br>ONE OF 10 COLOURS<br>AVAILABLE ON PAGE 10. | <br><b>PLASTIC</b> IN 8<br>COLOURS              |                                                    |



Intelligence becomes *beauty*

MASTER **27x27** EH



CABINETS  
SERIES  
MASTER  
27x27



SUPPLEMENTARY PARTS



■ Spare key

Always indicate the number on the cylinder lock of the key to be replace.

ORD. NO. **M 00 CF00 00 00 00 00**



■ Master key

Master key are available in 25 series, numbered from F 01 to F 25.

Master key series F 01

ORD. NO. **M 00 PF01 00 00 00 00**

Master key series F 02

ORD. NO. **M 00 PF02 00 00 00 00**

Master key series F ..

ORD. NO. **M 00 PF .. 00 00 00 00**

Master key series F 25

ORD. NO. **M 00 PF25 00 00 00 00**

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock  
page 12 - 13

1

2

3

4

5

6

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

400 MM

300 mm

100

200

ORD. NO.

TYPE

M 22 A040 C0 10 04 04

FLEX

KEY

M 22 A040 E1 10 04 04

FLEX

CODE

Cabinet with 2 drawers.

Dimensions mm 561x573x400 h.

75

75

150

ORD. NO.

TYPE

M 22 A040 C0 10 02 04

FLEX

KEY

M 22 A040 E1 10 02 04

FLEX

CODE

Cabinet with 3 drawers.

Dimensions mm 561x573x400 h.

50

100

150

ORD. NO.

TYPE

M 22 A040 C0 10 01 04

FLEX

KEY

M 22 A040 E1 10 01 04

FLEX

CODE

Cabinet with 3 drawers.

Dimensions mm 561x573x400 h.

50

75

75

100

ORD. NO.

TYPE

M 22 A040 C0 10 03 04

FLEX

KEY

M 22 A040 E1 10 03 04

FLEX

CODE

Cabinet with 4 drawers.

Dimensions mm 561x573x400 h.

600 MM

500 mm

100

100

300

ORD. NO.

TYPE

M 22 A060 C0 10 19 04

FLEX

KEY

M 22 A060 E1 10 19 04

FLEX

CODE

Cabinet with 3 drawers.

Dimensions mm 561x573x600 h.

75

75

150

200

ORD. NO.

TYPE

M 22 A060 C0 10 20 04

FLEX

KEY

M 22 A060 E1 10 20 04

FLEX

CODE

Cabinet with 4 drawers.

Dimensions mm 561x573x600 h.

50

75

75

100

200

ORD. NO.

TYPE

M 22 A060 C0 10 21 04

FLEX

KEY

M 22 A060 E1 10 21 04

FLEX

CODE

Cabinet with 5 drawers.

Dimensions mm 561x573x600 h.

75

75

75

100

100

ORD. NO.

TYPE

M 22 A060 C0 10 22 04

FLEX

KEY

M 22 A060 E1 10 22 04

FLEX

CODE

Cabinet with 6 drawers.

Dimensions mm 561x573x600 h.

600 MM

DOOR 425 MM

75

PE

ORD. NO.

TYPE

M 22 A060 C0 10 17 04

FLEX

KEY

M 22 A060 T2 10 17 04

FLEX

CODE

Cabinet with 1 drawer, 1 retractable shelf.

Dimensions mm 561x598x600 h.

DOOR 500 MM

PR

PE

ORD. NO.

TYPE

M 22 A060 C0 10 18 04

FLEX

KEY

M 22 A060 P4 10 18 04

FLEX

CODE

Cabinet with 1 adjustable shelf, 1 retractable shelf.

Dimensions mm 561x598x600 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17




YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



700 MM



100  
100  
100  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 22 A070 C0 10 34 04</b> | FLEX | KEY  |
| <b>M 22 A070 E1 10 34 04</b> | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 561x573x700 h.



75  
75  
100  
150  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 22 A070 C0 10 31 04</b> | FLEX | KEY  |
| <b>M 22 A070 E1 10 31 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 561x573x700 h.



50  
75  
75  
100  
100  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 22 A070 C0 10 32 04</b> | FLEX | KEY  |
| <b>M 22 A070 E1 10 32 04</b> | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 561x573x700 h.



50  
50  
75  
75  
75  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 22 A070 C0 10 38 04</b> | FLEX | KEY  |
| <b>M 22 A070 E1 10 38 04</b> | FLEX | CODE |

Cabinet with 7 drawers.  
Dimensions mm 561x573x700 h.

700 MM

DOOR 425 MM



75  
100

PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 22 A070 C0 10 30 04</b> | FLEX | KEY  |
| <b>M 22 A070 T2 10 30 04</b> | FLEX | CODE |

Cabinet with 2 drawers, 1 retractable shelf.  
Dimensions mm 561x598x700 h.

DOOR 600 MM



PR

PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 22 A070 C0 10 36 04</b> | FLEX | KEY  |
| <b>M 22 A070 P4 10 36 04</b> | FLEX | CODE |

Cabinet with 1 adjustable shelf, 1 retractable shelf.  
Dimensions mm 561x598x700 h.

800 MM



100  
100  
200  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 22 A080 C0 10 55 04</b> | FLEX | KEY  |
| <b>M 22 A080 E1 10 55 04</b> | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 561x573x800 h.



50  
100  
100  
150  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 22 A080 C0 10 54 04</b> | FLEX | KEY  |
| <b>M 22 A080 E1 10 54 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 561x573x800 h.



75  
75  
100  
100  
150  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 22 A080 C0 10 56 04</b> | FLEX | KEY  |
| <b>M 22 A080 E1 10 56 04</b> | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 561x573x800 h.

DOOR 425 MM



75  
100  
100

PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 22 A080 C0 10 57 04</b> | FLEX | KEY  |
| <b>M 22 A080 T2 10 57 04</b> | FLEX | CODE |

Cabinet with 3 drawers, 1 retractable shelf.  
Dimensions mm 561x598x800 h.

850 MM



750 mm

100

150

200

300

ORD. NO.

TYPE

M 22 A085 C0 10 92 04

FLEX

KEY

M 22 A085 E1 10 92 04

FLEX

CODE

Cabinet with 4 drawers.

Dimensions mm 561x573x850 h.



50

100

100

200

300

ORD. NO.

TYPE

M 22 A085 C0 10 93 04

FLEX

KEY

M 22 A085 E1 10 93 04

FLEX

CODE

Cabinet with 5 drawers.

Dimensions mm 561x573x850 h.



100

150

150

200

ORD. NO.

TYPE

M 22 A085 C0 10 88 04

FLEX

KEY

M 22 A085 E1 10 88 04

FLEX

CODE

Cabinet with 5 drawers.

Dimensions mm 561x573x850 h.



100

100

150

200

200

ORD. NO.

TYPE

M 22 A085 C0 10 90 04

FLEX

KEY

M 22 A085 E1 10 90 04

FLEX

CODE

Cabinet with 5 drawers.

Dimensions mm 561x573x850 h.

850 MM



75

75

100

100

200

200

ORD. NO.

TYPE

M 22 A085 C0 10 89 04

FLEX

KEY

M 22 A085 E1 10 89 04

FLEX

CODE

Cabinet with 6 drawers.

Dimensions mm 561x573x850 h.



75

100

100

100

125

250

ORD. NO.

TYPE

M 22 A085 C0 10 94 04

FLEX

KEY

M 22 A085 E1 10 94 04

FLEX

CODE

Cabinet with 6 drawers.

Dimensions mm 561x573x850 h.



50

100

100

150

150

200

ORD. NO.

TYPE

M 22 A085 C0 10 91 04

FLEX

KEY

M 22 A085 E1 10 91 04

FLEX

CODE

Cabinet with 6 drawers.

Dimensions mm 561x573x850 h.



75

75

100

100

150

150

150

ORD. NO.

TYPE

M 22 A085 C0 10 95 04

FLEX

KEY

M 22 A085 E1 10 95 04

FLEX

CODE

Cabinet with 7 drawers.

Dimensions mm 561x573x850 h.

850 MM



50

75

75

100

100

100

100

150

ORD. NO.

TYPE

M 22 A085 C0 10 87 04

FLEX

KEY

M 22 A085 E1 10 87 04

FLEX

CODE

Cabinet with 8 drawers.

Dimensions mm 561x573x850 h.



50

75

75

75

75

100

100

200

ORD. NO.

TYPE

M 22 A085 C0 10 96 04

FLEX

KEY

M 22 A085 E1 10 96 04

FLEX

CODE

Cabinet with 8 drawers.

Dimensions mm 561x573x850 h.

DOOR 425 MM



125

200

ORD. NO.

TYPE

M 22 A085 C0 10 AR 04

FLEX

KEY

M 22 A085 T2 10 AR 04

FLEX

CODE

Cabinet with 2 drawers, 1 retractable shelf.

Dimensions mm 561x598x850 h.

DOOR 425 MM



75

100

150

ORD. NO.

TYPE

M 22 A085 C0 10 97 04

FLEX

KEY

M 22 A085 T2 10 97 04

FLEX

CODE

Cabinet with 3 drawers, 1 retractable shelf.

Dimensions mm 561x598x850 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17




YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction




| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 22 A100 C0 10 AY 04 | FLEX | KEY  |
| M 22 A100 E1 10 AY 04 | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 561x573x1000 h.




| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 22 A100 C0 10 AZ 04 | FLEX | KEY  |
| M 22 A100 E1 10 AZ 04 | FLEX | CODE |

Cabinet with 7 drawers.  
Dimensions mm 561x573x1000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 22 A100 C0 10 BA 04 | FLEX | KEY  |
| M 22 A100 E1 10 BA 04 | FLEX | CODE |

Cabinet with 8 drawers.  
Dimensions mm 561x573x1000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 22 A100 C0 10 BB 04 | FLEX | KEY  |
| M 22 A100 E1 10 BB 04 | FLEX | CODE |

Cabinet with 8 drawers.  
Dimensions mm 561x573x1000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 22 A100 C0 10 BD 04 | FLEX | KEY  |
| M 22 A100 T2 10 BD 04 | FLEX | CODE |

Cabinet with 3 drawers, 1 adjustable shelf,  
1 retractable shelf.  
Dimensions mm 561x598x1000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 22 A100 C0 10 BC 04 | FLEX | KEY  |
| M 22 A100 T2 10 BC 04 | FLEX | CODE |

Cabinet with 5 drawers, 1 retractable shelf.  
Dimensions mm 561x598x1000 h.



|          |          |          |          |          |
|----------|----------|----------|----------|----------|
| 36x36 EH | 45x36 EH | 54x36 EH | 64x36 EH | 78x36 EH |
|----------|----------|----------|----------|----------|

GUARANTEE

**5**

YEARS

**FLEX** flexible extraction

100% = 50 Kg  
96% = 75 kg  
92% = 100 Kg

**TELE** telescopic extraction

100% = 200 Kg

**KEY** = cylinder lock  
page 12 - 13

**CODE** = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



818 MM



100  
100  
300

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 22 R060 S0 10 19 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 22 R060 P1 10 19 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 3 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x647x818 h.**



75  
75  
150  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 22 R060 S0 10 20 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 22 R060 P1 10 20 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 4 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x647x818 h.**



50  
75  
75  
75  
100  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 22 R060 S0 10 21 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 22 R060 P1 10 21 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x647x818 h.**



75  
75  
75  
75  
100  
100

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 22 R060 S0 10 22 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 22 R060 P1 10 22 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x647x818 h.**

918 MM



75  
75  
100  
150  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 22 R070 S0 10 31 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 22 R070 P1 10 31 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x647x918 h.**



100  
100  
100  
100  
100  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 22 R070 S0 10 32 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 22 R070 P1 10 32 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x647x918 h.**



50  
75  
75  
75  
100  
100  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 22 R070 S0 10 33 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 22 R070 P1 10 33 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 7 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x647x918 h.**



75  
75  
100  
100  
100  
100  
150

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 22 R070 S0 10 34 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 22 R070 P1 10 34 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 8 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x647x918 h.**

1018 MM



100  
100  
200  
300

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 22 R080 S0 10 55 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 22 R080 P1 10 55 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 4 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x647x1018 h.**



50  
100  
100  
150  
300

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 22 R080 S0 10 56 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 22 R080 P1 10 56 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x647x1018 h.**



75  
75  
100  
100  
150  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 22 R080 S0 10 57 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 22 R080 P1 10 57 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.  
Ø 125 mm wheels in standard rubber.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x647x1018 h.**

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock page 12 - 13

123

456

CODE = electronic lock page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

1068 MM

750 mm

50

100

100

200

300

ORD. NO.

TYPE

M 22 R085 S0 10 93 04

FLEX

KEY

M 22 R085 P1 10 93 04

FLEX

CODE

Cabinet with 5 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 235 kg.

Dimensions mm 587x647x1068 h.

75

100

100

100

100

125

250

ORD. NO.

TYPE

M 22 R085 S0 10 94 04

FLEX

KEY

M 22 R085 P1 10 94 04

FLEX

CODE

Cabinet with 6 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 235 kg.

Dimensions mm 587x647x1068 h.

75

75

100

100

100

100

150

150

ORD. NO.

TYPE

M 22 R085 S0 10 95 04

FLEX

KEY

M 22 R085 P1 10 95 04

FLEX

CODE

Cabinet with 7 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 235 kg.

Dimensions mm 587x647x1068 h.

1218 MM

900 mm

75

75

100

150

200

300

ORD. NO.

TYPE

M 22 R100 S0 10 AY 04

FLEX

KEY

M 22 R100 P1 10 AY 04

FLEX

CODE

Cabinet with 6 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 235 kg.

Dimensions mm 587x647x1218 h.

100

100

100

100

100

150

150

200

ORD. NO.

TYPE

M 22 R100 S0 10 AZ 04

FLEX

KEY

M 22 R100 P1 10 AZ 04

FLEX

CODE

Cabinet with 7 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 235 kg.

Dimensions mm 587x647x1218 h.

50

75

75

75

75

125

150

150

200

ORD. NO.

TYPE

M 22 R100 S0 10 BA 04

FLEX

KEY

M 22 R100 P1 10 BA 04

FLEX


CODE

Cabinet with 8 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 235 kg.

Dimensions mm 587x647x1218 h.



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.


PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

EMPTY CABINET BODY WITH LOCKING MECHANISM

WIDTH = 561 mm      DEPTH = 573 mm




| HEIGHT MM (A)                                    |    | 400                   | 600                   | 700                   | 800                   |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| USABLE HEIGHT MM (B)                             |    | 300                   | 500                   | 600                   | 700                   |
|                                                  |    |                       |                       |                       |                       |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 22 A040 X0 10 00 04 | M 22 A060 X0 10 00 04 | M 22 A070 X0 10 00 04 | M 22 A080 X0 10 00 04 |
| CABINET WITH VERTEBRATE BAR AND WITHOUT LOCK*    | C5 | M 22 A040 C5 10 00 04 | M 22 A060 C5 10 00 04 | M 22 A070 C5 10 00 04 | M 22 A080 C5 10 00 04 |
|                                                  |    |                       |                       |                       |                       |
| KEY COMFORT                                      |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | C0 | M 22 A040 C0 10 00 04 | M 22 A060 C0 10 00 04 | M 22 A070 C0 10 00 04 | M 22 A080 C0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | C1 | M 22 A040 C1 10 00 04 | M 22 A060 C1 10 00 04 | M 22 A070 C1 10 00 04 | M 22 A080 C1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | C2 | M 22 A040 C2 10 00 04 | M 22 A060 C2 10 00 04 | M 22 A070 C2 10 00 04 | M 22 A080 C2 10 00 04 |
|                                                  |    |                       |                       |                       |                       |
| CODE EASY                                        |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | E1 | M 22 A040 E1 10 00 04 | M 22 A060 E1 10 00 04 | M 22 A070 E1 10 00 04 | M 22 A080 E1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | E2 | M 22 A040 E2 10 00 04 | M 22 A060 E2 10 00 04 | M 22 A070 E2 10 00 04 | M 22 A080 E2 10 00 04 |
| EXTERNAL POWERED                                 | E4 | M 22 A040 E4 10 00 04 | M 22 A060 E4 10 00 04 | M 22 A070 E4 10 00 04 | M 22 A080 E4 10 00 04 |
| EXTERNAL POWERED - PROGRAMMABLE                  | E5 | M 22 A040 E5 10 00 04 | M 22 A060 E5 10 00 04 | M 22 A070 E5 10 00 04 | M 22 A080 E5 10 00 04 |
|                                                  |    |                       |                       |                       |                       |
| CODE TOP                                         |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T0 | M 22 A040 T0 10 00 04 | M 22 A060 T0 10 00 04 | M 22 A070 T0 10 00 04 | M 22 A080 T0 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T1 | M 22 A040 T1 10 00 04 | M 22 A060 T1 10 00 04 | M 22 A070 T1 10 00 04 | M 22 A080 T1 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T2 | M 22 A040 T2 10 00 04 | M 22 A060 T2 10 00 04 | M 22 A070 T2 10 00 04 | M 22 A080 T2 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T3 | M 22 A040 T3 10 00 04 | M 22 A060 T3 10 00 04 | M 22 A070 T3 10 00 04 | M 22 A080 T3 10 00 04 |

\*The vertebrate bar and locking systems are available on page 58 - 59

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3.  
In configurations with the letter T the remote control always acts on the output 1 (see page 15).  
Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



| 850                   | 1000                  | 1500                  | 2000                  |
|-----------------------|-----------------------|-----------------------|-----------------------|
| 750                   | 900                   | 1400                  | 1900                  |
| M 22 A085 X0 10 00 04 | M 22 A100 X0 10 00 04 | M 22 A150 X0 10 00 04 | M 22 A200 X0 10 00 04 |
| M 22 A085 C5 10 00 04 | M 22 A100 C5 10 00 04 | M 22 A150 C5 10 00 04 | M 22 A200 C5 10 00 04 |
| M 22 A085 C0 10 00 04 | M 22 A100 C0 10 00 04 | M 22 A150 C0 10 00 04 | M 22 A200 C0 10 00 04 |
| M 22 A085 C1 10 00 04 | M 22 A100 C1 10 00 04 | M 22 A150 C1 10 00 04 | M 22 A200 C1 10 00 04 |
| M 22 A085 C2 10 00 04 | M 22 A100 C2 10 00 04 | M 22 A150 C2 10 00 04 | M 22 A200 C2 10 00 04 |
| M 22 A085 E1 10 00 04 | M 22 A100 E1 10 00 04 | M 22 A150 E1 10 00 04 | M 22 A200 E1 10 00 04 |
| M 22 A085 E2 10 00 04 | M 22 A100 E2 10 00 04 | M 22 A150 E2 10 00 04 | M 22 A200 E2 10 00 04 |
| M 22 A085 E4 10 00 04 | M 22 A100 E4 10 00 04 | M 22 A150 E4 10 00 04 | M 22 A200 E4 10 00 04 |
| M 22 A085 E5 10 00 04 | M 22 A100 E5 10 00 04 | M 22 A150 E5 10 00 04 | M 22 A200 E5 10 00 04 |
| M 22 A085 T0 10 00 04 | M 22 A100 T0 10 00 04 | M 22 A150 T0 10 00 04 | M 22 A200 T0 10 00 04 |
| M 22 A085 T1 10 00 04 | M 22 A100 T1 10 00 04 | M 22 A150 T1 10 00 04 | M 22 A200 T1 10 00 04 |
| M 22 A085 T2 10 00 04 | M 22 A100 T2 10 00 04 | M 22 A150 T2 10 00 04 | M 22 A200 T2 10 00 04 |
| M 22 A085 T3 10 00 04 | M 22 A100 T3 10 00 04 | M 22 A150 T3 10 00 04 | M 22 A200 T3 10 00 04 |

KEY COMFORT

C0

C1

C2

CODE EASY

E1

E2

E4

E5

CODE TOP

T0

T1

T2

T3

SEE PAGE 12 - 14 - 15

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.


PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

EMPTY CABINET BODY READY FOR WHEELS **WITH LOCKS**

**WIDTH = 587 mm**

**DEPTH = 647 mm**



|                                                  |    |                       |                       |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 663                   | 763                   | 863                   | 913                   |
| USABLE HEIGHT MM (B)                             |    | 500                   | 600                   | 700                   | 750                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 22 R060 X0 10 00 04 | M 22 R070 X0 10 00 04 | M 22 R080 X0 10 00 04 | M 22 R085 X0 10 00 04 |
| KEY SMART (Push to Open)                         |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | S0 | M 22 R060 S0 10 00 04 | M 22 R070 S0 10 00 04 | M 22 R080 S0 10 00 04 | M 22 R085 S0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | S1 | M 22 R060 S1 10 00 04 | M 22 R070 S1 10 00 04 | M 22 R080 S1 10 00 04 | M 22 R085 S1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | S2 | M 22 R060 S2 10 00 04 | M 22 R070 S2 10 00 04 | M 22 R080 S2 10 00 04 | M 22 R085 S2 10 00 04 |
| CODE PLUS (Push to Open)                         |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | P1 | M 22 R060 P1 10 00 04 | M 22 R070 P1 10 00 04 | M 22 R080 P1 10 00 04 | M 22 R085 P1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | P2 | M 22 R060 P2 10 00 04 | M 22 R070 P2 10 00 04 | M 22 R080 P2 10 00 04 | M 22 R085 P2 10 00 04 |
| CODE ADVANCE (Push to Open)                      |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A0 | M 22 R060 A0 10 00 04 | M 22 R070 A0 10 00 04 | M 22 R080 A0 10 00 04 | M 22 R085 A0 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A1 | M 22 R060 A1 10 00 04 | M 22 R070 A1 10 00 04 | M 22 R080 A1 10 00 04 | M 22 R085 A1 10 00 04 |


Full versions of cabinet includes: 4 border top with oil-resistant rubber cover, pair of handles, longitudinal wheel plates.

Wheels available on page 54

\*Vertebrate bar and locking systems available on page 58 - 59

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P1 - P2 - A0 - A1.  
In configurations with the letter A the remote control always acts on the output 1 (see page 17).  
Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRc0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRc0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

45x36 EH

TELE

telescopic extraction

100% = 200 Kg

54x36 EH

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

64x36 EH

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

78x36 EH

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



|                       |
|-----------------------|
| 1063                  |
| 900                   |
| M 22 R100 X0 10 00 04 |
| M 22 R100 S0 10 00 04 |
| M 22 R100 S1 10 00 04 |
| M 22 R100 S2 10 00 04 |
| M 22 R100 P1 10 00 04 |
| M 22 R100 P2 10 00 04 |
| M 22 R100 A0 10 00 04 |
| M 22 R100 A1 10 00 04 |

KEY SMART (Push to Open)

S0

S1

S2

CODE PLUS (Push to Open)

1 2 3

4 5 C

P1

1 2 3

4 5 C

PROGRAMMABLE

P2

CODE ADVANCE (Push to Open)

1 2 3

4 5 C

A0

1 2 3

4 5 C

PROGRAMMABLE

A1

SEE PAGE 13 - 16 - 17

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17




YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC** IN 8  
COLOURS

**SYLOGIK**  
smart solutions


WHEELS

STANDARD RUBBER WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BAC11 100</b> | 100  | 75           | 128  |
| <b>C RG BAC12 125</b> | 125  | 100          | 155  |
| <b>C RG BAC13 150</b> | 150  | 115          | 180  |
| <b>C RG BAC15 200</b> | 200  | 205          | 240  |


Standard rubber fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DAC11 100</b> | 100  | 75           | 128  |
| <b>C RG DAC12 125</b> | 125  | 100          | 155  |
| <b>C RG DAC13 150</b> | 150  | 115          | 180  |
| <b>C RG DAC15 200</b> | 200  | 205          | 240  |

Standard rubber swivel wheels with brake

NYLON WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BAD10 100</b> | 100  | 125          | 128  |
| <b>C RN BAD11 125</b> | 125  | 180          | 155  |
| <b>C RN BAD04 160</b> | 160  | 300          | 200  |

Nylon fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DAD10 100</b> | 100  | 125          | 128  |
| <b>C RN DAD11 125</b> | 125  | 180          | 155  |
| <b>C RN DAD04 160</b> | 160  | 300          | 200  |


Nylon swivel wheels with brake

SYNTHETIC MARK-PROOF RUBBER WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BPH22 125</b> | 125  | 100          | 155  |
| <b>C RG BPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DPH22 125</b> | 125  | 100          | 155  |
| <b>C RG DPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber swivel wheels with brake

ELASTIC RUBBER WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BCE15 125</b> | 125  | 180          | 155  |
| <b>C RG BCE15 160</b> | 160  | 300          | 200  |


Elastic rubber fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DCE15 125</b> | 125  | 180          | 155  |
| <b>C RG DCE15 160</b> | 160  | 300          | 200  |


Elastic rubber swivel wheels with brake

POLYURETHANE WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BDD31 125</b> | 125  | 180          | 155  |
| <b>C RN BDD44 160</b> | 160  | 300          | 200  |

Polyurethane fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DDD31 125</b> | 125  | 180          | 155  |
| <b>C RN DDD44 160</b> | 160  | 300          | 200  |

Polyurethane swivel wheels with brake



To calculate load capacity of the cabinet with standard non-marking rubber and nylon wheels,  
Ø 100 mm use the formula: (Ax3) - 65 kg  
A = wheel load capacity  
The load capacity of the cabinet with elastic, polyurethane and nylon wheels Ø 125 mm is 400 kg.

|                                              |                                                                                                                                                                     |                                                                                                                                         |                                                                                                                                 |                                                                                                                                    |                                                                                                                                                                               |          |                                                                                                                    |                                                                                     |  |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
| 36x36 EH                                     |                                                                                                                                                                     | 45x36 EH                                                                                                                                |                                                                                                                                 | 54x36 EH                                                                                                                           |                                                                                                                                                                               | 64x36 EH |                                                                                                                    | 78x36 EH                                                                            |  |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br><br>100% = 50 Kg<br>96% = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br><br>100% = 200 Kg | <br><b>KEY</b> = cylinder lock<br>page 12 - 13 | <br><b>CODE</b> = electronic lock<br>page 14 - 17 | <br>YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS<br>AVAILABLE ON PAGE 10. |          | <br><b>PLASTIC</b> IN 8 COLOURS |  |  |



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

DOORS WITH LOCKS

WIDTH = 561 mm

DOORS FOR FULL HEIGHT








| CABINET HEIGHT MM (B)                     | 600                            |                          | 700                            |                          |
|-------------------------------------------|--------------------------------|--------------------------|--------------------------------|--------------------------|
| DOOR HEIGHT MM (A)                        | 544                            |                          | 644                            |                          |
|                                           | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                               |                                |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0                             | M 20 P050 C0 10 00 04    | M 20 P050 C0 00 00 04          | M 20 P060 C0 10 00 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1                             | M 20 P050 C1 10 00 04    | M 20 P050 C1 00 00 04          | M 20 P060 C1 10 00 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2                             | M 20 P050 C2 10 00 04    | M 20 P050 C2 00 00 04          | M 20 P060 C2 10 00 04    |
| CODE PLUS (Push to Open)                  |                                |                          |                                |                          |
| BATTERY POWERED                           | P4                             | M 20 P050 P4 10 00 04    | M 20 P050 P4 00 00 04          | M 20 P060 P4 10 00 04    |
| BATTERY POWERED - PROGRAMMABLE            | P5                             | M 20 P050 P5 10 00 04    | M 20 P050 P5 00 00 04          | M 20 P060 P5 10 00 04    |
| CODE ADVANCE (Push to Open)               |                                |                          |                                |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2                             | M 20 P050 A2 10 00 04    | M 20 P050 A2 00 00 04          | M 20 P060 A2 10 00 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3                             | M 20 P050 A3 10 00 04    | M 20 P050 A3 00 00 04          | M 20 P060 A3 10 00 04    |

DOORS FOR PARTIAL HEIGHT







| OVERALL HEIGHT MM (D)                     | 425 (D)                        |                          | 525 (D)                        |                          |
|-------------------------------------------|--------------------------------|--------------------------|--------------------------------|--------------------------|
| USABLE HEIGHT MM (C) - DOOR HEIGHT MM (A) | 400 (C) - 444 (A)              |                          | 500 (C) - 544 (A)              |                          |
|                                           | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                               |                                |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0                             | M 20 P042 C0 10 01 04    | M 20 P042 C0 00 01 04          | M 20 P052 C0 10 01 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1                             | M 20 P042 C1 10 01 04    | M 20 P042 C1 00 01 04          | M 20 P052 C1 10 01 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2                             | M 20 P042 C2 10 01 04    | M 20 P042 C2 00 01 04          | M 20 P052 C2 10 01 04    |
| CODE PLUS (Push to Open)                  |                                |                          |                                |                          |
| BATTERY POWERED                           | P4                             | M 20 P042 P4 10 01 04    | M 20 P042 P4 00 01 04          | M 20 P052 P4 10 01 04    |
| BATTERY POWERED - PROGRAMMABLE            | P5                             | M 20 P042 P5 10 01 04    | M 20 P042 P5 00 01 04          | M 20 P052 P5 10 01 04    |
| CODE ADVANCE (Push to Open)               |                                |                          |                                |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2                             | M 20 P042 A2 10 01 04    | M 20 P042 A2 00 01 04          | M 20 P052 A2 10 01 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3                             | M 20 P042 A3 10 01 04    | M 20 P042 A3 00 01 04          | M 20 P052 A3 10 01 04    |
| LOCKING PREDISPOSED FOR T2 - T3 - A1      | A4                             | M 20 P042 A4 10 01 04    | M 20 P042 A4 00 01 04          | M 20 P052 A4 10 01 04    |

\*Match the item number to one of the plastic kits available at page 57.

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS


SYLOGIK

smart solutions



ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P4 - P5 - A2 - A3.  
In configurations with the letter A the remote control always acts on the output 1 (see page 17).  
Each receiver module can manage up to 10 remote controls.




| Description                         | ORD. NO.                     | References |
|-------------------------------------|------------------------------|------------|
| Receiver module with remote control | <b>M 00 VRC0 00 00 00 00</b> | A+B        |
| Additional Remote Control           | <b>M 00 VRC0 00 00 01 00</b> | A          |

KEY COMFORT

CODE PLUS (Push to Open)

CODE ADVANCE (Push to Open)

SEE PAGE 12 - 16 - 17



REVERSIBLE DOOR

| 625 (D)                        |                              |
|--------------------------------|------------------------------|
| 600 (C) - 644 (A)              |                              |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     |
| <b>M 20 P062 C0 10 01 04</b>   | <b>M 20 P062 C0 00 01 04</b> |
| <b>M 20 P062 C1 10 01 04</b>   | <b>M 20 P062 C1 00 01 04</b> |
| <b>M 20 P062 C2 10 01 04</b>   | <b>M 20 P062 C2 00 01 04</b> |
| <b>M 20 P062 P4 10 01 04</b>   | <b>M 20 P062 P4 00 01 04</b> |
| <b>M 20 P062 P5 10 01 04</b>   | <b>M 20 P062 P5 00 01 04</b> |
| <b>M 20 P062 A2 10 01 04</b>   | <b>M 20 P062 A2 00 01 04</b> |
| <b>M 20 P062 A3 10 01 04</b>   | <b>M 20 P062 A3 00 01 04</b> |
| <b>M 20 P062 A4 10 01 04</b>   | <b>M 20 P062 A4 00 01 04</b> |

PLASTIC KIT FOR DOORS


Plastic kit for wing doors with handle and hinges.

| LOCKING            | KEY                          | CODE                         |
|--------------------|------------------------------|------------------------------|
| MEDITERRANEAN BLUE | <b>M 00 PLS0 00 00 20 M1</b> | <b>M 00 PLS0 00 00 21 M1</b> |
| SKY BLUE           | <b>M 00 PLS0 00 00 20 M2</b> | <b>M 00 PLS0 00 00 21 M2</b> |
| GLAMOUR RED        | <b>M 00 PLS0 00 00 20 M3</b> | <b>M 00 PLS0 00 00 21 M3</b> |
| RED CARPET         | <b>M 00 PLS0 00 00 20 M4</b> | <b>M 00 PLS0 00 00 21 M4</b> |
| JUICY ORANGE       | <b>M 00 PLS0 00 00 20 M5</b> | <b>M 00 PLS0 00 00 21 M5</b> |
| SUNNY YELLOW       | <b>M 00 PLS0 00 00 20 M6</b> | <b>M 00 PLS0 00 00 21 M6</b> |
| FOREST GREEN       | <b>M 00 PLS0 00 00 20 M7</b> | <b>M 00 PLS0 00 00 21 M7</b> |

LOCKING SYSTEMS


ELECTRONIC LOCKING (CODE)

The electronic keypad can be inserted under the locking shelf or under for the top of the Master cabinet series and can be powered either from the grid with a transformer or with 4 AA batteries 1.5 V - 0.15 A. The **Programmable** card comes with two inputs and two outputs depending on the needs of the customer. For more information contact a Fami technician.




| CODE EASY                                 |    |                       |                                 |
|-------------------------------------------|----|-----------------------|---------------------------------|
| BATTERY POWERED                           | E1 | M 22 V000 E1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | E2 | M 22 V000 E2 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED                          | E4 | M 22 V000 E4 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED - PROGRAMMABLE           | E5 | M 22 V000 E5 00 00 00 | A + B + C + D + E + F + G       |
| CODE TOP                                  |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T0 | M 22 V000 T0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T1 | M 22 V000 T1 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T2 | M 22 V000 T2 00 00 00 | A + B + C + D + E + F + G + H   |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T3 | M 22 V000 T3 00 00 00 | A + B + C + D + E + F + G + H   |
| CODE PLUS (Push to Open)                  |    |                       |                                 |
| BATTERY POWERED                           | P1 | M 22 V000 P1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | P2 | M 22 V000 P2 00 00 00 | A + B + C + D + E + F + G       |
| CODE ADVANCE (Push to Open)               |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A0 | M 22 V000 A0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A1 | M 22 V000 A1 00 00 00 | A + B + C + D + E + F + G + H   |


CODE EASY




CODE TOP



CODE PLUS (Push to Open)



CODE ADVANCE (Push to Open)



SEE PAGE 14 - 17

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3 - P1 - P2 - A0 - A1. In configurations with the letter T the remote control always acts on the output 1 (see page 15 - 17). Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 Kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

= cylinder lock

page 12 - 13

CODE

= electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions




VERTEBRATE BAR

The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.



| ORD. NO.              | Useful height insertion drawers mm |
|-----------------------|------------------------------------|
| M 00 V030 00 00 00 00 | 300                                |
| M 00 V050 00 00 00 00 | 500                                |
| M 00 V060 00 00 00 00 | 600                                |
| M 00 V070 00 00 00 00 | 700                                |
| M 00 V075 00 00 00 00 | 750                                |
| M 00 V090 00 00 00 00 | 900                                |
| M 00 V105 00 00 00 00 | 1050                               |
| M 00 V122 00 00 00 00 | 1225                               |
| M 00 V140 00 00 00 00 | 1400                               |
| M 00 V152 00 00 00 00 | 1525                               |
| M 00 V190 00 00 00 00 | 1900                               |


CYLINDER LOCK (KEY)




- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |    |
|-----------------------------------------|----|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 |
|                                         |    |
| KEY SMART (Push to Open)                |    |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | S0 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | S1 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | S2 |

KEY COMFORT



KEY SMART (Push to Open)



SEE PAGE 12 - 13

SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

UPPER SHELF FOR LOCKING SYSTEM

This upper shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 22 PS46 00 10 00 04 | 46              | 150              |

Dimensions mm 510x571x46 h.

LOWER SHELF FOR LOCKING SYSTEM

This lower shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 22 PS46 10 10 00 04 | 46              | 150              |

Dimensions mm 510x571x46 h.

ADJUSTABLE SHELF

This adjustable height shelf, comes standard with 2 guides, is designed to be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 22 PR25 00 00 01 04 | 25              | 70               |

Usable dimensions mm 504x464x25 h.

SLOTTED ADJUSTABLE SHELF

This adjustable height shelf cannot be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 22 PR35 10 00 00 04 | 35              | 100              |

Dimensions mm 510x568x35 h.

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC IN 8  
COLOURS**

DRAWERS AND RETRACTABLE SHELVES

FLEXIBLE EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom in fixed increments makes inserting the partitioning elements simple and rational. Drawers are supplied with the flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|----------------------------|----------------------------|
| <b>M 22 C050 01 10 0F 04</b>      | <b>M 22 C050 01 00 0F 04</b> | 50                 | 33                  | 28                | 100                        | 50                         |
| <b>M 22 C075 01 10 0F 04</b>      | <b>M 22 C075 01 00 0F 04</b> | 75                 | 58                  | 53                | 100                        | 50                         |
| <b>M 22 C100 01 10 0F 04</b>      | <b>M 22 C100 01 00 0F 04</b> | 100                | 83                  | 75                | 100                        | 50                         |
| <b>M 22 C125 01 10 0F 04</b>      | <b>M 22 C125 01 00 0F 04</b> | 125                | 108                 | 75                | 100                        | 50                         |
| <b>M 22 C150 01 10 0F 04</b>      | <b>M 22 C150 01 00 0F 04</b> | 150                | 133                 | 125               | 100                        | 50                         |
| <b>M 22 C200 01 10 0F 04</b>      | <b>M 22 C200 01 00 0F 04</b> | 200                | 183                 | 175               | 100                        | 50                         |
| <b>M 22 C250 01 10 0F 04</b>      | <b>M 22 C250 01 00 0F 04</b> | 250                | 233                 | 175               | 100                        | 50                         |
| <b>M 22 C300 01 10 0F 04</b>      | <b>M 22 C300 01 00 0F 04</b> | 300                | 283                 | 275               | 100                        | 50                         |

Volume / extractability kg / % : 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 447x447.**

\*Match the item number to one of the plastic kits available at page 61

TELESCOPIC EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom with fixed increments make inserting the partitioning elements simple and rational. Drawers supplied with a telescopic extraction system with 8 bearings in high strength polymer allows a consistently smooth, durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|---------------------|---------------------|
| <b>M 22 C075 01 10 0T 04</b>      | <b>M 22 C075 01 00 0T 04</b> | 75                 | 58                  | 53                | 100                 | 200                 |
| <b>M 22 C100 01 10 0T 04</b>      | <b>M 22 C100 01 00 0T 04</b> | 100                | 83                  | 75                | 100                 | 200                 |
| <b>M 22 C125 01 10 0T 04</b>      | <b>M 22 C125 01 00 0T 04</b> | 125                | 108                 | 75                | 100                 | 200                 |
| <b>M 22 C150 01 10 0T 04</b>      | <b>M 22 C150 01 00 0T 04</b> | 150                | 133                 | 125               | 100                 | 200                 |
| <b>M 22 C200 01 10 0T 04</b>      | <b>M 22 C200 01 00 0T 04</b> | 200                | 183                 | 175               | 100                 | 200                 |
| <b>M 22 C250 01 10 0T 04</b>      | <b>M 22 C250 01 00 0T 04</b> | 250                | 233                 | 175               | 100                 | 200                 |
| <b>M 22 C300 01 10 0T 04</b>      | <b>M 22 C300 01 00 0T 04</b> | 300                | 283                 | 275               | 100                 | 200                 |

**Usable dimensions mm 447x447.**

\*Match the item number to one of the plastic kits available at page 61

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI

MASTER

FLEXIBLE RETRACTABLE SHELVES

These retractable shelves were designed to fit in the cabinets. The shelves are supplied with a flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|----------------------------|----------------------------|
| M 22 C057 01 10 0F 04             | M 22 C057 01 00 0F 04       | 70                 | 53                | 96                         | 75                         |

Volume / extractability    kg/% : 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 447x447.**

\* Match the item number to one of the plastic kits available in the table below

TELESCOPIC RETRACTABLE SHELVES

These retractable shelves were designed to be inserted in the cabinet. The shelves are supplied with a telescopic extraction system with 8 bearings in high strength polymer that allows a consistently smooth, durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|---------------------|---------------------|
| M 22 C057 01 10 0T 04             | M 22 C057 01 00 0T 04       | 70                 | 53                | 100                 | 200                 |

**Usable dimensions mm 447x447.**

\* Match the item number to one of the plastic kits available in the table below

PLASTIC KIT FOR DRAWERS AND RETRACTABLE SHELVES

Plastic kit for drawers and retractable shelves with left handle, door profile in white plastic, right plug h = 25 mm

|                    |  | ORD. NO.              |
|--------------------|--|-----------------------|
| MEDITERRANEAN BLUE |  | M 20 PLS1 00 00 00 M1 |
| SKY BLUE           |  | M 20 PLS1 00 00 00 M2 |
| GLAMOUR RED        |  | M 20 PLS1 00 00 00 M3 |
| RED CARPET         |  | M 20 PLS1 00 00 00 M4 |
| JUICY ORANGE       |  | M 20 PLS1 00 00 00 M5 |
| SUNNY YELLOW       |  | M 20 PLS1 00 00 00 M6 |
| FOREST GREEN       |  | M 20 PLS1 00 00 00 M7 |



GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17





YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC** IN 8  
COLOURS

**SYLOGIK**  
smart solutions

ACCESSORIES

MDF TOP WITH RUBBER COVERING



ORD. NO.

**M 22 T030 MD GM 21 07**

MDF top with rubber covering and side profile.

For end cabinets.

Colour: Black RAL 9011.

Dimensions mm 561x573x32 h.



ORD. NO.

**M 22 T030 MD GM 11 07**

MDF top with rubber covering, no side profile.

For additional central cabinets.

Colour: Black RAL 9011.

Dimensions mm 561x573x32 h.



ORD. NO.

**M 22 T030 MD GM 01 07**

MDF top with rubber covering and 2 side profiles.

For single cabinet.

Colour: Black RAL 9011.

Dimensions mm 561x573x32 h.

ORD. NO.

**M 00 T030 MD 00 F0 00**

Drilling of the cabinet upper shelf for the  
MDF top fixing.

TOP SHELF WITH 3 EDGES



ORD. NO.

**M 22 T023 AG 00 31 07**

Oil-resistant rubber cover top with 3 edges for single  
cabinet. Colour: Black RAL 9011

Dimensions mm 561x573x23 h.

TOP SHELF WITH 4 EDGES



ORD. NO.

**M 22 T023 AG 00 41 07**

Oil-resistant rubber cover top with 4 edges for single cabinet.  
Colour: Black RAL 9011.

Dimensions mm 561x573x23 h.

ORD. NO.

**M 00 T023 AG 00 F0 00**

Predrilled cabinet top for fixing the top with 4 edges.

PAIR OF HANDLES

Steel handles coated in oil-resistant rubber with screws for fixing, applicable only for the top with 4 edges.  
The handles can be fitted towards the bottom thereby reducing the height by 37 mm. Colour: Black RAL 9011.



ORD. NO.

**F AG 9330 00 07**

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



LONGITUDINAL WHEEL PLATES



ORD. NO.  
**M 02 R023 00 00 00 07**  
Length 570 mm. Colour: Black RAL 9011.

TWO SIDED ADHESIVE TAPE



ORD. NO.  
**R CMV 0025 00**  
Length 50 meters - Width 15 mm.

PLINTHS



ORD. NO.  
**M 22 Z050 00 00 00 04**  
Plinth. Dim. mm 559x572x50 h.



ORD. NO.  
**M 22 Z100 00 00 00 04**  
Plinth. Dim. mm 559x572x100 h.



FIXING


The cabinet must be fixed to the floor or wall. If the cabinets are stacked they must be secured to the wall and their load rating must to be divided by 2.



ORD. NO.  
**F AG 9200 00 99**  
Pair of galvanized brackets for mounting the cabinet to the floor, hole 6 mm.



ORD. NO.  
**F AG 9204 00 99**  
Floor fixing set. Features:  
- N° 2 “HILTI” plugs for concrete floors ≥ to classes C 20/25  
- Recommended traction of the plug: 2.9 KN  
- Plug diameter: Ø 6 mm.



ORD. NO.  
**M 00 FISO 00 00 00 99**  
Fixing set for cabinet including 4 screws with M8 nuts.

ORD. NO.  
**M 00 SVR0 00 00 00 99**  
Predrilled holes and screws for attachment of the two stacked cabinets.

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC** IN 8  
COLOURS

PARTITIONING MATERIAL



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 8405 02 00</b> |

Set including:

|                     |           |
|---------------------|-----------|
| 3 Troughs           | 4 grooves |
| 6 Troughs           | 3 grooves |
| 16 Plain partitions | 36 mm     |
| 7 Plain partitions  | 47 mm     |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 8405 03 00</b> |

Set including:

|                     |           |
|---------------------|-----------|
| 3 Troughs           | 3 grooves |
| 6 Troughs           | 2 grooves |
| 15 Plain partitions | 47 mm     |
| 8 Plain partitions  | 73 mm     |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 8405 04 00</b> |

Set including:

|                     |           |
|---------------------|-----------|
| 9 Troughs           | 2 grooves |
| 18 Plain partitions | 73 mm     |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 8405 08 00</b> |
| 75                | <b>F FH 8407 08 00</b> |
| 100 - 125         | <b>F FH 8410 08 00</b> |
| 150               | <b>F FH 8415 08 00</b> |
| 200 - 250         | <b>F FH 8420 08 00</b> |
| 300               | <b>F FH 8430 08 00</b> |

Set including:

|                      |        |
|----------------------|--------|
| 2 Slotted partitions | 455 mm |
| 3 Plain partitions   | 149 mm |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 8405 09 00</b> |
| 75                | <b>F FH 8407 09 00</b> |
| 100 - 125         | <b>F FH 8410 09 00</b> |
| 150               | <b>F FH 8415 09 00</b> |
| 200 - 250         | <b>F FH 8420 09 00</b> |

Set including:

|                      |        |
|----------------------|--------|
| 2 Slotted partitions | 455 mm |
| 7 Plain partitions   | 149 mm |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 8405 13 00</b> |
| 75                | <b>F FH 8407 13 00</b> |
| 100 - 125         | <b>F FH 8410 13 00</b> |
| 150               | <b>F FH 8415 13 00</b> |
| 200 - 250         | <b>F FH 8420 13 00</b> |

Set including:

|                    |        |
|--------------------|--------|
| 2 Plain partitions | 455 mm |
|--------------------|--------|



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 8405 17 00</b> |
| 75                | <b>F FH 8407 17 00</b> |

Set including:


|                 |            |
|-----------------|------------|
| 8 Plastic boxes | 75x75 mm   |
| 6 Plastic boxes | 150x75 mm  |
| 4 Plastic boxes | 150x150 mm |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 8405 18 00</b> |
| 75                | <b>F FH 8407 18 00</b> |
| 100 - 125         | <b>F FH 8410 18 00</b> |

Set including:

|                 |            |
|-----------------|------------|
| 6 Plastic boxes | 150x75 mm  |
| 6 Plastic boxes | 150x150 mm |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 8605 19 00</b> |

Set including:

|                         |        |
|-------------------------|--------|
| 2 Multi-purpose support | 440 mm |
|-------------------------|--------|



The drawers that advance flexibility

MASTER **36x27** EH



CABINETS  
SERIES  
MASTER  
36x27



SUPPLEMENTARY PARTS



■ Spare key

Always indicate the number on the cylinder lock of the key to be replace.

ORD. NO. **M 00 CF00 00 00 00 00**



■ Master key

Master key are available in 25 series, numbered from F 01 to F 25.

|                        |                                        |
|------------------------|----------------------------------------|
| Master key series F 01 | ORD. NO. <b>M 00 PF01 00 00 00 00</b>  |
| Master key series F 02 | ORD. NO. <b>M 00 PF02 00 00 00 00</b>  |
| Master key series F .. | ORD. NO. <b>M 00 PF .. 00 00 00 00</b> |
| Master key series F 25 | ORD. NO. <b>M 00 PF25 00 00 00 00</b>  |

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock  
page 12 - 13

123

456

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

400 MM



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A040 C0 10 04 04 | FLEX | KEY  |
| M 32 A040 E1 10 04 04 | FLEX | CODE |

Cabinet with 2 drawers.  
Dimensions mm 714x573x400 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A040 C0 10 01 04 | FLEX | KEY  |
| M 32 A040 E1 10 01 04 | FLEX | CODE |

Cabinet with 3 drawers.  
Dimensions mm 714x573x400 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A040 C0 10 03 04 | FLEX | KEY  |
| M 32 A040 E1 10 03 04 | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 714x573x400 h.

600 MM



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A060 C0 10 19 04 | FLEX | KEY  |
| M 32 A060 E1 10 19 04 | FLEX | CODE |

Cabinet with 3 drawers.  
Dimensions mm 714x573x600 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A060 C0 10 20 04 | FLEX | KEY  |
| M 32 A060 E1 10 20 04 | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 714x573x600 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A060 C0 10 21 04 | FLEX | KEY  |
| M 32 A060 E1 10 21 04 | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 714x573x600 h.

600 MM



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A060 C0 10 22 04 | FLEX | KEY  |
| M 32 A060 E1 10 22 04 | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 714x573x600 h.

DOOR 425 MM



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A060 C0 10 17 04 | FLEX | KEY  |
| M 32 A060 T2 10 17 04 | FLEX | CODE |


Cabinet with 1 drawer, 1 retractable shelf.  
Dimensions mm 714x598x600 h.

DOOR 500 MM



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A060 C0 10 18 04 | FLEX | KEY  |
| M 32 A060 P4 10 18 04 | FLEX | CODE |

Cabinet with 1 adjustable shelf, 1 retractable shelf.  
Dimensions mm 714x598x600 h.



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17




YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



700 MM



100  
100  
100  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A070 C0 10 34 04</b> | FLEX | KEY  |
| <b>M 32 A070 E1 10 34 04</b> | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 714x573x700 h.



75  
75  
100  
150  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A070 C0 10 31 04</b> | FLEX | KEY  |
| <b>M 32 A070 E1 10 31 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 714x573x700 h.



50  
100  
100  
150  
200

| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 32 A070 C0 10 40 04</b> | FLEX  | KEY  |
| <b>M 32 A070 C0 10 41 04</b> | TELE* | KEY  |
| <b>M 32 A070 E1 10 40 04</b> | FLEX  | CODE |
| <b>M 32 A070 E1 10 41 04</b> | TELE* | CODE |

Cabinet with 5 drawers.  
Dimensions mm 714x573x700 h.



75  
75  
100  
100  
250

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A070 C0 10 42 04</b> | FLEX | KEY  |
| <b>M 32 A070 C0 10 43 04</b> | TELE | KEY  |
| <b>M 32 A070 E1 10 42 04</b> | FLEX | CODE |
| <b>M 32 A070 E1 10 43 04</b> | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 714x573x700 h.

700 MM



75  
75  
100  
100  
100  
150

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A070 C0 10 44 04</b> | FLEX | KEY  |
| <b>M 32 A070 C0 10 45 04</b> | TELE | KEY  |
| <b>M 32 A070 E1 10 44 04</b> | FLEX | CODE |
| <b>M 32 A070 E1 10 45 04</b> | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 714x573x700 h.



75  
75  
75  
75  
100  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A070 C0 10 52 04</b> | FLEX | KEY  |
| <b>M 32 A070 E1 10 52 04</b> | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 714x573x700 h.

DOOR 425 MM



75  
100

PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A070 C0 10 30 04</b> | FLEX | KEY  |
| <b>M 32 A070 T2 10 30 04</b> | FLEX | CODE |

Cabinet with 2 drawers, 1 retractable shelf.  
Dimensions mm 714x598x700 h.

DOOR 600 MM




PR

PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A070 C0 10 36 04</b> | FLEX | KEY  |
| <b>M 32 A070 P4 10 36 04</b> | FLEX | CODE |

Cabinet with 1 adjustable shelf, 1 retractable shelf.  
Dimensions mm 714x598x700 h.



36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH



GUARANTEE  
5  
YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

CODE =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction



800 MM

700 mm

100  
100  
200  
300

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 32 A080 C0 10 55 04 | FLEX | KEY  |
| M 32 A080 E1 10 55 04 | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 714x573x800 h.

50  
100  
100  
100  
150  
300

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 32 A080 C0 10 54 04 | FLEX | KEY  |
| M 32 A080 E1 10 54 04 | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 714x573x800 h.

75  
75  
100  
100  
100  
150  
200

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 32 A080 C0 10 56 04 | FLEX | KEY  |
| M 32 A080 E1 10 56 04 | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 714x573x800 h.

DOOR 425 MM

75  
100  
100

PE

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 32 A080 C0 10 57 04 | FLEX | KEY  |
| M 32 A080 T2 10 57 04 | FLEX | CODE |

Cabinet with 3 drawers, 1 retractable shelf.  
Dimensions mm 714x598x800 h.

850 MM

750 mm

100  
150  
200  
300

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 32 A085 C0 10 92 04 | FLEX | KEY  |
| M 32 A085 E1 10 92 04 | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 714x573x850 h.

100  
100  
150  
200  
200

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 32 A085 C0 10 90 04 | FLEX | KEY  |
| M 32 A085 E1 10 90 04 | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 714x573x850 h.

50  
100  
100  
100  
150  
150  
200

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 32 A085 C0 10 91 04 | FLEX | KEY  |
| M 32 A085 E1 10 91 04 | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 714x573x850 h.

50  
75  
75  
100  
100  
150  
200

ORD. NO.

TYPE

|                       |       |      |
|-----------------------|-------|------|
| M 32 A085 C0 10 AE 04 | FLEX  | KEY  |
| M 32 A085 C0 10 AF 04 | TELE* | KEY  |
| M 32 A085 E1 10 AE 04 | FLEX  | CODE |
| M 32 A085 E1 10 AF 04 | TELE* | CODE |

Cabinet with 7 drawers.  
Dimensions mm 714x573x850 h.

850 MM

75  
75  
100  
100  
100  
125  
125  
150

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 32 A085 C0 10 AC 04 | FLEX | KEY  |
| M 32 A085 C0 10 AD 04 | TELE | KEY  |
| M 32 A085 E1 10 AC 04 | FLEX | CODE |
| M 32 A085 E1 10 AD 04 | TELE | CODE |

Cabinet with 7 drawers.  
Dimensions mm 714x573x850 h.

75  
75  
100  
75  
75  
100  
100  
100  
150

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 32 A085 C0 10 AG 04 | FLEX | KEY  |
| M 32 A085 C0 10 AH 04 | TELE | KEY  |
| M 32 A085 E1 10 AG 04 | FLEX | CODE |
| M 32 A085 E1 10 AH 04 | TELE | CODE |

Cabinet with 8 drawers.  
Dimensions mm 714x573x850 h.

DOOR 425 MM

125  
200

PE

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 32 A085 C0 10 AR 04 | FLEX | KEY  |
| M 32 A085 T2 10 AR 04 | FLEX | CODE |

Cabinet with 2 drawers, 1 retractable shelf.  
Dimensions mm 714x598x850 h.

DOOR 425 MM

75  
100  
150

PE

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 32 A085 C0 10 97 04 | FLEX | KEY  |
| M 32 A085 T2 10 97 04 | FLEX | CODE |

Cabinet with 3 drawers, 1 retractable shelf.  
Dimensions mm 714x598x850 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A100 C0 10 BE 04</b> | FLEX | KEY  |
| <b>M 32 A100 C0 10 BF 04</b> | TELE | KEY  |
| <b>M 32 A100 E1 10 BE 04</b> | FLEX | CODE |
| <b>M 32 A100 E1 10 BF 04</b> | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 714x573x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A100 C0 10 AY 04</b> | FLEX | KEY  |
| <b>M 32 A100 E1 10 AY 04</b> | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 714x573x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A100 C0 10 AW 04</b> | FLEX | KEY  |
| <b>M 32 A100 C0 10 BH 04</b> | TELE | KEY  |
| <b>M 32 A100 E1 10 AW 04</b> | FLEX | CODE |
| <b>M 32 A100 E1 10 BH 04</b> | TELE | CODE |

Cabinet with 7 drawers.  
Dimensions mm 714x573x1000 h.



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 32 A100 C0 10 BN 04</b> | FLEX  | KEY  |
| <b>M 32 A100 C0 10 BP 04</b> | TELE* | KEY  |
| <b>M 32 A100 E1 10 BN 04</b> | FLEX  | CODE |
| <b>M 32 A100 E1 10 BP 04</b> | TELE* | CODE |

Cabinet with 7 drawers.  
Dimensions mm 714x573x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A100 C0 10 BJ 04</b> | FLEX | KEY  |
| <b>M 32 A100 E1 10 BJ 04</b> | FLEX | CODE |

Cabinet with 8 drawers.  
Dimensions mm 714x573x1000 h.



36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

1000 MM

900 mm

50

75

75

100

100

100

100

150

250

ORD. NO.

TYPE

M 32 A100 C0 10 BQ 04

FLEX

KEY

M 32 A100 C0 10 BR 04

TELE\*

KEY

M 32 A100 E1 10 BQ 04

FLEX

CODE

M 32 A100 E1 10 BR 04

TELE\*

CODE

Cabinet with 8 drawers.

Dimensions mm 714x573x1000 h.

100

100

100

100

100

100

100

100

100

100

100

100

ORD. NO.

TYPE

M 32 A100 C0 10 BL 04

FLEX

KEY

M 32 A100 C0 10 BM 04

TELE

KEY

M 32 A100 E1 10 BL 04

FLEX

CODE

M 32 A100 E1 10 BM 04

TELE

CODE

Cabinet with 9 drawers.

Dimensions mm 714x573x1000 h.

DOOR 625 MM

50

100

100

125

PR

PE

ORD. NO.

TYPE

M 32 A100 C0 10 BD 04

FLEX

KEY

M 32 A100 T2 10 BD 04

FLEX

CODE

Cabinet with 3 drawers, 1 adjustable shelf, 1 retractable shelf.

Dimensions mm 714x598x1000 h.

DOOR 425 MM

75

75

75

100

150

PE

ORD. NO.

TYPE

M 32 A100 C0 10 BC 04

FLEX

KEY

M 32 A100 T2 10 BC 04

FLEX

CODE

Cabinet with 5 drawers, 1 retractable shelf.

Dimensions mm 714x598x1000 h.



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



1023 MM  
DOOR 900 MM



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A100 C0 10 BU 04 | FLEX | KEY  |
| M 32 A100 C0 10 BV 04 | TELE | KEY  |
| M 32 A100 P4 10 BU 04 | FLEX | CODE |
| M 32 A100 P4 10 BV 04 | TELE | CODE |

Cabinet with 1 drawer, 2 retractable shelves,  
1 top shelf with 3 edges.  
Dimensions mm 714x598x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A100 C0 10 BW 04 | FLEX | KEY  |
| M 32 A100 C0 10 BX 04 | TELE | KEY  |
| M 32 A100 P4 10 BW 04 | FLEX | CODE |
| M 32 A100 P4 10 BX 04 | TELE | CODE |

Cabinet with 2 drawers, 1 retractable shelf,  
1 top shelf with 3 edges.  
Dimensions mm 714x598x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A100 C0 10 CG 04 | FLEX | KEY  |
| M 32 A100 C0 10 CH 04 | TELE | KEY  |
| M 32 A100 P4 10 CG 04 | FLEX | CODE |
| M 32 A100 P4 10 CH 04 | TELE | CODE |

Cabinet with 3 drawers, 1 top shelf with 3 edges.  
Dimensions mm 714x598x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A100 C0 10 BY 04 | FLEX | KEY  |
| M 32 A100 C0 10 BZ 04 | TELE | KEY  |
| M 32 A100 P4 10 BY 04 | FLEX | CODE |
| M 32 A100 P4 10 BZ 04 | TELE | CODE |

Cabinet with 3 drawers, 1 retractable shelf,  
1 top shelf with 3 edges.  
Dimensions mm 714x598x1023 h.

1023 MM  
DOOR 900 MM



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A100 C0 10 CA 04 | FLEX | KEY  |
| M 32 A100 C0 10 CB 04 | TELE | KEY  |
| M 32 A100 P4 10 CA 04 | FLEX | CODE |
| M 32 A100 P4 10 CB 04 | TELE | CODE |

Cabinet with 3 drawers, 2 retractable shelves,  
1 top shelf with 3 edges.  
Dimensions mm 714x598x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A100 C0 10 CC 04 | FLEX | KEY  |
| M 32 A100 C0 10 CD 04 | TELE | KEY  |
| M 32 A100 P4 10 CC 04 | FLEX | CODE |
| M 32 A100 P4 10 CD 04 | TELE | CODE |

Cabinet with 4 drawers, 1 top shelf with 3 edges.  
Dimensions mm 714x598x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A100 C0 10 CE 04 | FLEX | KEY  |
| M 32 A100 C0 10 CF 04 | TELE | KEY  |
| M 32 A100 P4 10 CE 04 | FLEX | CODE |
| M 32 A100 P4 10 CF 04 | TELE | CODE |

Cabinet with 5 drawers, 1 top shelf with 3 edges.  
Dimensions mm 714x598x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A100 C0 10 CJ 04 | FLEX | KEY  |
| M 32 A100 C0 10 CK 04 | TELE | KEY  |
| M 32 A100 P4 10 CJ 04 | FLEX | CODE |
| M 32 A100 P4 10 CK 04 | TELE | CODE |

Cabinet with 1 adjustable shelf, 2 retractable  
shelves, 1 top shelf with 3 edges.  
Dimensions mm 714x598x1023 h.

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

123

456

CODE =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PR = Adjustable shelf  
PE = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction

SYLOGIK

smart solutions



| ORD. NO.              | TYPE  |      |
|-----------------------|-------|------|
| M 32 A100 C0 10 CL 04 | FLEX  | KEY  |
| M 32 A100 C0 10 CM 04 | TELE* | KEY  |
| M 32 A100 T2 10 CL 04 | FLEX  | CODE |
| M 32 A100 T2 10 CM 04 | TELE* | CODE |

Cabinet with 4 drawers, 1 top shelf with 3 edges.  
Dimensions mm 714x598x1023 h.



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic extraction  
100% = 200 Kg


**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17




YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction




| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A150 C0 10 EY 04</b> | FLEX | KEY  |
| <b>M 32 A150 C0 10 EZ 04</b> | TELE | KEY  |
| <b>M 32 A150 E1 10 EY 04</b> | FLEX | CODE |
| <b>M 32 A150 E1 10 EZ 04</b> | TELE | CODE |

Cabinet with 9 drawers.  
Dimensions mm 714x573x1500 h.




| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A150 C0 10 FA 04</b> | FLEX | KEY  |
| <b>M 32 A150 C0 10 FB 04</b> | TELE | KEY  |
| <b>M 32 A150 E1 10 FA 04</b> | FLEX | CODE |
| <b>M 32 A150 E1 10 FB 04</b> | TELE | CODE |

Cabinet with 9 drawers.  
Dimensions mm 714x573x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A150 C0 10 FJ 04</b> | FLEX | KEY  |
| <b>M 32 A150 C0 10 FK 04</b> | TELE | KEY  |
| <b>M 32 A150 E1 10 FJ 04</b> | FLEX | CODE |
| <b>M 32 A150 E1 10 FK 04</b> | TELE | CODE |

Cabinet with 9 drawers.  
Dimensions mm 714x573x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A150 C0 10 FC 04</b> | FLEX | KEY  |
| <b>M 32 A150 C0 10 FD 04</b> | TELE | KEY  |
| <b>M 32 A150 E1 10 FC 04</b> | FLEX | CODE |
| <b>M 32 A150 E1 10 FD 04</b> | TELE | CODE |

Cabinet with 13 drawers.  
Dimensions mm 714x573x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A150 C0 10 LA 04</b> | FLEX | KEY  |
| <b>M 32 A150 C0 10 LB 04</b> | TELE | KEY  |
| <b>M 32 A150 P4 10 LA 04</b> | FLEX | CODE |
| <b>M 32 A150 P4 10 LB 04</b> | TELE | CODE |

Cabinet with 3 drawers, 2 retractable shelves.  
Dimensions mm 714x598x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 32 A150 C0 10 LC 04</b> | FLEX | KEY  |
| <b>M 32 A150 C0 10 LD 04</b> | TELE | KEY  |
| <b>M 32 A150 P4 10 LC 04</b> | FLEX | CODE |
| <b>M 32 A150 P4 10 LD 04</b> | TELE | CODE |

Cabinet with 3 adjustable shelves, 2 retractable  
shelves. Dim. mm 714x598x1500 h.



36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf  
PE = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions



| ORD. NO.              | TYPE |
|-----------------------|------|
| M 32 A200 C5 10 FU 04 | FLEX |
| M 32 A200 C5 10 FV 04 | TELE |

Cabinet with 4 drawers.  
Dimensions mm 714x573x2000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A200 C0 10 FS 04 | FLEX | KEY  |
| M 32 A200 C0 10 FT 04 | TELE | KEY  |
| M 32 A200 E1 10 FS 04 | FLEX | CODE |
| M 32 A200 E1 10 FT 04 | TELE | CODE |

Cabinet with 7 drawers, 2 adjustable shelves.  
Dimensions mm 714x573x2000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A200 C0 10 FY 04 | FLEX | KEY  |
| M 32 A200 C0 10 FZ 04 | TELE | KEY  |
| M 32 A200 T2 10 FY 04 | FLEX | CODE |
| M 32 A200 T2 10 FZ 04 | TELE | CODE |

Cabinet with 7 drawers, 3 adjustable shelves.  
Dimensions mm 714x598x2000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 32 A200 C0 10 FW 04 | FLEX | KEY  |
| M 32 A200 C0 10 FX 04 | TELE | KEY  |
| M 32 A200 P4 10 FW 04 | FLEX | CODE |
| M 32 A200 P4 10 FX 04 | TELE | CODE |

Cabinet with 3 drawers, 2 adjustable shelves,  
2 retractable shelves.  
Dimensions mm 714x598x2000 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic extraction  
100% = 200 Kg


**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D085 C0 10 GJ 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D085 C0 10 GK 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 6 drawers, 1 retractable shelf, 1 adjustable shelf,  
1 top shelf with 3 edges.

Dimensions mm 1428x598x873 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D085 C0 10 GL 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D085 C0 10 GM 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 2 drawers, 2 retractable shelves, 2 adjustable  
shelves, 1 top shelf with 3 edges.

Dimensions mm 1428x623x873 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D085 C0 10 GN 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D085 C0 10 GP 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 4 drawers, 2 retractable shelves,  
1 top shelf with 3 edges.

Dimensions mm 1428x623x873 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D100 C0 10 GQ 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D100 C0 10 GR 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 7 drawers, 1 retractable shelf, 2 adjustable shelves,  
1 top shelf with 3 edges.

Dimensions mm 1428x598x1023 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D100 C0 10 GS 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D100 C0 10 GT 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 8 drawers, 2 retractable shelves, 1 adjustable shelf,  
1 top shelf with 3 edges.

Dimensions mm 1428x598x1023 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D100 C0 10 GU 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D100 C0 10 GV 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 10 drawers, 1 top shelf with 3 edges.

Dimensions mm 1428x598x1023 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D100 C0 10 GW 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D100 C0 10 GX 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 2 drawers, 6 retractable shelves,  
1 top shelf with 3 edges. Dim. mm 1428x623x1023 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D100 C0 10 GY 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D100 C0 10 GZ 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 4 drawers, 2 retractable shelves,  
1 top shelf with 3 edges.

Dimensions mm 1428x623x1023 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D100 C0 10 HL 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D100 C0 10 HM 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 4 drawers, 2 retractable shelves,  
1 top shelf with 3 edges.

Dimensions mm 1428x623x1023 h.



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D150 C0 10 JC 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D150 C0 10 JD 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 4 drawers, 4 retractable shelves.  
Dimensions mm 1428x623x1500 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D150 C0 10 JE 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D150 C0 10 JF 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 6 drawers, 2 adjustable shelves, 4 retractable shelves.  
Dimensions mm 1428x623x1500 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D150 C0 10 JG 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D150 C0 10 JH 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 8 drawers, 2 adjustable shelves.  
Dimensions mm 1428x623x1500 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D200 C0 10 JJ 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D200 C0 10 JK 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 6 drawers, 2 retractable shelves, 6 adjustable shelves.  
Dimensions mm 1428x623x2000 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 32 D200 C0 10 JL 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 32 D200 C0 10 JM 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 8 drawers, 4 adjustable shelves.  
Dimensions mm 1428x623x2000 h.

|                                              |                                                                                                                                                                      |                                                                                                                                         |                                                                                                                                                                                                                                                                             |                                                                                                                                                                                   |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 36x36 EH                                     | 45x36 EH                                                                                                                                                             | 54x36 EH                                                                                                                                | 64x36 EH                                                                                                                                                                                                                                                                    | 78x36 EH                                                                                                                                                                          |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br><br>100% = 50 Kg<br>96 % = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br><br>100% = 200 Kg | <br><b>KEY</b> =<br>cylinder lock<br>page 12 - 13<br><br><b>CODE</b> =<br>electronic lock<br>page 14 - 17 | <br><b>YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.</b> |

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
 \* 50 mm drawer height is available only in the flexible extraction



GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

  
KEY =  
cylinder lock  
page 12 - 13

  
CODE =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction

818 MM



75  
75  
150  
200

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 32 R060 S0 10 20 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 32 R060 P1 10 20 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 4 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x818 h.



50  
75  
75  
100  
200

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 32 R060 S0 10 21 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 32 R060 P1 10 21 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x818 h.



75  
75  
75  
75  
100  
100

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 32 R060 S0 10 22 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 32 R060 P1 10 22 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x818 h.

918 MM



50  
100  
100  
150  
200

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 32 R070 S0 10 40 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 32 R070 P1 10 40 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x918 h.



75  
75  
100  
100  
250

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 32 R070 S0 10 42 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 32 R070 P1 10 42 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x918 h.



75  
75  
100  
100  
150

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 32 R070 S0 10 44 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 32 R070 P1 10 44 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x918 h.



75  
75  
75  
100  
200

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 32 R070 S0 10 52 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 32 R070 P1 10 52 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x918 h.

1018 MM



50  
100  
100  
150  
300

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 32 R080 S0 10 54 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 32 R080 P1 10 54 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x1018 h.



75  
75  
100  
100  
150  
200

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 32 R080 S0 10 56 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 32 R080 P1 10 56 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x1018 h.

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock  
page 12 - 13

123

456

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

1068 MM

750 mm

ORD. NO.

TYPE

M 32 R085 S0 10 AE 04

FLEX

KEY

M 32 R085 P1 10 AE 04

FLEX

CODE

Cabinet with 7 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x1068 h.

75  
75  
75  
100  
100  
100  
125  
125  
150

ORD. NO.

TYPE

M 32 R085 S0 10 AC 04

FLEX

KEY

M 32 R085 P1 10 AC 04

FLEX

CODE

Cabinet with 7 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x1068 h.

75  
75  
75  
100  
75  
100  
100  
100  
150

ORD. NO.

TYPE

M 32 R085 S0 10 AG 04

FLEX

KEY

M 32 R085 P1 10 AG 04

FLEX

CODE

Cabinet with 8 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x1068 h.

1218 MM

900 mm

ORD. NO.

TYPE

M 32 R100 S0 10 AY 04

FLEX

KEY

M 32 R100 P1 10 AY 04

FLEX

CODE

Cabinet with 6 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x1218 h.

75  
75  
100  
150  
150  
150  
150  
200

ORD. NO.

TYPE

M 32 R100 S0 10 AW 04

FLEX

KEY

M 32 R100 P1 10 AW 04

FLEX

CODE

Cabinet with 7 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x1218 h.

50  
75  
75  
100  
100  
100  
150  
250

ORD. NO.

TYPE

M 32 R100 S0 10 BQ 04

FLEX

KEY

M 32 R100 P1 10 BQ 04

FLEX


CODE

Cabinet with 8 drawers.

Ø 125 mm wheels in standard rubber.

Cabinet load capacity: 180 kg.

Dimensions mm 788x599x1218 h.



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.


PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

EMPTY CABINET BODY READY FOR WITH LOCKS

WIDTH = 714 mm

DEPTH = 573 mm



| HEIGHT MM (A)                                    |    | 400                   | 600                   | 700                   | 800                   |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| USABLE HEIGHT MM (B)                             |    | 300                   | 500                   | 600                   | 700                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 32 A040 X0 10 00 04 | M 32 A060 X0 10 00 04 | M 32 A070 X0 10 00 04 | M 32 A080 X0 10 00 04 |
| CABINET WITH VERTEBRATE BAR AND WITHOUT LOCK*    | C5 | M 32 A040 C5 10 00 04 | M 32 A060 C5 10 00 04 | M 32 A070 C5 10 00 04 | M 32 A080 C5 10 00 04 |
| KEY COMFORT                                      |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | C0 | M 32 A040 C0 10 00 04 | M 32 A060 C0 10 00 04 | M 32 A070 C0 10 00 04 | M 32 A080 C0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | C1 | M 32 A040 C1 10 00 04 | M 32 A060 C1 10 00 04 | M 32 A070 C1 10 00 04 | M 32 A080 C1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | C2 | M 32 A040 C2 10 00 04 | M 32 A060 C2 10 00 04 | M 32 A070 C2 10 00 04 | M 32 A080 C2 10 00 04 |
| CODE EASY                                        |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | E1 | M 32 A040 E1 10 00 04 | M 32 A060 E1 10 00 04 | M 32 A070 E1 10 00 04 | M 32 A080 E1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | E2 | M 32 A040 E2 10 00 04 | M 32 A060 E2 10 00 04 | M 32 A070 E2 10 00 04 | M 32 A080 E2 10 00 04 |
| EXTERNAL POWERED                                 | E4 | M 32 A040 E4 10 00 04 | M 32 A060 E4 10 00 04 | M 32 A070 E4 10 00 04 | M 32 A080 E4 10 00 04 |
| EXTERNAL POWERED - PROGRAMMABLE                  | E5 | M 32 A040 E5 10 00 04 | M 32 A060 E5 10 00 04 | M 32 A070 E5 10 00 04 | M 32 A080 E5 10 00 04 |
| CODE TOP                                         |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T0 | M 32 A040 T0 10 00 04 | M 32 A060 T0 10 00 04 | M 32 A070 T0 10 00 04 | M 32 A080 T0 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T1 | M 32 A040 T1 10 00 04 | M 32 A060 T1 10 00 04 | M 32 A070 T1 10 00 04 | M 32 A080 T1 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T2 | M 32 A040 T2 10 00 04 | M 32 A060 T2 10 00 04 | M 32 A070 T2 10 00 04 | M 32 A080 T2 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T3 | M 32 A040 T3 10 00 04 | M 32 A060 T3 10 00 04 | M 32 A070 T3 10 00 04 | M 32 A080 T3 10 00 04 |


\*The vertebrate bar and locking systems are available on page 96 - 97

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3.

In configurations with the letter T the remote control always acts on the output 1 (see page 15).

Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96% = 75 kg

92% = 100 Kg

45x36 EH

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

FAMI

MASTER

| 850                   | 1000                  | 1500                  | 2000                  |
|-----------------------|-----------------------|-----------------------|-----------------------|
| 750                   | 900                   | 1400                  | 1900                  |
| M 32 A085 X0 10 00 04 | M 32 A100 X0 10 00 04 | M 32 A150 X0 10 00 04 | M 32 A200 X0 10 00 04 |
| M 32 A085 C5 10 00 04 | M 32 A100 C5 10 00 04 | M 32 A150 C5 10 00 04 | M 32 A200 C5 10 00 04 |
| M 32 A085 C0 10 00 04 | M 32 A100 C0 10 00 04 | M 32 A150 C0 10 00 04 | M 32 A200 C0 10 00 04 |
| M 32 A085 C1 10 00 04 | M 32 A100 C1 10 00 04 | M 32 A150 C1 10 00 04 | M 32 A200 C1 10 00 04 |
| M 32 A085 C2 10 00 04 | M 32 A100 C2 10 00 04 | M 32 A150 C2 10 00 04 | M 32 A200 C2 10 00 04 |
| M 32 A085 E1 10 00 04 | M 32 A100 E1 10 00 04 | M 32 A150 E1 10 00 04 | M 32 A200 E1 10 00 04 |
| M 32 A085 E2 10 00 04 | M 32 A100 E2 10 00 04 | M 32 A150 E2 10 00 04 | M 32 A200 E2 10 00 04 |
| M 32 A085 E4 10 00 04 | M 32 A100 E4 10 00 04 | M 32 A150 E4 10 00 04 | M 32 A200 E4 10 00 04 |
| M 32 A085 E5 10 00 04 | M 32 A100 E5 10 00 04 | M 32 A150 E5 10 00 04 | M 32 A200 E5 10 00 04 |
| M 32 A085 T0 10 00 04 | M 32 A100 T0 10 00 04 | M 32 A150 T0 10 00 04 | M 32 A200 T0 10 00 04 |
| M 32 A085 T1 10 00 04 | M 32 A100 T1 10 00 04 | M 32 A150 T1 10 00 04 | M 32 A200 T1 10 00 04 |
| M 32 A085 T2 10 00 04 | M 32 A100 T2 10 00 04 | M 32 A150 T2 10 00 04 | M 32 A200 T2 10 00 04 |
| M 32 A085 T3 10 00 04 | M 32 A100 T3 10 00 04 | M 32 A150 T3 10 00 04 | M 32 A200 T3 10 00 04 |

KEY COMFORT

C0

C1

C2

CODE EASY

1 2 3

4 5 C

E1

1 2 3

4 5 C

PROGRAMMABLE

E2

1 2 3

4 5 C

PROGRAMMABLE

E4

1 2 3

4 5 C

PROGRAMMABLE

E5

CODE TOP

1 2 3

4 5 C

T0

1 2 3

4 5 C

PROGRAMMABLE

T1

1 2 3

4 5 C

PROGRAMMABLE

T2

1 2 3

4 5 C

PROGRAMMABLE

T3

SEE PAGE 12 - 14 - 15

85

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

EMPTY CABINET BODY READY FOR WHEELS **WITH LOCKS**

**WIDTH = 788 mm**

**DEPTH = 599 mm**




|                                                  |    |                       |                       |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 663                   | 763                   | 863                   | 913                   |
| USABLE HEIGHT MM (B)                             |    | 500                   | 600                   | 700                   | 750                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 32 R060 X0 10 00 04 | M 32 R070 X0 10 00 04 | M 32 R080 X0 10 00 04 | M 32 R085 X0 10 00 04 |
| KEY SMART (Push to Open)                         |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | S0 | M 32 R060 S0 10 00 04 | M 32 R070 S0 10 00 04 | M 32 R080 S0 10 00 04 | M 32 R085 S0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | S1 | M 32 R060 S1 10 00 04 | M 32 R070 S1 10 00 04 | M 32 R080 S1 10 00 04 | M 32 R085 S1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | S2 | M 32 R060 S2 10 00 04 | M 32 R070 S2 10 00 04 | M 32 R080 S2 10 00 04 | M 32 R085 S2 10 00 04 |
| CODE PLUS (Push to Open)                         |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | P1 | M 32 R060 P1 10 00 04 | M 32 R070 P1 10 00 04 | M 32 R080 P1 10 00 04 | M 32 R085 P1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | P2 | M 32 R060 P2 10 00 04 | M 32 R070 P2 10 00 04 | M 32 R080 P2 10 00 04 | M 32 R085 P2 10 00 04 |
| CODE ADVANCE (Push to Open)                      |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A0 | M 32 R060 A0 10 00 04 | M 32 R070 A0 10 00 04 | M 32 R080 A0 10 00 04 | M 32 R085 A0 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A1 | M 32 R060 A1 10 00 04 | M 32 R070 A1 10 00 04 | M 32 R080 A1 10 00 04 | M 32 R085 A1 10 00 04 |

Full versions of cabinet includes: 4 border top with oil-resistant rubber cover, pair of handles, transversal wheel plates.  
Wheels available on page 88

\*The vertebrae bar and locking systems are available on page 96 - 97

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P1 - P2 - A0 - A1.  
In configurations with the letter A the remote control always acts on the output 1 (see page 17).  
Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.                     | References |
|-------------------------------------|------------------------------|------------|
| Receiver module with remote control | <b>M 00 VRC0 00 00 00 00</b> | A+B        |
| Additional Remote Control           | <b>M 00 VRC0 00 00 01 00</b> | A          |

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

45x36 EH

TELE

telescopic extraction

100% = 200 Kg

54x36 EH

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

64x36 EH


YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

78x36 EH

PLASTIC IN 8 COLOURS



|                       |
|-----------------------|
| 1063                  |
| 900                   |
| M 32 R100 X0 10 00 04 |
| M 32 R100 S0 10 00 04 |
| M 32 R100 S1 10 00 04 |
| M 32 R100 S2 10 00 04 |
| M 32 R100 P1 10 00 04 |
| M 32 R100 P2 10 00 04 |
| M 32 R100 A0 10 00 04 |
| M 32 R100 A1 10 00 04 |



GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17


YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions


WHEELS

STANDARD RUBBER WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BAC11 100</b> | 100  | 75           | 128  |
| <b>C RG BAC12 125</b> | 125  | 100          | 155  |
| <b>C RG BAC13 150</b> | 150  | 115          | 180  |
| <b>C RG BAC15 200</b> | 200  | 205          | 240  |


Standard rubber fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DAC11 100</b> | 100  | 75           | 128  |
| <b>C RG DAC12 125</b> | 125  | 100          | 155  |
| <b>C RG DAC13 150</b> | 150  | 115          | 180  |
| <b>C RG DAC15 200</b> | 200  | 205          | 240  |


Standard rubber swivel wheels with brake

NYLON WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BAD10 100</b> | 100  | 125          | 128  |
| <b>C RN BAD11 125</b> | 125  | 180          | 155  |
| <b>C RN BAD04 160</b> | 160  | 300          | 200  |

Nylon fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DAD10 100</b> | 100  | 125          | 128  |
| <b>C RN DAD11 125</b> | 125  | 180          | 155  |
| <b>C RN DAD04 160</b> | 160  | 300          | 200  |


Nylon swivel wheels with brake

SYNTHETIC MARK-PROOF RUBBER WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BPH22 125</b> | 125  | 100          | 155  |
| <b>C RG BPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DPH22 125</b> | 125  | 100          | 155  |
| <b>C RG DPH25 160</b> | 160  | 200          | 200  |


Synthetic mark-proof rubber swivel wheels with brake

ELASTIC RUBBER WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BCE15 125</b> | 125  | 180          | 155  |
| <b>C RG BCE15 160</b> | 160  | 300          | 200  |


Elastic rubber fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DCE15 125</b> | 125  | 180          | 155  |
| <b>C RG DCE15 160</b> | 160  | 300          | 200  |

Elastic rubber swivel wheels with brake

POLYURETHANE WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BDD31 125</b> | 125  | 180          | 155  |
| <b>C RN BDD44 160</b> | 160  | 300          | 200  |

Polyurethane fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DDD31 125</b> | 125  | 180          | 155  |
| <b>C RN DDD44 160</b> | 160  | 300          | 200  |

Polyurethane swivel wheels with brake



To calculate load capacity of the cabinet use the formula: (Ax3) - 120 kg  
A = wheel load capacity  
ATTENTION: for security reasons, the load capacity of the cabinet with wheels cannot be more than 600 kg.

|                                              |                                                                                                                                                                     |                                                                                                                                         |                                                                                                                                    |                                                                                                                                       |                                                                                                                                                                                     |                                                                                                                       |                                                                                     |          |  |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|--|
| 36x36 EH                                     |                                                                                                                                                                     | 45x36 EH                                                                                                                                |                                                                                                                                    | 54x36 EH                                                                                                                              |                                                                                                                                                                                     | 64x36 EH                                                                                                              |                                                                                     | 78x36 EH |  |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br><br>100% = 50 Kg<br>96% = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br><br>100% = 200 Kg | <br><b>KEY</b> =<br>cylinder lock<br>page 12 - 13 | <br><b>CODE</b> =<br>electronic lock<br>page 14 - 17 | <br>YOU CAN CHANGE THE<br>COLOUR OF ARTICLE 04 WITH<br>ONE OF 10 COLOURS<br>AVAILABLE ON PAGE 10. | <br><b>PLASTIC</b> IN 8<br>COLOURS |  |          |  |



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC IN 8  
COLOURS**




DOORS WITH LOCKS

WIDTH = 714 mm

DOORS FOR FULL HEIGHT

|                                                                                   |    |                                                                                     |                          |                                                                                     |                          |
|-----------------------------------------------------------------------------------|----|-------------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------|--------------------------|
|  |    |  |                          |  |                          |
| CABINET HEIGHT MM (B)                                                             |    | 600                                                                                 |                          | 700                                                                                 |                          |
| DOOR HEIGHT MM (A)                                                                |    | 544                                                                                 |                          | 644                                                                                 |                          |
|                                                                                   |    | ORD. NO. Dark Grey plastic kit                                                      | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit                                                      | ORD. NO. no plastic kit* |
| KEY COMFORT                                                                       |    |                                                                                     |                          |                                                                                     |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS                                              | C0 | M 30 P050 C0 10 00 04                                                               | M 30 P050 C0 00 00 04    | M 30 P060 C0 10 00 04                                                               | M 30 P060 C0 00 00 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS                                           | C1 | M 30 P050 C1 10 00 04                                                               | M 30 P050 C1 00 00 04    | M 30 P060 C1 10 00 04                                                               | M 30 P060 C1 00 00 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS                                              | C2 | M 30 P050 C2 10 00 04                                                               | M 30 P050 C2 00 00 04    | M 30 P060 C2 10 00 04                                                               | M 30 P060 C2 00 00 04    |
| CODE PLUS (Push to Open)                                                          |    |                                                                                     |                          |                                                                                     |                          |
| BATTERY POWERED                                                                   | P4 | M 30 P050 P4 10 00 04                                                               | M 30 P050 P4 00 00 04    | M 30 P060 P4 10 00 04                                                               | M 30 P060 P4 00 00 04    |
| BATTERY POWERED - PROGRAMMABLE                                                    | P5 | M 30 P050 P5 10 00 04                                                               | M 30 P050 P5 00 00 04    | M 30 P060 P5 10 00 04                                                               | M 30 P060 P5 00 00 04    |
| CODE ADVANCE (Push to Open)                                                       |    |                                                                                     |                          |                                                                                     |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE                                          | A2 | M 30 P050 A2 10 00 04                                                               | M 30 P050 A2 00 00 04    | M 30 P060 A2 10 00 04                                                               | M 30 P060 A2 00 00 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE                                         | A3 | M 30 P050 A3 10 00 04                                                               | M 30 P050 A3 00 00 04    | M 30 P060 A3 10 00 04                                                               | M 30 P060 A3 00 00 04    |

|                                                                                       |                                |                                                                                       |                                |                          |                       |
|---------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|--------------------------------|--------------------------|-----------------------|
|  |                                |  |                                |                          |                       |
| DOOR PAIR                                                                             |                                | DOOR PAIR                                                                             |                                |                          |                       |
| CABINET HEIGHT MM (B)                                                                 | 1500                           |                                                                                       | 2000                           |                          |                       |
| DOOR HEIGHT MM (A)                                                                    | 1444                           |                                                                                       | 1944                           |                          |                       |
|                                                                                       | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*                                                              | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |                       |
| KEY COMFORT                                                                           |                                |                                                                                       |                                |                          |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS                                                  | C0                             | M 30 P140 C0 10 10 04                                                                 | M 30 P140 C0 00 10 04          | M 30 P190 C0 10 10 04    | M 30 P190 C0 00 10 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS                                               | C1                             | M 30 P140 C1 10 10 04                                                                 | M 30 P140 C1 00 10 04          | M 30 P190 C1 10 10 04    | M 30 P190 C1 00 10 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS                                                  | C2                             | M 30 P140 C2 10 10 04                                                                 | M 30 P140 C2 00 10 04          | M 30 P190 C2 10 10 04    | M 30 P190 C2 00 10 04 |
| CODE PLUS (Push to Open)                                                              |                                |                                                                                       |                                |                          |                       |
| BATTERY POWERED                                                                       | P4                             | M 30 P140 P4 10 10 04                                                                 | M 30 P140 P4 00 10 04          | M 30 P190 P4 10 10 04    | M 30 P190 P4 00 10 04 |
| BATTERY POWERED - PROGRAMMABLE                                                        | P5                             | M 30 P140 P5 10 10 04                                                                 | M 30 P140 P5 00 10 04          | M 30 P190 P5 10 10 04    | M 30 P190 P5 00 10 04 |
| CODE ADVANCE (Push to Open)                                                           |                                |                                                                                       |                                |                          |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE                                              | A2                             | M 30 P140 A2 10 10 04                                                                 | M 30 P140 A2 00 10 04          | M 30 P190 A2 10 10 04    | M 30 P190 A2 00 10 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE                                             | A3                             | M 30 P140 A3 10 10 04                                                                 | M 30 P140 A3 00 10 04          | M 30 P190 A3 10 10 04    | M 30 P190 A3 00 10 04 |

\*Match the item number to one of the plastic kits available at page 91

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions




|                                                                                                        |                          |                                                                                                          |                          |
|--------------------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------------------|--------------------------|
|  <div>DOOR PAIR</div> |                          |  <div>DOOR PAIR</div> |                          |
| 850                                                                                                    |                          | 1000                                                                                                     |                          |
| 794                                                                                                    |                          | 944                                                                                                      |                          |
| ORD. NO. Dark Grey plastic kit                                                                         | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit                                                                           | ORD. NO. no plastic kit* |
| M 30 P075 C0 10 10 04                                                                                  | M 30 P075 C0 00 10 04    | M 30 P090 C0 10 10 04                                                                                    | M 30 P090 C0 00 10 04    |
| M 30 P075 C1 10 10 04                                                                                  | M 30 P075 C1 00 10 04    | M 30 P090 C1 10 10 04                                                                                    | M 30 P090 C1 00 10 04    |
| M 30 P075 C2 10 10 04                                                                                  | M 30 P075 C2 00 10 04    | M 30 P090 C2 10 10 04                                                                                    | M 30 P090 C2 00 10 04    |
| M 30 P075 P4 10 10 04                                                                                  | M 30 P075 P4 00 10 04    | M 30 P090 P4 10 10 04                                                                                    | M 30 P090 P4 00 10 04    |
| M 30 P075 P5 10 10 04                                                                                  | M 30 P075 P5 00 10 04    | M 30 P090 P5 10 10 04                                                                                    | M 30 P090 P5 00 10 04    |
| M 30 P075 A2 10 10 04                                                                                  | M 30 P075 A2 00 10 04    | M 30 P090 A2 10 10 04                                                                                    | M 30 P090 A2 00 10 04    |
| M 30 P075 A3 10 10 04                                                                                  | M 30 P075 A3 00 10 04    | M 30 P090 A3 10 10 04                                                                                    | M 30 P090 A3 00 10 04    |

KEY COMFORT





C0C1





C2

CODE PLUS (Push to Open)



P4P5

CODE ADVANCE (Push to Open)



A2A3

SEE PAGE 12 - 16 - 17

PLASTIC KIT FOR DOORS


Plastic kit for wing doors with handle and hinges.

| LOCKING            | KEY                      |                         |
|--------------------|--------------------------|-------------------------|
|                    | ORD. NO. for single door | ORD. NO. for pair doors |
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 20 M1    | M 00 PLS0 00 00 30 M1   |
| SKY BLUE           | M 00 PLS0 00 00 20 M2    | M 00 PLS0 00 00 30 M2   |
| GLAMOUR RED        | M 00 PLS0 00 00 20 M3    | M 00 PLS0 00 00 30 M3   |
| RED CARPET         | M 00 PLS0 00 00 20 M4    | M 00 PLS0 00 00 30 M4   |
| JUICY ORANGE       | M 00 PLS0 00 00 20 M5    | M 00 PLS0 00 00 30 M5   |
| SUNNY YELLOW       | M 00 PLS0 00 00 20 M6    | M 00 PLS0 00 00 30 M6   |
| FOREST GREEN       | M 00 PLS0 00 00 20 M7    | M 00 PLS0 00 00 30 M7   |

| LOCKING            | CODE                     |                         |
|--------------------|--------------------------|-------------------------|
|                    | ORD. NO. for single door | ORD. NO. for pair doors |
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 21 M1    | M 00 PLS0 00 00 31 M1   |
| SKY BLUE           | M 00 PLS0 00 00 21 M2    | M 00 PLS0 00 00 31 M2   |
| GLAMOUR RED        | M 00 PLS0 00 00 21 M3    | M 00 PLS0 00 00 31 M3   |
| RED CARPET         | M 00 PLS0 00 00 21 M4    | M 00 PLS0 00 00 31 M4   |
| JUICY ORANGE       | M 00 PLS0 00 00 21 M5    | M 00 PLS0 00 00 31 M5   |
| SUNNY YELLOW       | M 00 PLS0 00 00 21 M6    | M 00 PLS0 00 00 31 M6   |
| FOREST GREEN       | M 00 PLS0 00 00 21 M7    | M 00 PLS0 00 00 31 M7   |

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P4 - P5 - A2 - A3. In configurations with the letter A the remote control always acts on the output 1 (see page 17). Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

123  
456


CODE =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

SYLOGIK  
smart solutions

DOORS FOR PARTIAL HEIGHT



| OVERALL HEIGHT MM (D)                     |    | 425 (D)                        |                          | 525 (D)                        |                          |
|-------------------------------------------|----|--------------------------------|--------------------------|--------------------------------|--------------------------|
| USABLE HEIGHT MM (C) - DOOR HEIGHT MM (A) |    | 400 (C) - 444 (A)              |                          | 500 (C) - 544 (A)              |                          |
|                                           |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                               |    |                                |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0 | M 30 P042 C0 10 01 04          | M 30 P042 C0 00 01 04    | M 30 P052 C0 10 01 04          | M 30 P052 C0 00 01 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1 | M 30 P042 C1 10 01 04          | M 30 P042 C1 00 01 04    | M 30 P052 C1 10 01 04          | M 30 P052 C1 00 01 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2 | M 30 P042 C2 10 01 04          | M 30 P042 C2 00 01 04    | M 30 P052 C2 10 01 04          | M 30 P052 C2 00 01 04    |
| CODE PLUS (Push to Open)                  |    |                                |                          |                                |                          |
| BATTERY POWERED                           | P4 | M 30 P042 P4 10 01 04          | M 30 P042 P4 00 01 04    | M 30 P052 P4 10 01 04          | M 30 P052 P4 00 01 04    |
| BATTERY POWERED - PROGRAMMABLE            | P5 | M 30 P042 P5 10 01 04          | M 30 P042 P5 00 01 04    | M 30 P052 P5 10 01 04          | M 30 P052 P5 00 01 04    |
| CODE ADVANCE (Push to Open)               |    |                                |                          |                                |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2 | M 30 P042 A2 10 01 04          | M 30 P042 A2 00 01 04    | M 30 P052 A2 10 01 04          | M 30 P052 A2 00 01 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3 | M 30 P042 A3 10 01 04          | M 30 P042 A3 00 01 04    | M 30 P052 A3 10 01 04          | M 30 P052 A3 00 01 04    |
| LOCKING PREPARED FOR T2 - T3 - A1         | A4 | M 30 P042 A4 10 01 04          | M 30 P042 A4 00 01 04    | M 30 P052 A4 10 01 04          | M 30 P052 A4 00 01 04    |

\*Match the item number to one of the plastic kits available in the table below

PLASTIC KIT FOR DOORS

Plastic kit for wing doors with handle and hinges.

| LOCKING            | KEY                      |                        | CODE                     |                        |
|--------------------|--------------------------|------------------------|--------------------------|------------------------|
|                    | ORD. NO. for single door | ORD. NO. for pair door | ORD. NO. for single door | ORD. NO. for pair door |
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 20 M1    | M 00 PLS0 00 00 30 M1  | M 00 PLS0 00 00 21 M1    | M 00 PLS0 00 00 31 M1  |
| SKY BLUE           | M 00 PLS0 00 00 20 M2    | M 00 PLS0 00 00 30 M2  | M 00 PLS0 00 00 21 M2    | M 00 PLS0 00 00 31 M2  |
| GLAMOUR RED        | M 00 PLS0 00 00 20 M3    | M 00 PLS0 00 00 30 M3  | M 00 PLS0 00 00 21 M3    | M 00 PLS0 00 00 31 M3  |
| RED CARPET         | M 00 PLS0 00 00 20 M4    | M 00 PLS0 00 00 30 M4  | M 00 PLS0 00 00 21 M4    | M 00 PLS0 00 00 31 M4  |
| JUICY ORANGE       | M 00 PLS0 00 00 20 M5    | M 00 PLS0 00 00 30 M5  | M 00 PLS0 00 00 21 M5    | M 00 PLS0 00 00 31 M5  |
| SUNNY YELLOW       | M 00 PLS0 00 00 20 M6    | M 00 PLS0 00 00 30 M6  | M 00 PLS0 00 00 21 M6    | M 00 PLS0 00 00 31 M6  |
| FOREST GREEN       | M 00 PLS0 00 00 20 M7    | M 00 PLS0 00 00 30 M7  | M 00 PLS0 00 00 21 M7    | M 00 PLS0 00 00 31 M7  |

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock

page 12 - 13

CODE

CODE = electronic lock



page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.


PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



| 625 (D)                        |                          | 775 (D)                        |                          |
|--------------------------------|--------------------------|--------------------------------|--------------------------|
| 600 (C) - 644 (A)              |                          | 750 (C) - 794 (A)              |                          |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| M 30 P062 C0 10 01 04          | M 30 P062 C0 00 01 04    | M 30 P077 C0 10 11 04          | M 30 P077 C0 00 11 04    |
| M 30 P062 C1 10 01 04          | M 30 P062 C1 00 01 04    | M 30 P077 C1 10 11 04          | M 30 P077 C1 00 11 04    |
| M 30 P062 C2 10 01 04          | M 30 P062 C2 00 01 04    | M 30 P077 C2 10 11 04          | M 30 P077 C2 00 11 04    |
| M 30 P062 P4 10 01 04          | M 30 P062 P4 00 01 04    | M 30 P077 P4 10 11 04          | M 30 P077 P4 00 11 04    |
| M 30 P062 P5 10 01 04          | M 30 P062 P5 00 01 04    | M 30 P077 P5 10 11 04          | M 30 P077 P5 00 11 04    |
| M 30 P062 A2 10 01 04          | M 30 P062 A2 00 01 04    | M 30 P077 A2 10 11 04          | M 30 P077 A2 00 11 04    |
| M 30 P062 A3 10 01 04          | M 30 P062 A3 00 01 04    | M 30 P077 A3 10 11 04          | M 30 P077 A3 00 11 04    |
| M 30 P062 A4 10 01 04          | M 30 P062 A4 00 01 04    | M 30 P077 A4 10 11 04          | M 30 P077 A4 00 11 04    |




ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P4 - P5 - A2 - A3.

In configurations with the letter T the remote control always acts on the output 1 (see page 17).

Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

123  
456

CODE =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

SYLOGIK  
smart solutions

EMPTY DOUBLE CABINET BODY WITH LOCKING MECHANISM

WIDTH = 1428 mm

DEPTH = 623/598 mm

CABINET WITH DOUBLE SLIDING DOOR



| HEIGHT MM (A)                           |    | 850                            |                          | 1000                           |                          |
|-----------------------------------------|----|--------------------------------|--------------------------|--------------------------------|--------------------------|
| USABLE HEIGHT MM (B)                    |    | 750                            |                          | 900                            |                          |
|                                         |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                             |    |                                |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 32 D085 C0 10 0D 04          | M 32 D085 C0 00 0D 04    | M 32 D100 C0 10 0D 04          | M 32 D100 C0 00 0D 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 32 D085 C1 10 0D 04          | M 32 D085 C1 00 0D 04    | M 32 D100 C1 10 0D 04          | M 32 D100 C1 00 0D 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 32 D085 C2 10 0D 04          | M 32 D085 C2 00 0D 04    | M 32 D100 C2 10 0D 04          | M 32 D100 C2 00 0D 04    |

Cabinet body without lock and without anti-dumping bar.

\*Match the item number to one of the plastic kits available at page 95

CABINET WITH SINGLE RIGHT SLIDING DOOR



| HEIGHT MM (A)                           |    | 850                            |                          | 1000                           |                          |
|-----------------------------------------|----|--------------------------------|--------------------------|--------------------------------|--------------------------|
| USABLE HEIGHT MM (B)                    |    | 750                            |                          | 900                            |                          |
|                                         |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                             |    |                                |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 32 D085 C0 10 0S 04          | M 32 D085 C0 00 0S 04    | M 32 D100 C0 10 0S 04          | M 32 D100 C0 00 0S 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 32 D085 C1 10 0S 04          | M 32 D085 C1 00 0S 04    | M 32 D100 C1 10 0S 04          | M 32 D100 C1 00 0S 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 32 D085 C2 10 0S 04          | M 32 D085 C2 00 0S 04    | M 32 D100 C2 10 0S 04          | M 32 D100 C2 00 0S 04    |

Cabinet body without lock and without anti-dumping bar. **Attention:** drawers can only be insert in the left side of the cabinet.

\*Match the item number to one of the plastic kits available at page 95

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

=  
cylinder lock

page 12 - 13

CODE

=  
electronic lock


page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



| 1500                           |                          | 2000                           |                          |
|--------------------------------|--------------------------|--------------------------------|--------------------------|
| 1400                           |                          | 1900                           |                          |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
|                                |                          |                                |                          |
| M 32 D150 C0 10 0D 04          | M 32 D150 C0 00 0D 04    | M 32 D200 C0 10 0D 04          | M 32 D200 C0 00 0D 04    |
| M 32 D150 C1 10 0D 04          | M 32 D150 C1 00 0D 04    | M 32 D200 C1 10 0D 04          | M 32 D200 C1 00 0D 04    |
| M 32 D150 C2 10 0D 04          | M 32 D150 C2 00 0D 04    | M 32 D200 C2 10 0D 04          | M 32 D200 C2 00 0D 04    |

PLASTIC KIT FOR DOUBLE CABINET

Plastic kit for sliding doors.

|                    | ORD. NO. for double sliding doors | ORD. NO. for single sliding door |
|--------------------|-----------------------------------|----------------------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 50 M1             | M 00 PLS0 00 00 40 M1            |
| SKY BLUE           | M 00 PLS0 00 00 50 M2             | M 00 PLS0 00 00 40 M2            |
| GLAMOUR RED        | M 00 PLS0 00 00 50 M3             | M 00 PLS0 00 00 40 M3            |
| RED CARPET         | M 00 PLS0 00 00 50 M4             | M 00 PLS0 00 00 40 M4            |
| JUICY ORANGE       | M 00 PLS0 00 00 50 M5             | M 00 PLS0 00 00 40 M5            |
| SUNNY YELLOW       | M 00 PLS0 00 00 50 M6             | M 00 PLS0 00 00 40 M6            |
| FOREST GREEN       | M 00 PLS0 00 00 50 M7             | M 00 PLS0 00 00 40 M7            |

KEY COMFORT

C0

C1

C2

SEE PAGE 12

VERTEBRATE BAR AND LOCKING SYSTEMS

CYLINDER LOCK (KEY)



- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |    |                       |
|-----------------------------------------|----|-----------------------|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 32 V000 C0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 32 V000 C1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 32 V000 C2 00 00 00 |

VERTEBRATE BAR



The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.


| ORD. NO.              | Useful height insertion drawers mm |
|-----------------------|------------------------------------|
| M 00 V075 00 00 00 00 | 750                                |
| M 00 V090 00 00 00 00 | 900                                |
| M 00 V140 00 00 00 00 | 1400                               |
| M 00 V190 00 00 00 00 | 1900                               |

LOCKING SYSTEMS

ELECTRONIC LOCKING (CODE)


The electronic keypad can be inserted under the locking shelf or under for the top of the Master cabinet series and can be powered either from the grid with a transformer or with 4 AA batteries 1.5 V - 0.15 A. The **Programmable** card comes with two inputs and two outputs depending on the needs of the customer.

For more information contact a Fami technician.




| CODE EASY                                 |    |                       |                                 |
|-------------------------------------------|----|-----------------------|---------------------------------|
| BATTERY POWERED                           | E1 | M 32 V000 E1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | E2 | M 32 V000 E2 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED                          | E4 | M 32 V000 E4 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED - PROGRAMMABLE           | E5 | M 32 V000 E5 00 00 00 | A + B + C + D + E + F + G       |
| CODE TOP                                  |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T0 | M 32 V000 T0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T1 | M 32 V000 T1 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T2 | M 32 V000 T2 00 00 00 | A + B + C + D + E + F + G + H   |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T3 | M 32 V000 T3 00 00 00 | A + B + C + D + E + F + G + H   |
| CODE PLUS (Push to Open)                  |    |                       |                                 |
| BATTERY POWERED                           | P1 | M 32 V000 P1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | P2 | M 32 V000 P2 00 00 00 | A + B + C + D + E + F + G       |
| CODE ADVANCE (Push to Open)               |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A0 | M 32 V000 A0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A1 | M 32 V000 A1 00 00 00 | A + B + C + D + E + F + G + H   |


CODE EASY




CODE TOP



CODE PLUS (Push to Open)



CODE ADVANCE (Push to Open)




SEE PAGE 14 - 17

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3 - P1 - P2 - A0 - A1.

In configurations with the letter T and A the remote control always acts on the output 1 (see page 15 - 17).

Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

=  
cylinder lock

page 12 - 13

CODE

=  
electronic lock

page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

SYLOGIK

smart solutions




VERTEBRATE BAR

The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.



| ORD. NO.              | Useful height insertion<br>drawers mm |
|-----------------------|---------------------------------------|
| M 00 V030 00 00 00 00 | 300                                   |
| M 00 V050 00 00 00 00 | 500                                   |
| M 00 V060 00 00 00 00 | 600                                   |
| M 00 V070 00 00 00 00 | 700                                   |
| M 00 V075 00 00 00 00 | 750                                   |
| M 00 V090 00 00 00 00 | 900                                   |
| M 00 V105 00 00 00 00 | 1050                                  |
| M 00 V122 00 00 00 00 | 1225                                  |
| M 00 V140 00 00 00 00 | 1400                                  |
| M 00 V152 00 00 00 00 | 1525                                  |
| M 00 V190 00 00 00 00 | 1900                                  |


CYLINDER LOCK (KEY)




- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |    |                       |
|-----------------------------------------|----|-----------------------|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 32 V000 C0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 32 V000 C1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 32 V000 C2 00 00 00 |
|                                         |    |                       |
| KEY SMART (Push to Open)                |    |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | S0 | M 32 V000 S0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | S1 | M 32 V000 S1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | S2 | M 32 V000 S2 00 00 00 |

KEY COMFORT



KEY SMART (Push to Open)



SEE PAGE 12 - 13

SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

SHELF FOR LOCKING SYSTEM

This upper shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load cap. kg |
|-----------------------|-----------------|--------------|
| M 32 PS46 00 10 00 04 | 46              | 150          |

Dimensions mm 663x571x46 h.

LOWER SHELF FOR LOCKING SYSTEM

This lower shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load cap. kg |
|-----------------------|-----------------|--------------|
| M 32 PS46 10 10 00 04 | 46              | 150          |

Dimensions mm 663x571x46 h.

ADJUSTABLE SHELF

This adjustable height shelf, comes standard with 2 guides and 1 reinforcement, is designed to be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load cap. kg |
|-----------------------|-----------------|--------------|
| M 32 PR25 00 00 01 04 | 25              | 150          |

Usable dimensions mm 657x464x25 h.

SLOTTED ADJUSTABLE SHELF

This adjustable height shelf cannot be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load cap. kg |
|-----------------------|-----------------|--------------|
| M 32 PR35 10 00 00 04 | 35              | 300          |

Dimensions mm 663x568x35 h.

DRAWERS AND Retractable SHELVES

FLEXIBLE EXTRACTION DRAWER

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom in fixed increments makes inserting the partitioning elements simple and rational. Drawers are supplied with the flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|----------------------------|----------------------------|
| <b>M 32 C050 01 10 0F 04</b>      | <b>M 32 C050 01 00 0F 04</b> | 50                 | 33                  | 28                | 100                        | 50                         |
| <b>M 32 C075 01 10 0F 04</b>      | <b>M 32 C075 01 00 0F 04</b> | 75                 | 58                  | 53                | 100                        | 50                         |
| <b>M 32 C100 01 10 0F 04</b>      | <b>M 32 C100 01 00 0F 04</b> | 100                | 83                  | 75                | 100                        | 50                         |
| <b>M 32 C125 01 10 0F 04</b>      | <b>M 32 C125 01 00 0F 04</b> | 125                | 108                 | 75                | 96                         | 75                         |
| <b>M 32 C150 01 10 0F 04</b>      | <b>M 32 C150 01 00 0F 04</b> | 150                | 133                 | 125               | 96                         | 75                         |
| <b>M 32 C200 01 10 0F 04</b>      | <b>M 32 C200 01 00 0F 04</b> | 200                | 183                 | 175               | 96                         | 75                         |
| <b>M 32 C250 01 10 0F 04</b>      | <b>M 32 C250 01 00 0F 04</b> | 250                | 233                 | 175               | 92                         | 100                        |
| <b>M 32 C300 01 10 0F 04</b>      | <b>M 32 C300 01 00 0F 04</b> | 300                | 283                 | 275               | 92                         | 100                        |

Volume / extractability    kg/% : 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 600x447.**

\*Match the item number to one of the plastic kits available at page 99

TELESCOPIC EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom with fixed increments make inserting the partitioning elements simple and rational. Drawers supplied with a telescopic extraction system with 8 bearings in high strength polymer allows a consistently smooth, durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|---------------------|---------------------|
| <b>M 32 C075 01 10 0T 04</b>      | <b>M 32 C075 01 00 0T 04</b> | 75                 | 58                  | 53                | 100                 | 200                 |
| <b>M 32 C100 01 10 0T 04</b>      | <b>M 32 C100 01 00 0T 04</b> | 100                | 83                  | 75                | 100                 | 200                 |
| <b>M 32 C125 01 10 0T 04</b>      | <b>M 32 C125 01 00 0T 04</b> | 125                | 108                 | 75                | 100                 | 200                 |
| <b>M 32 C150 01 10 0T 04</b>      | <b>M 32 C150 01 00 0T 04</b> | 150                | 133                 | 125               | 100                 | 200                 |
| <b>M 32 C200 01 10 0T 04</b>      | <b>M 32 C200 01 00 0T 04</b> | 200                | 183                 | 175               | 100                 | 200                 |
| <b>M 32 C250 01 10 0T 04</b>      | <b>M 32 C250 01 00 0T 04</b> | 250                | 233                 | 175               | 100                 | 200                 |
| <b>M 32 C300 01 10 0T 04</b>      | <b>M 32 C300 01 00 0T 04</b> | 300                | 283                 | 275               | 100                 | 200                 |

**Usable dimensions mm 600x447.**

\*Match the item number to one of the plastic kits available at page 99

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

CODE =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

SYLOGIK

smart solutions

FAMI

MASTER

FLEXIBLE RETRACTABLE SHELVES

These retractable shelves were designed to fit in the cabinets. The shelves are supplied with a flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.




| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|----------------------------|----------------------------|
| M 32 C057 01 10 0F 04             | M 32 C057 01 00 0F 04       | 70                 | 53                | 96                         | 75                         |

Volume / extractability kg/% : 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. Usable dimensions mm 600x447.

\*Match the item number to one of the plastic kits available in the table below

TELESCOPIC RETRACTABLE SHELVES

These retractable shelves were designed to be inserted in the cabinet. The shelves are supplied with a telescopic extraction system with 8 bearings in high strength polymer that allows a consistently smooth, durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|---------------------|---------------------|
| M 32 C057 01 10 0T 04             | M 32 C057 01 00 0T 04       | 70                 | 53                | 100                 | 200                 |

Usable dimensions mm 600x447.

\*Match the item number to one of the plastic kits available in the table below

PLASTIC KIT FOR DRAWERS AND RETRACTABLE SHELVES

Plastic kit for drawers and retractable shelves with left handle, door profile in white plastic, right plug h = 25 mm

|                    |  | ORD. NO.              |
|--------------------|--|-----------------------|
| MEDITERRANEAN BLUE |  | M 30 PLS1 00 00 00 M1 |
| SKY BLUE           |  | M 30 PLS1 00 00 00 M2 |
| GLAMOUR RED        |  | M 30 PLS1 00 00 00 M3 |
| RED CARPET         |  | M 30 PLS1 00 00 00 M4 |
| JUICY ORANGE       |  | M 30 PLS1 00 00 00 M5 |
| SUNNY YELLOW       |  | M 30 PLS1 00 00 00 M6 |
| FOREST GREEN       |  | M 30 PLS1 00 00 00 M7 |



GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17




YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC** IN 8  
COLOURS

**SYLOGIK**  
smart solutions

ACCESSORIES

MDF TOP WITH RUBBER COVERING



ORD. NO.

**M 32 T030 MD GM 21 07**

MDF top with rubber covering and side profile.  
For end cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 714x573x32 h.



ORD. NO.

**M 32 T030 MD GM 11 07**

MDF top with rubber covering, no side profile.  
For additional central cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 714x573x32 h.



ORD. NO.

**M 32 T030 MD GM 01 07**

MDF top with rubber covering and 2 side profiles.  
For single cabinet.  
Colour: Black RAL 9011.  
Dimensions mm 714x573x32 h.

TOP SHELF WITH 3 EDGES



ORD. NO.

**M 32 T023 AG 00 31 07**

Oil-resistant rubber cover top with 3 edges for single cabinet. Colour: Black RAL 9011.  
Dimensions mm 714x573x23 h.



ORD. NO.

**M 32 T023 AG 00 32 07**

Oil-resistant rubber cover top with 3 edges for double cabinet. Colour: Black RAL 9011.  
Dimensions mm 1428x573x23 h.

TOP SHELF WITH 4 EDGES



ORD. NO.

**M 32 T023 AG 00 41 07**

Oil-resistant rubber cover top with 4 edges for single cabinet. Colour: Black RAL 9011.  
Dimensions mm 714x573x23 h.

ORD. NO.

**M 00 T023 AG 00 F0 00**

Predrilled cabinet top for fixing the top with 4 edges.

TUBE HANDLE

Handle complete with 2 nylon supports, one steel tube, screws for mounting. Colour: Black RAL 9011.



ORD. NO.

**M 02 R000 00 00 00 07**



PAIR OF HANDLES

Steel handles coated in oil-resistant rubber with screws for fixing, applicable only for the top with 4 edges. The handles can be fitted towards the bottom thereby reducing the height by 37 mm. Colour: Black RAL 9011.



ORD. NO.

**F AG 9330 00 07**



PAIR OF TRAVERSE WHEEL SUPPORTS



ORD. NO.

M 30 R013 00 00 00 07

Length 710 mm. Colour: Black RAL 9011.

TWO SIDED ADHESIVE TAPE



ORD. NO.

R CMV 0025 00

Length 50 meters - Widht 15 mm.

PERFORATED BACK PANEL

This type of panel can be appllied with an MDF top.



ORD. NO.

F DF 7942 00 04

716x93x420 h

ORD. NO.

F DF 7970 00 04

716x93x700 h



PLINTHS



ORD. NO.

M 32 Z050 00 00 00 04

Plinth. Dimensions mm 712x572x50 h.



ORD. NO.

M 32 Z100 00 00 00 04

Plinth. Dimensions mm 712x572x100 h.

PLINTHS FOR FORK LIFT TRUCK



ORD. NO.

M 02 Z060 20 00 00 07

Pair of plinths. Colour: Black RAL 9011.  
Dimensions mm 200x569x60 h.

ORD. NO.

M 30 Z060 21 00 00 07

Facing piece. Colour: Black RAL 9011.  
Dimensions mm 708x46x55 h.

PLINTHS FOR TRANSPALLET



ORD. NO.

M 32 Z100 10 00 00 07

Plinth for transpallet. Colour: Black RAL 9011.  
Dimensions mm 712x569x100 h.

ORD. NO.

M 30 Z100 11 00 00 07

Facing piece. Colour: Black RAL 9011.  
Dimensions mm 708x46x95 h.

FIXING

The cabinet must be fixed to the floor or wall. If the cabinets are stacked they must be secured to the wall and their load rating must to be divided by 2.



ORD. NO.

F AG 9200 00 99


Pair of galvanized brackets for mounting the cabinet to the floor, hole 6 mm.



ORD. NO.

F AG 9204 00 99

Floor fixing set. Features:  
- N° 2 “HILTI” plugs for concrete floors ≥ to classes C 20/25  
- Recommended traction of the plug: 2.9 KN  
- Plug diameter: Ø 6 mm.



ORD. NO.

M 00 FISO 00 00 00 99

Fixing set for cabinet including 4 screws with M8 nuts.

ORD. NO.

M 00 SVR0 00 00 00 99

Predrilled holes and screws for attachment of the two stacked cabinets

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC** IN 8  
COLOURS



PARTITIONING MATERIAL



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 1005 01 00</b> |
| 75                | <b>F FH 1007 01 00</b> |
| 100 - 125         | <b>F FH 1010 01 00</b> |
| 150               | <b>F FH 1015 01 00</b> |
| 200 - 250         | <b>F FH 1020 01 00</b> |
| 300               | <b>F FH 1030 01 00</b> |

Set including:

2 Plain partitions 610 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 1005 03 00</b> |
| 75                | <b>F FH 1007 03 00</b> |
| 100 - 125         | <b>F FH 1010 03 00</b> |
| 150               | <b>F FH 1015 03 00</b> |
| 200 - 250         | <b>F FH 1020 03 00</b> |

Set including:

3 Slotted partitions 455 mm  
8 Plain partitions 149 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 1005 05 00</b> |
| 75                | <b>F FH 1007 05 00</b> |
| 100 - 125         | <b>F FH 1010 05 00</b> |
| 150               | <b>F FH 1015 05 00</b> |
| 200 - 250         | <b>F FH 1020 05 00</b> |
| 300               | <b>F FH 1030 05 00</b> |

Set including:

2 Slotted partitions 455 mm  
3 Plain partitions 200 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 1005 09 00</b> |
| 75                | <b>F FH 1007 09 00</b> |
| 100 - 125         | <b>F FH 1010 09 00</b> |

Set including:

12 Plastic boxes 150x150 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 1005 10 00</b> |

Set including:

9 Troughs 4 grooves  
36 Plain partitions 36 mm  
3 Troughs 3 grooves  
12 Plain partitions 47 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 1005 13 00</b> |

Set including:

6 Troughs 3 grooves  
18 Plain partitions 47 mm  
6 Troughs 2 grooves  
12 Plain partitions 73 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 1005 15 00</b> |

Set including:

5 Troughs 4 grooves  
20 Plain partitions 36 mm  
6 Troughs 3 grooves  
20 Plain partitions 47 mm  
1 Allen key tray 150x150 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 1005 18 00</b> |
| 75                | <b>F FH 1007 18 00</b> |

Set including:

16 Plastic boxes 75x75 mm  
8 Plastic boxes 150x75 mm  
4 Plastic boxes 150x150 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 1005 16 00</b> |
| 75                | <b>F FH 1007 16 00</b> |
| 100 - 125         | <b>F FH 1010 16 00</b> |

Set including:

12 Plastic boxes 150x75 mm  
6 Plastic boxes 150x150 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 1005 02 00</b> |
| 75                | <b>F FH 1007 02 00</b> |
| 100 - 125         | <b>F FH 1010 02 00</b> |
| 150               | <b>F FH 1015 02 00</b> |
| 200 - 250         | <b>F FH 1020 02 00</b> |

- Set including:
- |   |                   |        |
|---|-------------------|--------|
| 1 | Slotted partition | 455 mm |
| 2 | Plain partitions  | 455 mm |
| 2 | Plain partitions  | 149 mm |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 1005 06 00</b> |
| 75                | <b>F FH 1007 06 00</b> |
| 100 - 125         | <b>F FH 1010 06 00</b> |
| 150               | <b>F FH 1015 06 00</b> |

- Set including:
- |    |                    |        |
|----|--------------------|--------|
| 5  | Slotted partitions | 455 mm |
| 12 | Plain partitions   | 98 mm  |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 1005 07 00</b> |
| 75                | <b>F FH 1007 07 00</b> |
| 100 - 125         | <b>F FH 1010 07 00</b> |
| 150               | <b>F FH 1015 07 00</b> |

- Set including:
- |   |                    |        |
|---|--------------------|--------|
| 4 | Slotted partitions | 455 mm |
| 3 | Plain partitions   | 149 mm |
| 4 | Plain partitions   | 98 mm  |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 1005 08 00</b> |

- Set including:
- |    |                    |            |
|----|--------------------|------------|
| 3  | Troughs            | 4 grooves  |
| 16 | Plain partitions   | 36 mm      |
| 3  | Slotted partitions | 455 mm     |
| 8  | Plain partitions   | 149 mm     |
| 3  | Plain partitions   | 132 mm     |
| 2  | Angle trays        | 8 grooves  |
| 2  | Angle trays        | 6 grooves  |
| 2  | Angle trays        | 11 grooves |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 1005 12 00</b> |

- Set including:
- |   |                |           |
|---|----------------|-----------|
| 6 | Cutter holders | Ø 12,2 mm |
| 4 | Cutter holders | Ø 15,5 mm |
| 4 | Cutter holders | Ø 21,5 mm |
| 1 | Cutter holders | Ø 26,5 mm |
| 2 | Cutter holders | Ø 31,2 mm |
| 2 | Cutter holders | Ø 39,5 mm |
| 1 | Cutter holders | Ø 49,5 mm |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 1005 21 00</b> |

- Set including:
- |    |                  |           |
|----|------------------|-----------|
| 12 | Troughs          | 4 grooves |
| 65 | Plain partitions | 36 mm     |



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 8405 13 00</b> |
| 75                | <b>F FH 8407 13 00</b> |
| 100 - 125         | <b>F FH 8410 13 00</b> |
| 150               | <b>F FH 8415 13 00</b> |
| 200 - 250         | <b>F FH 8420 13 00</b> |

- Set including:
- |   |                  |        |
|---|------------------|--------|
| 2 | Plain partitions | 455 mm |
|---|------------------|--------|



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 1005 22 00</b> |
| 75                | <b>F FH 1007 22 00</b> |
| 100 - 125         | <b>F FH 1010 22 00</b> |
| 150               | <b>F FH 1015 22 00</b> |

- Set including:
- |    |                    |        |
|----|--------------------|--------|
| 5  | Slotted partitions | 455 mm |
| 18 | Plain partitions   | 98 mm  |

An anti-tilt bar which closes  
the past and open new **benefits**

MASTER **54x27** EH



CABINETS  
SERIE  
MASTER  
54x27



SUPPLEMENTARY PARTS



■ Spare key

Always indicate the number on the cylinder lock of the key to be replace.

ORD. NO. **M 00 CF00 00 00 00 00**



■ Master key

Master key are available in 25 series, numbered from F 01 to F 25.

Master key series F 01

ORD. NO. **M 00 PF01 00 00 00 00**

Master key series F 02

ORD. NO. **M 00 PF02 00 00 00 00**

Master key series F ..

ORD. NO. **M 00 PF .. 00 00 00 00**

Master key series F 25

ORD. NO. **M 00 PF25 00 00 00 00**

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf  
PE = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

400 MM



300 mm

ORD. NO.

TYPE

M 52 A040 C0 10 04 04

FLEX

KEY

M 52 A040 E1 10 04 04

FLEX

CODE

Cabinet with 2 drawers.

Dimensions mm 1020x573x400 h.



75  
75  
150

ORD. NO.

TYPE

M 52 A040 C0 10 02 04

FLEX

KEY

M 52 A040 E1 10 02 04

FLEX

CODE

Cabinet with 3 drawers.

Dimensions mm 1020x573x400 h.



50  
100  
150

ORD. NO.

TYPE

M 52 A040 C0 10 01 04

FLEX

KEY

M 52 A040 E1 10 01 04

FLEX

CODE

Cabinet with 3 drawers.

Dimensions mm 1020x573x400 h.



50  
75  
75  
100

ORD. NO.

TYPE

M 52 A040 C0 10 03 04

FLEX

KEY

M 52 A040 E1 10 03 04


FLEX

CODE

Cabinet with 4 drawers.

Dimensions mm 1020x573x400 h.

700 MM



600 mm

ORD. NO.

TYPE

M 52 A070 C0 10 29 04

FLEX

KEY

M 52 A070 C0 10 48 04

TELE

KEY

M 52 A070 E1 10 29 04

FLEX

CODE

M 52 A070 E1 10 48 04

TELE

CODE

Cabinet with 3 drawers.

Dimensions mm 1020x573x700 h.



100  
150  
150  
200

ORD. NO.

TYPE

M 52 A070 C0 10 49 04

FLEX

KEY

M 52 A070 C0 10 50 04

TELE

KEY

M 52 A070 E1 10 49 04

FLEX

CODE

M 52 A070 E1 10 50 04

TELE

CODE

Cabinet with 4 drawers.

Dimensions mm 1020x573x700 h.



75  
75  
100  
150  
200

ORD. NO.

TYPE

M 52 A070 C0 10 31 04

FLEX

KEY

M 52 A070 C0 10 51 04

TELE

KEY

M 52 A070 E1 10 31 04

FLEX

CODE

M 52 A070 E1 10 51 04

TELE

CODE

Cabinet with 5 drawers.

Dimensions mm 1020x573x700 h.



75  
75  
100  
100  
250

ORD. NO.

TYPE

M 52 A070 C0 10 42 04

FLEX

KEY

M 52 A070 C0 10 43 04

TELE

KEY

M 52 A070 E1 10 42 04

FLEX

CODE

M 52 A070 E1 10 43 04

TELE

CODE

Cabinet with 5 drawers.

Dimensions mm 1020x573x700 h.

700 MM



75  
75  
100  
100  
100  
150

ORD. NO.

TYPE

M 52 A070 C0 10 44 04

FLEX

KEY

M 52 A070 C0 10 45 04

TELE

KEY

M 52 A070 E1 10 44 04

FLEX

CODE


M 52 A070 E1 10 45 04

TELE

CODE

Cabinet with 6 drawers.

Dimensions mm 1020x573x700 h.



75  
75  
100  
100  
100  
150

ORD. NO.

TYPE

M 52 A070 C0 10 44 04

FLEX

KEY

M 52 A070 C0 10 45 04

TELE

KEY

M 52 A070 E1 10 44 04

FLEX

CODE

M 52 A070 E1 10 45 04

TELE

CODE

Cabinet with 6 drawers.

Dimensions mm 1020x573x700 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



800 MM



100  
100  
200  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A080 C0 10 55 04</b> | FLEX | KEY  |
| <b>M 52 A080 E1 10 55 04</b> | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 1020x573x800 h.



50  
100  
100  
150  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A080 C0 10 54 04</b> | FLEX | KEY  |
| <b>M 52 A080 E1 10 54 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 1020x573x800 h.



75  
75  
100  
100  
150  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A080 C0 10 56 04</b> | FLEX | KEY  |
| <b>M 52 A080 E1 10 56 04</b> | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 1020x573x800 h.

850 MM



100  
150  
150  
150  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A085 C0 10 88 04</b> | FLEX | KEY  |
| <b>M 52 A085 E1 10 88 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 1020x573x850 h.



100  
100  
100  
150  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A085 C0 10 AK 04</b> | FLEX | KEY  |
| <b>M 52 A085 C0 10 AL 04</b> | TELE | KEY  |
| <b>M 52 A085 E1 10 AK 04</b> | FLEX | CODE |
| <b>M 52 A085 E1 10 AL 04</b> | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 1020x573x850 h.



75  
75  
100  
100  
150  
250

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A085 C0 10 AM 04</b> | FLEX | KEY  |
| <b>M 52 A085 C0 10 AN 04</b> | TELE | KEY  |
| <b>M 52 A085 E1 10 AM 04</b> | FLEX | CODE |
| <b>M 52 A085 E1 10 AN 04</b> | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 1020x573x850 h.

850 MM



50  
75  
75  
100  
100  
150  
200

| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 52 A085 C0 10 AE 04</b> | FLEX  | KEY  |
| <b>M 52 A085 C0 10 AF 04</b> | TELE* | KEY  |
| <b>M 52 A085 E1 10 AE 04</b> | FLEX  | CODE |
| <b>M 52 A085 E1 10 AF 04</b> | TELE* | CODE |

Cabinet with 7 drawers.  
Dimensions mm 1020x573x850 h.

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH



GUARANTEE  
5  
YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

CODE =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 52 A100 C0 10 BE 04 | FLEX | KEY  |
| M 52 A100 C0 10 BF 04 | TELE | KEY  |
| M 52 A100 E1 10 BE 04 | FLEX | CODE |
| M 52 A100 E1 10 BF 04 | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 1020x573x1000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 52 A100 C0 10 CQ 04 | FLEX | KEY  |
| M 52 A100 C0 10 CR 04 | TELE | KEY  |
| M 52 A100 E1 10 CQ 04 | FLEX | CODE |
| M 52 A100 E1 10 CR 04 | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 1020x573x1000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 52 A100 C0 10 AW 04 | FLEX | KEY  |
| M 52 A100 C0 10 BH 04 | TELE | KEY  |
| M 52 A100 E1 10 AW 04 | FLEX | CODE |
| M 52 A100 E1 10 BH 04 | TELE | CODE |

Cabinet with 7 drawers.  
Dimensions mm 1020x573x1000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 52 A100 C0 10 CN 04 | FLEX | KEY  |
| M 52 A100 C0 10 CP 04 | TELE | KEY  |
| M 52 A100 E1 10 CN 04 | FLEX | CODE |
| M 52 A100 E1 10 CP 04 | TELE | CODE |

Cabinet with 8 drawers.  
Dimensions mm 1020x573x1000 h.



| ORD. NO.              | TYPE  |      |
|-----------------------|-------|------|
| M 52 A100 C0 10 CU 04 | FLEX  | KEY  |
| M 52 A100 C0 10 CV 04 | TELE* | KEY  |
| M 52 A100 E1 10 CU 04 | FLEX  | CODE |
| M 52 A100 E1 10 CV 04 | TELE* | CODE |

Cabinet with 8 drawers.  
Dimensions mm 1020x573x1000 h.



| ORD. NO.              | TYPE  |      |
|-----------------------|-------|------|
| M 52 A100 C0 10 CS 04 | FLEX  | KEY  |
| M 52 A100 C0 10 CT 04 | TELE* | KEY  |
| M 52 A100 E1 10 CS 04 | FLEX  | CODE |
| M 52 A100 E1 10 CT 04 | TELE* | CODE |

Cabinet with 9 drawers.  
Dimensions mm 1020x573x1000 h.



| ORD. NO.              | TYPE |
|-----------------------|------|
| M 52 A100 C5 10 CW 04 | FLEX |
| M 52 A100 C5 10 CX 04 | TELE |

Cabinet with 2 retractable shelves.  
Dimensions mm 1020x573x1000 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



1023 MM  
DOOR 900 MM



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A100 C0 10 BU 04</b> | FLEX | KEY  |
| <b>M 52 A100 C0 10 BV 04</b> | TELE | KEY  |
| <b>M 52 A100 P4 10 BU 04</b> | FLEX | CODE |
| <b>M 52 A100 P4 10 BV 04</b> | TELE | CODE |

Cabinet with 1 drawer, 2 retractable shelves,  
1 top shelf with 3 edges.

Dimensions mm 1020x598x1023 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A100 C0 10 BW 04</b> | FLEX | KEY  |
| <b>M 52 A100 C0 10 BX 04</b> | TELE | KEY  |
| <b>M 52 A100 P4 10 BW 04</b> | FLEX | CODE |
| <b>M 52 A100 P4 10 BX 04</b> | TELE | CODE |

Cabinet with 2 drawers, 1 retractable shelf,  
1 top shelf with 3 edges.

Dimensions mm 1020x598x1023 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A100 C0 10 BY 04</b> | FLEX | KEY  |
| <b>M 52 A100 C0 10 BZ 04</b> | TELE | KEY  |
| <b>M 52 A100 P4 10 BY 04</b> | FLEX | CODE |
| <b>M 52 A100 P4 10 BZ 04</b> | TELE | CODE |

Cabinet with 3 drawers, 1 retractable shelf,  
1 top shelf with 3 edges.

Dimensions mm 1020x598x1023 h.

1023 MM  
DOOR 900 MM



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A100 C0 10 CA 04</b> | FLEX | KEY  |
| <b>M 52 A100 C0 10 CB 04</b> | TELE | KEY  |
| <b>M 52 A100 P4 10 CA 04</b> | FLEX | CODE |
| <b>M 52 A100 P4 10 CB 04</b> | TELE | CODE |

Cabinet with 3 drawers, 2 retractable shelves,  
1 top shelf with 3 edges.

Dimensions mm 1020x598x1023 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A100 C0 10 CC 04</b> | FLEX | KEY  |
| <b>M 52 A100 C0 10 CD 04</b> | TELE | KEY  |
| <b>M 52 A100 P4 10 CC 04</b> | FLEX | CODE |
| <b>M 52 A100 P4 10 CD 04</b> | TELE | CODE |

Cabinet with 4 drawers,  
1 top shelf with 3 edges.

Dimensions mm 1020x598x1023 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A100 C0 10 CE 04</b> | FLEX | KEY  |
| <b>M 52 A100 C0 10 CF 04</b> | TELE | KEY  |
| <b>M 52 A100 P4 10 CE 04</b> | FLEX | CODE |
| <b>M 52 A100 P4 10 CF 04</b> | TELE | CODE |

Cabinet with 5 drawers,  
1 top shelf with 3 edges.

Dimensions mm 1020x598x1023 h.

|          |          |          |          |          |
|----------|----------|----------|----------|----------|
| 36x36 EH | 45x36 EH | 54x36 EH | 64x36 EH | 78x36 EH |
|----------|----------|----------|----------|----------|

GUARANTEE

**5**

YEARS

**FLEX** flexible extraction

100% = 50 Kg  
96% = 75 kg  
92% = 100 Kg

**TELE** telescopic extraction

100% = 200 Kg

**KEY** = cylinder lock  
page 12 - 13

**CODE** = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction

**SYLOGIK**  
smart solutions



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17




YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A150 C0 10 FL 04</b> | FLEX | KEY  |
| <b>M 52 A150 C0 10 FM 04</b> | TELE | KEY  |
| <b>M 52 A150 E1 10 FL 04</b> | FLEX | CODE |
| <b>M 52 A150 E1 10 FM 04</b> | TELE | CODE |

Cabinet with 9 drawers.  
Dimensions mm 1020x573x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A150 C0 10 FN 04</b> | FLEX | KEY  |
| <b>M 52 A150 C0 10 FP 04</b> | TELE | KEY  |
| <b>M 52 A150 E1 10 FN 04</b> | FLEX | CODE |
| <b>M 52 A150 E1 10 FP 04</b> | TELE | CODE |

Cabinet with 10 drawers.  
Dimensions mm 1020x573x1500 h.




| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A150 C0 10 FQ 04</b> | FLEX | KEY  |
| <b>M 52 A150 C0 10 FR 04</b> | TELE | KEY  |
| <b>M 52 A150 E1 10 FQ 04</b> | FLEX | CODE |
| <b>M 52 A150 E1 10 FR 04</b> | TELE | CODE |

Cabinet with 11 drawers.  
Dimensions mm 1020x573x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A150 C0 10 LA 04</b> | FLEX | KEY  |
| <b>M 52 A150 C0 10 LB 04</b> | TELE | KEY  |
| <b>M 52 A150 P4 10 LA 04</b> | FLEX | CODE |
| <b>M 52 A150 P4 10 LB 04</b> | TELE | CODE |

Cabinet with 3 drawers, 2 retractable shelves.  
Dimensions mm 1020x598x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A150 C0 10 LE 04</b> | FLEX | KEY  |
| <b>M 52 A150 C0 10 LF 04</b> | TELE | KEY  |
| <b>M 52 A150 P4 10 LE 04</b> | FLEX | CODE |
| <b>M 52 A150 P4 10 LF 04</b> | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 1020x598x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 52 A150 C0 10 LC 04</b> | FLEX | KEY  |
| <b>M 52 A150 C0 10 LD 04</b> | TELE | KEY  |
| <b>M 52 A150 P4 10 LC 04</b> | FLEX | CODE |
| <b>M 52 A150 P4 10 LD 04</b> | TELE | CODE |

Cabinet with 3 adjustable shelves, 2 retractable  
shelves. Dim. mm 1020x598x1500 h.

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

45x36 EH

TELE

telescopic extraction

100% = 200 Kg

54x36 EH

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

64x36 EH

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

78x36 EH

PR = Adjustable shelf  
PE = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

2000 MM

1900 mm

100

100

100

100

ORD. NO.

TYPE

M 52 A200 C5 10 FU 04

FLEX

M 52 A200 C5 10 FV 04

TELE

Cabinet with 4 drawers.

Dimensions mm 1020x573x2000 h.

PR

PR

75

75

100

150

150

150

150

200

ORD. NO.

TYPE

M 52 A200 C0 10 FS 04

FLEX

KEY

M 52 A200 C0 10 FT 04

TELE

KEY

M 52 A200 E1 10 FS 04

FLEX

CODE

M 52 A200 E1 10 FT 04

TELE

CODE

Cabinet with 7 drawers, 2 adjustable shelves.

Dimensions mm 1020x573x2000 h.

DOOR 900 MM

PR

PR

PR

75

75

100

150

150

150

150

200

ORD. NO.

TYPE

M 52 A200 C0 10 FY 04

FLEX

KEY

M 52 A200 C0 10 FZ 04

TELE

KEY

M 52 A200 T2 10 FY 04

FLEX

CODE

M 52 A200 T2 10 FZ 04

TELE

CODE

Cabinet with 7 drawers, 3 adjustable shelves.

Dimensions mm 1020x598x2000 h.

2000 MM

DOOR 1900 MM

PR

PR

100

100

150

PE

PE

ORD. NO.

TYPE

M 52 A200 C0 10 FW 04

FLEX

KEY

M 52 A200 C0 10 FX 04

TELE

KEY

M 52 A200 P4 10 FW 04

FLEX

CODE

M 52 A200 P4 10 FX 04

TELE

CODE

Cabinet with 3 drawers, 2 adjustable shelves, 2 retractable shelves.

Dimensions mm 1020x598x2000 h.

113

|                                              |                                                                                 |                                                    |                                                                                             |                                                                                             |
|----------------------------------------------|---------------------------------------------------------------------------------|----------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 18x27 EH                                     | 27x27 EH                                                                        | 36x27 EH                                           | 54x27 EH                                                                                    | 27x36 EH                                                                                    |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br>100% = 50 Kg<br>96 % = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br>100% = 200 Kg | <b>KEY</b> = cylinder lock<br>page 12 - 13<br><b>CODE</b> = electronic lock<br>page 14 - 17 | <b>YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.</b> |

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction

**SYLOGIK**  
smart solutions



36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg

96% = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions



| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 52 D085 C0 10 GJ 04 | FLEX | KEY |
| M 52 D085 C0 10 GK 04 | TELE | KEY |

Cabinet with 6 drawers, 1 adjustable shelf, 1 retractable shelf, 2 top shelves with 3 edges. **Dim. mm 2040x598x873 h.**




| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 52 D085 C0 10 GL 04 | FLEX | KEY |
| M 52 D085 C0 10 GM 04 | TELE | KEY |

Cabinet with 2 drawers, 2 adjustable shelves, 2 retractable shelves, 2 top shelves with 3 edges. **Dim. mm 2040x623x873 h.**



| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 52 D100 C0 10 GQ 04 | FLEX | KEY |
| M 52 D100 C0 10 GR 04 | TELE | KEY |

Cabinet with 7 drawers, 2 adjustable shelves, 1 retractable shelf, 2 top shelves with 3 edges. **Dim. mm 2040x598x1023 h.**



| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 52 D100 C0 10 GS 04 | FLEX | KEY |
| M 52 D100 C0 10 GT 04 | TELE | KEY |

Cabinet with 8 drawers, 1 adjustable shelf, 2 retractable shelves, 2 top shelves with 3 edges. **Dim. mm 2040x598x1023 h.**



| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 52 D100 C0 10 GW 04 | FLEX | KEY |
| M 52 D100 C0 10 GX 04 | TELE | KEY |

Cabinet with 2 drawers, 6 retractable shelves, 2 top shelves with 3 edges. **Dim. mm 2040x623x1023 h.**



| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 52 D100 C0 10 HQ 04 | FLEX | KEY |
| M 52 D100 C0 10 HR 04 | TELE | KEY |

Cabinet with 2 adjustable shelves, 4 retractable shelves, 2 top shelves with 3 edges. **Dim. mm 2040x623x1023 h.**

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 52 D150 C0 10 JC 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 52 D150 C0 10 JD 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 4 drawers, 4 retractable shelves.  
Dimensions mm 2040x623x1500 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 52 D150 C0 10 JE 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 52 D150 C0 10 JF 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 6 drawers, 2 adjustable shelves, 4 retractable shelves.  
Dimensions mm 2040x623x1500 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 52 D200 C0 10 JJ 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 52 D200 C0 10 JK 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 6 drawers, 6 adjustable shelves, 2 retractable shelves.  
Dimensions mm 2040x623x2000 h.



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 52 D200 C0 10 JL 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 52 D200 C0 10 JM 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 8 drawers, 4 adjustable shelves.  
Dimensions mm 2040x623x2000 h.



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

EMPTY CABINET BODY WITH LOCKING MECHANISM

WIDTH = 1020 mm

DEPTH = 573 mm



|                                                  |    |                       |                       |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 400                   | 700                   | 800                   | 850                   |
| USABLE HEIGHT MM (B)                             |    | 300                   | 600                   | 700                   | 750                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 52 A040 X0 10 00 04 | M 52 A070 X0 10 00 04 | M 52 A080 X0 10 00 04 | M 52 A085 X0 10 00 04 |
| CABINET WITH VERTEBRATE BAR AND WITHOUT LOCK*    | C5 | M 52 A040 C5 10 00 04 | M 52 A070 C5 10 00 04 | M 52 A080 C5 10 00 04 | M 52 A085 C5 10 00 04 |
| KEY COMFORT                                      |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | C0 | M 52 A040 C0 10 00 04 | M 52 A070 C0 10 00 04 | M 52 A080 C0 10 00 04 | M 52 A085 C0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | C1 | M 52 A040 C1 10 00 04 | M 52 A070 C1 10 00 04 | M 52 A080 C1 10 00 04 | M 52 A085 C1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | C2 | M 52 A040 C2 10 00 04 | M 52 A070 C2 10 00 04 | M 52 A080 C2 10 00 04 | M 52 A085 C2 10 00 04 |
| CODE EASY                                        |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | E1 | M 52 A040 E1 10 00 04 | M 52 A070 E1 10 00 04 | M 52 A080 E1 10 00 04 | M 52 A085 E1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | E2 | M 52 A040 E2 10 00 04 | M 52 A070 E2 10 00 04 | M 52 A080 E2 10 00 04 | M 52 A085 E2 10 00 04 |
| EXTERNAL POWERED                                 | E4 | M 52 A040 E4 10 00 04 | M 52 A070 E4 10 00 04 | M 52 A080 E4 10 00 04 | M 52 A085 E4 10 00 04 |
| EXTERNAL POWERED - PROGRAMMABLE                  | E5 | M 52 A040 E5 10 00 04 | M 52 A070 E5 10 00 04 | M 52 A080 E5 10 00 04 | M 52 A085 E5 10 00 04 |
| CODE TOP                                         |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T0 | M 52 A040 T0 10 00 04 | M 52 A070 T0 10 00 04 | M 52 A080 T0 10 00 04 | M 52 A085 T0 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T1 | M 52 A040 T1 10 00 04 | M 52 A070 T1 10 00 04 | M 52 A080 T1 10 00 04 | M 52 A085 T1 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T2 | M 52 A040 T2 10 00 04 | M 52 A070 T2 10 00 04 | M 52 A080 T2 10 00 04 | M 52 A085 T2 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T3 | M 52 A040 T3 10 00 04 | M 52 A070 T3 10 00 04 | M 52 A080 T3 10 00 04 | M 52 A085 T3 10 00 04 |


\*The vertebrate bar and locking systems are available on page 126 - 127

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3.

In configurations with the letter T the remote control always acts on the output 1 (see page 15).

Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96% = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

|                                                                                   |                                                                                   |                                                                                    |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
|  |  |  |
| 1000                                                                              | 1500                                                                              | 2000                                                                               |
| 900                                                                               | 1400                                                                              | 1900                                                                               |
| M 52 A100 X0 10 00 04                                                             | M 52 A150 X0 10 00 04                                                             | M 52 A200 X0 10 00 04                                                              |
| M 52 A100 C5 10 00 04                                                             | M 52 A150 C5 10 00 04                                                             | M 52 A200 C5 10 00 04                                                              |
| M 52 A100 C0 10 00 04                                                             | M 52 A150 C0 10 00 04                                                             | M 52 A200 C0 10 00 04                                                              |
| M 52 A100 C1 10 00 04                                                             | M 52 A150 C1 10 00 04                                                             | M 52 A200 C1 10 00 04                                                              |
| M 52 A100 C2 10 00 04                                                             | M 52 A150 C2 10 00 04                                                             | M 52 A200 C2 10 00 04                                                              |
| M 52 A100 E1 10 00 04                                                             | M 52 A150 E1 10 00 04                                                             | M 52 A200 E1 10 00 04                                                              |
| M 52 A100 E2 10 00 04                                                             | M 52 A150 E2 10 00 04                                                             | M 52 A200 E2 10 00 04                                                              |
| M 52 A100 E4 10 00 04                                                             | M 52 A150 E4 10 00 04                                                             | M 52 A200 E4 10 00 04                                                              |
| M 52 A100 E5 10 00 04                                                             | M 52 A150 E5 10 00 04                                                             | M 52 A200 E5 10 00 04                                                              |
| M 52 A100 T0 10 00 04                                                             | M 52 A150 T0 10 00 04                                                             | M 52 A200 T0 10 00 04                                                              |
| M 52 A100 T1 10 00 04                                                             | M 52 A150 T1 10 00 04                                                             | M 52 A200 T1 10 00 04                                                              |
| M 52 A100 T2 10 00 04                                                             | M 52 A150 T2 10 00 04                                                             | M 52 A200 T2 10 00 04                                                              |
| M 52 A100 T3 10 00 04                                                             | M 52 A150 T3 10 00 04                                                             | M 52 A200 T3 10 00 04                                                              |



KEY COMFORT

C0

C1

C2

CODE EASY

E1

E2

E4

E5

CODE TOP

T0

T1

T2

T3

SEE PAGE 12 - 14 - 15

18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions


EMPTY CABINET BODY READY FOR WHEELS WITH LOCKS

WIDTH = 1094 mm

DEPTH = 599 mm



|                                                  |    |                       |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 763                   | 913                   | 1063                  |
| USABLE HEIGHT MM (B)                             |    | 600                   | 750                   | 900                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 52 R070 X0 10 00 04 | M 52 R085 X0 10 00 04 | M 52 R100 X0 10 00 04 |
| KEY SMART (Push to Open)                         |    |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | S0 | M 52 R070 S0 10 00 04 | M 52 R085 S0 10 00 04 | M 52 R100 S0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | S1 | M 52 R070 S1 10 00 04 | M 52 R085 S1 10 00 04 | M 52 R100 S1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | S2 | M 52 R070 S2 10 00 04 | M 52 R085 S2 10 00 04 | M 52 R100 S2 10 00 04 |
| CODE PLUS (Push to Open)                         |    |                       |                       |                       |
| BATTERY POWERED                                  | P1 | M 52 R070 P1 10 00 04 | M 52 R085 P1 10 00 04 | M 52 R100 P1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | P2 | M 52 R070 P2 10 00 04 | M 52 R085 P2 10 00 04 | M 52 R100 P2 10 00 04 |
| CODE ADVANCE (Push to Open)                      |    |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A0 | M 52 R070 A0 10 00 04 | M 52 R085 A0 10 00 04 | M 52 R100 A0 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A1 | M 52 R070 A1 10 00 04 | M 52 R085 A1 10 00 04 | M 52 R100 A1 10 00 04 |



36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI

MASTER

WHEELS

STANDARD RUBBER WHEELS



Ø 100  
Ø 125



Ø 150  
Ø 200



Ø 100  
Ø 125



Ø 150  
Ø 200

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BAC11 100</b> | 100  | 75           | 128  |
| <b>C RG BAC12 125</b> | 125  | 100          | 155  |
| <b>C RG BAC13 150</b> | 150  | 115          | 180  |
| <b>C RG BAC15 200</b> | 200  | 205          | 240  |

Standard rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DAC11 100</b> | 100  | 75           | 128  |
| <b>C RG DAC12 125</b> | 125  | 100          | 155  |
| <b>C RG DAC13 150</b> | 150  | 115          | 180  |
| <b>C RG DAC15 200</b> | 200  | 205          | 240  |

Standard rubber swivel wheels with brake

NYLON WHEELS



Ø 100  
Ø 125



Ø 160



Ø 100  
Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BAD10 100</b> | 100  | 125          | 128  |
| <b>C RN BAD11 125</b> | 125  | 180          | 155  |
| <b>C RN BAD04 160</b> | 160  | 300          | 200  |

Nylon fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DAD10 100</b> | 100  | 125          | 128  |
| <b>C RN DAD11 125</b> | 125  | 180          | 155  |
| <b>C RN DAD04 160</b> | 160  | 300          | 200  |

Nylon swivel wheels with brake

SYNTHETIC MARK-PROOF RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BPH22 125</b> | 125  | 100          | 155  |
| <b>C RG BPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DPH22 125</b> | 125  | 100          | 155  |
| <b>C RG DPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber swivel wheels with brake

ELASTIC RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BCE15 125</b> | 125  | 180          | 155  |
| <b>C RG BCE15 160</b> | 160  | 300          | 200  |

Elastic rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DCE15 125</b> | 125  | 180          | 155  |
| <b>C RG DCE15 160</b> | 160  | 300          | 200  |

Elastic rubber swivel wheels with brake

POLYURETHANE WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BDD31 125</b> | 125  | 180          | 155  |
| <b>C RN BDD44 160</b> | 160  | 300          | 200  |

Polyurethane fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DDD31 125</b> | 125  | 180          | 155  |
| <b>C RN DDD44 160</b> | 160  | 300          | 200  |

Polyurethane swivel wheels with brake



To calculate load capacity of the cabinet use the formula: (Ax3) - 170 Kg  
A = wheel load capacity  
ATTENTION: for security reasons, the load capacity of the cabinet with wheels cannot be more than 600 Kg.

121

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.


**PLASTIC IN 8  
COLOURS**



DOORS WITH LOCKS

WIDTH = 1020 mm

DOORS FOR FULL HEIGHT




DOOR  
PAIR



DOOR  
PAIR

| CABINET HEIGHT MM (B)                     |    | 850                            |                          | 1000                           |                          |
|-------------------------------------------|----|--------------------------------|--------------------------|--------------------------------|--------------------------|
| DOOR HEIGHT MM (A)                        |    | 794                            |                          | 944                            |                          |
|                                           |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                               |    |                                |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0 | M 50 P075 C0 10 10 04          | M 50 P075 C0 00 10 04    | M 50 P090 C0 10 10 04          | M 50 P090 C0 00 10 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1 | M 50 P075 C1 10 10 04          | M 50 P075 C1 00 10 04    | M 50 P090 C1 10 10 04          | M 50 P090 C1 00 10 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2 | M 50 P075 C2 10 10 04          | M 50 P075 C2 00 10 04    | M 50 P090 C2 10 10 04          | M 50 P090 C2 00 10 04    |
| CODE PLUS (Push to Open)                  |    |                                |                          |                                |                          |
| BATTERY POWERED                           | P4 | M 50 P075 P4 10 10 04          | M 50 P075 P4 00 10 04    | M 50 P090 P4 10 10 04          | M 50 P090 P4 00 10 04    |
| BATTERY POWERED - PROGRAMMABLE            | P5 | M 50 P075 P5 10 10 04          | M 50 P075 P5 00 10 04    | M 50 P090 P5 10 10 04          | M 50 P090 P5 00 10 04    |
| CODE ADVANCE (Push to Open)               |    |                                |                          |                                |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2 | M 50 P075 A2 10 10 04          | M 50 P075 A2 00 10 04    | M 50 P090 A2 10 10 04          | M 50 P090 A2 00 10 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3 | M 50 P075 A3 10 10 04          | M 50 P075 A3 00 10 04    | M 50 P090 A3 10 10 04          | M 50 P090 A3 00 10 04    |

DOORS FOR PARTIAL HEIGHT



DOOR  
PAIR

| OVERALL HEIGHT MM (D)                     |    | 775 (D)                        |                          |
|-------------------------------------------|----|--------------------------------|--------------------------|
| USABLE HEIGHT MM (C) - DOOR HEIGHT MM (A) |    | 750 (C) - 794 (A)              |                          |
|                                           |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                               |    |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0 | M 50 P077 C0 10 11 04          | M 50 P077 C0 00 11 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1 | M 50 P077 C1 10 11 04          | M 50 P077 C1 00 11 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2 | M 50 P077 C2 10 11 04          | M 50 P077 C2 00 11 04    |
| CODE PLUS (Push to Open)                  |    |                                |                          |
| BATTERY POWERED                           | P4 | M 50 P077 P4 10 11 04          | M 50 P077 P4 00 11 04    |
| BATTERY POWERED - PROGRAMMABLE            | P5 | M 50 P077 P5 10 11 04          | M 50 P077 P5 00 11 04    |
| CODE ADVANCE (Push to Open)               |    |                                |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2 | M 50 P077 A2 10 11 04          | M 50 P077 A2 00 11 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3 | M 50 P077 A3 10 11 04          | M 50 P077 A3 00 11 04    |
| LOCKING PREPARED FOR T2 - T3 - A1         | A4 | M 50 P077 A4 10 11 04          | M 50 P077 A4 00 11 04    |

\*Match the item number to one of the plastic kits available at page 123

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE


CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



| 1500                           |                          | 2000                           |                          |
|--------------------------------|--------------------------|--------------------------------|--------------------------|
| 1444                           |                          | 1944                           |                          |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| M 50 P140 C0 10 10 04          | M 50 P140 C0 00 10 04    | M 50 P190 C0 10 10 04          | M 50 P190 C0 00 10 04    |
| M 50 P140 C1 10 10 04          | M 50 P140 C1 00 10 04    | M 50 P190 C1 10 10 04          | M 50 P190 C1 00 10 04    |
| M 50 P140 C2 10 10 04          | M 50 P140 C2 00 10 04    | M 50 P190 C2 10 10 04          | M 50 P190 C2 00 10 04    |
| M 50 P140 P4 10 10 04          | M 50 P140 P4 00 10 04    | M 50 P190 P4 10 10 04          | M 50 P190 P4 00 10 04    |
| M 50 P140 P5 10 10 04          | M 50 P140 P5 00 10 04    | M 50 P190 P5 10 10 04          | M 50 P190 P5 00 10 04    |
| M 50 P140 A2 10 10 04          | M 50 P140 A2 00 10 04    | M 50 P190 A2 10 10 04          | M 50 P190 A2 00 10 04    |
| M 50 P140 A3 10 10 04          | M 50 P140 A3 00 10 04    | M 50 P190 A3 10 10 04          | M 50 P190 A3 00 10 04    |

KEY COMFORT

C0

C1

C2

CODE PLUS (Push to Open)

P4

PROGRAMMABLE

P5

CODE ADVANCE (Push to Open)

PROGRAMMABLE

A2

PROGRAMMABLE

A3

A4

SEE PAGE 12 - 16 - 17


PLASTIC KIT FOR DOORS

Plastic kit for wing doors with handle and hinges.

| LOCKING            |  | KEY                   | CODE                  |
|--------------------|--|-----------------------|-----------------------|
| MEDITERRANEAN BLUE |  | M 00 PLS0 00 00 30 M1 | M 00 PLS0 00 00 31 M1 |
| SKY BLUE           |  | M 00 PLS0 00 00 30 M2 | M 00 PLS0 00 00 31 M2 |
| GLAMOUR RED        |  | M 00 PLS0 00 00 30 M3 | M 00 PLS0 00 00 31 M3 |
| RED CARPET         |  | M 00 PLS0 00 00 30 M4 | M 00 PLS0 00 00 31 M4 |
| JUICY ORANGE       |  | M 00 PLS0 00 00 30 M5 | M 00 PLS0 00 00 31 M5 |
| SUNNY YELLOW       |  | M 00 PLS0 00 00 30 M6 | M 00 PLS0 00 00 31 M6 |
| FOREST GREEN       |  | M 00 PLS0 00 00 30 M7 | M 00 PLS0 00 00 31 M7 |

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P4 - P5 - A2 - A3. In configurations with the letter A ithe remote control always acts on the output 1 (see page 17). Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC IN 8  
COLOURS**



EMPTY DOUBLE BODY CABINET **WITH LOCKS**

**WIDTH = 2040 mm**

**DEPTH = 623/598 mm**

CABINET WITH DOUBLE SLIDING DOOR



| HEIGHT MM (A)                           | 850                            |                              | 1000                           |                              |
|-----------------------------------------|--------------------------------|------------------------------|--------------------------------|------------------------------|
| USABLE HEIGHT MM (B)                    | 750                            |                              | 900                            |                              |
|                                         | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     |
| KEY COMFORT                             |                                |                              |                                |                              |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | <b>C0</b>                      | <b>M 52 D085 C0 10 0D 04</b> | <b>M 52 D085 C0 00 0D 04</b>   | <b>M 52 D100 C0 10 0D 04</b> |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | <b>C1</b>                      | <b>M 52 D085 C1 10 0D 04</b> | <b>M 52 D085 C1 00 0D 04</b>   | <b>M 52 D100 C1 10 0D 04</b> |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | <b>C2</b>                      | <b>M 52 D085 C2 10 0D 04</b> | <b>M 52 D085 C2 00 0D 04</b>   | <b>M 52 D100 C2 10 0D 04</b> |

Cabinet body without lock and without anti-dumping bar.

\*Match the item number to one of the plastic kits available at page 125

CABINET WITH SINGLE RIGHT SLIDING DOOR



| HEIGHT MM (A)                           | 850                            |                              | 1000                           |                              |
|-----------------------------------------|--------------------------------|------------------------------|--------------------------------|------------------------------|
| USABLE HEIGHT MM (B)                    | 750                            |                              | 900                            |                              |
|                                         | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     |
| KEY COMFORT                             |                                |                              |                                |                              |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | <b>C0</b>                      | <b>M 52 D085 C0 10 0S 04</b> | <b>M 52 D085 C0 00 0S 04</b>   | <b>M 52 D100 C0 10 0S 04</b> |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | <b>C1</b>                      | <b>M 52 D085 C1 10 0S 04</b> | <b>M 52 D085 C1 00 0S 04</b>   | <b>M 52 D100 C1 10 0S 04</b> |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | <b>C2</b>                      | <b>M 52 D085 C2 10 0S 04</b> | <b>M 52 D085 C2 00 0S 04</b>   | <b>M 52 D100 C2 10 0S 04</b> |

Cabinet body without lock and without anti-dumping bar. **Attention:** drawers can only be insert in the left side of the cabinet.

\*Match the item number to one of the plastic kits available at page 125

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

CODE =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

SYLOGIK  
smart solutions

FAMI

MASTER




| 1500                           |                              | 2000                           |                              |
|--------------------------------|------------------------------|--------------------------------|------------------------------|
| 1400                           |                              | 1900                           |                              |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     |
|                                |                              |                                |                              |
| <b>M 52 D150 C0 10 0D 04</b>   | <b>M 52 D150 C0 00 0D 04</b> | <b>M 52 D200 C0 10 0D 04</b>   | <b>M 52 D200 C0 00 0D 04</b> |
| <b>M 52 D150 C1 10 0D 04</b>   | <b>M 52 D150 C1 00 0D 04</b> | <b>M 52 D200 C1 10 0D 04</b>   | <b>M 52 D200 C1 00 0D 04</b> |
| <b>M 52 D150 C2 10 0D 04</b>   | <b>M 52 D150 C2 00 0D 04</b> | <b>M 52 D200 C2 10 0D 04</b>   | <b>M 52 D200 C2 00 0D 04</b> |

PLASTIC KIT FOR DOUBLE CABINET


Plastic kit for sliding doors.

|                    | ORD. NO. for double sliding doors | ORD. NO. for single sliding door |
|--------------------|-----------------------------------|----------------------------------|
| MEDITERRANEAN BLUE | <b>M 00 PLS0 00 00 50 M1</b>      | <b>M 00 PLS0 00 00 40 M1</b>     |
| SKY BLUE           | <b>M 00 PLS0 00 00 50 M2</b>      | <b>M 00 PLS0 00 00 40 M2</b>     |
| GLAMOUR RED        | <b>M 00 PLS0 00 00 50 M3</b>      | <b>M 00 PLS0 00 00 40 M3</b>     |
| RED CARPET         | <b>M 00 PLS0 00 00 50 M4</b>      | <b>M 00 PLS0 00 00 40 M4</b>     |
| JUICY ORANGE       | <b>M 00 PLS0 00 00 50 M5</b>      | <b>M 00 PLS0 00 00 40 M5</b>     |
| SUNNY YELLOW       | <b>M 00 PLS0 00 00 50 M6</b>      | <b>M 00 PLS0 00 00 40 M6</b>     |
| FOREST GREEN       | <b>M 00 PLS0 00 00 50 M7</b>      | <b>M 00 PLS0 00 00 40 M7</b>     |



ANTI-DUMPING BAR AND LOCKS

CYLINDER LOCK (KEY)



- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |           |                              |
|-----------------------------------------|-----------|------------------------------|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | <b>C0</b> | <b>M 52 V000 C0 00 00 00</b> |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | <b>C1</b> | <b>M 52 V000 C1 00 00 00</b> |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | <b>C2</b> | <b>M 52 V000 C2 00 00 00</b> |

VERTEBRATE BAR




The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.

| ORD. NO.                     | Useful height insertion<br>drawers mm |
|------------------------------|---------------------------------------|
| <b>M 00 V075 00 00 00 00</b> | 750                                   |
| <b>M 00 V090 00 00 00 00</b> | 900                                   |
| <b>M 00 V140 00 00 00 00</b> | 1400                                  |
| <b>M 00 V190 00 00 00 00</b> | 1900                                  |

LOCKING SYSTEMS


ELECTRONIC LOCKING (CODE)

The electronic keypad can be inserted under the locking shelf or under for the top of the Master cabinet series and can be powered either from the grid with a transformer or with 4 AA batteries 1.5 V - 0.15 A. The **Programmable** card comes with two inputs and two outputs depending on the needs of the customer. For more information contact a Fami technician.




| CODE EASY                                 |    |                       |                                 |
|-------------------------------------------|----|-----------------------|---------------------------------|
| BATTERY POWERED                           | E1 | M 52 V000 E1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | E2 | M 52 V000 E2 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED                          | E4 | M 52 V000 E4 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED - PROGRAMMABLE           | E5 | M 52 V000 E5 00 00 00 | A + B + C + D + E + F + G       |
| CODE TOP                                  |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T0 | M 52 V000 T0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T1 | M 52 V000 T1 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T2 | M 52 V000 T2 00 00 00 | A + B + C + D + E + F + G + H   |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T3 | M 52 V000 T3 00 00 00 | A + B + C + D + E + F + G + H   |
| CODE PLUS (Push to Open)                  |    |                       |                                 |
| BATTERY POWERED                           | P1 | M 52 V000 P1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | P2 | M 52 V000 P2 00 00 00 | A + B + C + D + E + F + G       |
| CODE ADVANCE (Push to Open)               |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A0 | M 52 V000 A0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A1 | M 52 V000 A1 00 00 00 | A + B + C + D + E + F + G + H   |


CODE EASY




CODE TOP



CODE PLUS (Push to Open)



CODE ADVANCE (Push to Open)



SEE PAGE 14 - 17

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3 - P1 - P2 - A0 - A1.

In configurations with the letter T and A the remote control always acts on the output 1( see page 15 - 17).

Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions




VERTEBRATE BAR

The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.



| ORD. NO.              | Useful height insertion drawers mm |
|-----------------------|------------------------------------|
| M 00 V030 00 00 00 00 | 300                                |
| M 00 V050 00 00 00 00 | 500                                |
| M 00 V060 00 00 00 00 | 600                                |
| M 00 V070 00 00 00 00 | 700                                |
| M 00 V075 00 00 00 00 | 750                                |
| M 00 V090 00 00 00 00 | 900                                |
| M 00 V105 00 00 00 00 | 1050                               |
| M 00 V122 00 00 00 00 | 1225                               |
| M 00 V140 00 00 00 00 | 1400                               |
| M 00 V152 00 00 00 00 | 1525                               |
| M 00 V190 00 00 00 00 | 1900                               |


CYLINDER LOCK (KEY)




- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |    |
|-----------------------------------------|----|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 |
|                                         |    |
| KEY SMART (Push to Open)                |    |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | S0 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | S1 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | S2 |

KEY COMFORT



KEY SMART (Push to Open)



SEE PAGE 12 - 13

SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

UPPER SHELF FOR LOCKING SYSTEM

This upper shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load cap. kg |
|-----------------------|-----------------|--------------|
| M 52 PS46 00 10 00 04 | 46              | 150          |

Dimensions mm 969x571x46 h.

LOWER SHELF FOR LOCKING SYSTEM

This lower shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load cap. kg |
|-----------------------|-----------------|--------------|
| M 52 PS46 10 10 00 04 | 46              | 150          |

Dimensions mm 969x571x46 h.

ADJUSTABLE SHELF

This adjustable height shelf, comes standard with 2 guides and 1 reinforcement, is designed to be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load cap. kg |
|-----------------------|-----------------|--------------|
| M 52 PR25 00 00 01 04 | 25              | 100          |

Usable dimensions mm 963x464x25 h.




SLOTTED ADJUSTABLE SHELF

This adjustable height shelf cannot be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load cap. kg |
|-----------------------|-----------------|--------------|
| M 52 PR35 10 00 00 04 | 35              | 300          |

Dimensions mm 969x568x35 h.



DRAWERS AND RETRACTABLES SHELVES

FLEXIBLE EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom in fixed increments makes inserting the partitioning elements simple and rational. Drawers are supplied with the flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|----------------------------|----------------------------|
| <b>M 52 C050 01 10 0F 04</b>      | <b>M 52 C050 01 00 0F 04</b> | 50                 | 33                  | 28                | 100                        | 50                         |
| <b>M 52 C075 01 10 0F 04</b>      | <b>M 52 C075 01 00 0F 04</b> | 75                 | 58                  | 53                | 100                        | 50                         |
| <b>M 52 C100 01 10 0F 04</b>      | <b>M 52 C100 01 00 0F 04</b> | 100                | 83                  | 75                | 96                         | 75                         |
| <b>M 52 C125 01 10 0F 04</b>      | <b>M 52 C125 01 00 0F 04</b> | 125                | 108                 | 75                | 96                         | 75                         |
| <b>M 52 C150 01 10 0F 04</b>      | <b>M 52 C150 01 00 0F 04</b> | 150                | 133                 | 125               | 96                         | 75                         |
| <b>M 52 C200 01 10 0F 04</b>      | <b>M 52 C200 01 00 0F 04</b> | 200                | 183                 | 175               | 92                         | 100                        |
| <b>M 52 C250 01 10 0F 04</b>      | <b>M 52 C250 01 00 0F 04</b> | 250                | 233                 | 175               | 92                         | 100                        |
| <b>M 52 C300 01 10 0F 04</b>      | <b>M 52 C300 01 00 0F 04</b> | 300                | 283                 | 275               | 92                         | 100                        |

Volume / extractability kg/%: 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 906x447.**

\*Match the item number to one of the plastic kits available at page 129

FULL TELESCOPIC EXTENSION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom with fixed increments make inserting the partitioning elements simple and rational. Drawers supplied with a telescopic extraction system with 8 bearings in high strength polymer allows a consistently smooth durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|---------------------|---------------------|
| <b>M 52 C075 01 10 0T 04</b>      | <b>M 52 C075 01 00 0T 04</b> | 75                 | 58                  | 53                | 100                 | 200                 |
| <b>M 52 C100 01 10 0T 04</b>      | <b>M 52 C100 01 00 0T 04</b> | 100                | 83                  | 75                | 100                 | 200                 |
| <b>M 52 C125 01 10 0T 04</b>      | <b>M 52 C125 01 00 0T 04</b> | 125                | 108                 | 75                | 100                 | 200                 |
| <b>M 52 C150 01 10 0T 04</b>      | <b>M 52 C150 01 00 0T 04</b> | 150                | 133                 | 125               | 100                 | 200                 |
| <b>M 52 C200 01 10 0T 04</b>      | <b>M 52 C200 01 00 0T 04</b> | 200                | 183                 | 175               | 100                 | 200                 |
| <b>M 52 C250 01 10 0T 04</b>      | <b>M 52 C250 01 00 0T 04</b> | 250                | 233                 | 175               | 100                 | 200                 |
| <b>M 52 C300 01 10 0T 04</b>      | <b>M 52 C300 01 00 0T 04</b> | 300                | 283                 | 275               | 100                 | 200                 |

**Usable dimensions mm 906x447.**

\*Match the item number to one of the plastic kits available at page 129

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

CODE =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

SYLOGIK

smart solutions

FAMI

MASTER

FLEXIBLE EXTRACTION SHELVES

These retractable shelves were designed to fit in the cabinets. The shelves are supplied with a flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|----------------------------|----------------------------|
| M 52 C057 01 10 0F 04             | M 52 C057 01 00 0F 04       | 70                 | 53                | 96                         | 75                         |

Volume / extractability kg/%: 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. Usable dimensions mm 906x447.

\*Match the item number to one of the plastic kits available in the table below

TELESCOPIC EXTRACTION SHELVES

These retractable shelves were designed to be inserted in the cabinet. The shelves are supplied with a telescopic extraction system with 8 bearings in high strength polymer that allows a consistently smooth durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|---------------------|---------------------|
| M 52 C057 01 10 0T 04             | M 52 C057 01 00 0T 04       | 70                 | 53                | 100                 | 200                 |

Usable dimensions mm 906x447.

\*Match the item number to one of the plastic kits available in the table below

PLASTIC KIT FOR DRAWERS AND RETRACTABLE SHELVES

Plastic kit for drawers and retractable shelves with left handle, door profile in white plastic, right plug h = 25 mm

|                    |  | ORD. NO.              |
|--------------------|--|-----------------------|
| MEDITERRANEAN BLUE |  | M 50 PLS1 00 00 00 M1 |
| SKY BLUE           |  | M 50 PLS1 00 00 00 M2 |
| GLAMOUR RED        |  | M 50 PLS1 00 00 00 M3 |
| RED CARPET         |  | M 50 PLS1 00 00 00 M4 |
| JUICY ORANGE       |  | M 50 PLS1 00 00 00 M5 |
| SUNNY YELLOW       |  | M 50 PLS1 00 00 00 M6 |
| FOREST GREEN       |  | M 50 PLS1 00 00 00 M7 |



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 Kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17


YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

ACCESSORIES

MDF TOP WITH RUBBER COVERING



ORD. NO.  
**M 52 T030 MD GM 21 07**  
MDF top with rubber covering and side profile.  
For end cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 1020x573x32 h.



ORD. NO.  
**M 52 T030 MD GM 11 07**  
MDF top with rubber covering, no side profile.  
For additional central cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 1020x573x32 h.



ORD. NO.  
**M 52 T030 MD GM 01 07**  
MDF top with rubber covering and 2 side profiles.  
For single cabinet.  
Colour: Black RAL 9011.  
Dimensions mm 1020x573x32 h.



ORD. NO.  
**M 00 T030 MD 00 F0 00**  
Drilling of the cabinet upper shelf for the  
MDF top fixing.

TOP SHELF WITH 3 EDGES



ORD. NO.  
**M 52 T023 AG 00 31 07**  
Oil-resistant rubber cover top with 3 edges for single  
cabinet. Colour: Black RAL 9011.  
Dimensions mm 1020x573x23 h.

TOP SHELF WITH 4 EDGES



ORD. NO.  
**M 52 T023 AG 00 41 07**  
Oil-resistant rubber cover top with 4 edges for  
single cabinet. Colour: Black RAL 9011.  
Dimensions mm 1020x573x23 h.

ORD. NO.  
**M 00 T023 AG 00 F0 00**  
Predrilled cabinet top for fixing the top with 4  
edges.

TUBE HANDLE

Handle complete with 2 nylon supports, one steel tube, screws for mounting. Colour: Black RAL 9011.



ORD. NO.  
**M 02 R000 00 00 00 07**

PAIR OF HANDLES

Steel handles coated in oil-resistant rubber with screws for fixing, applicable only for the top with 4 edges. The handles can be fitted towards the bottom thereby reducing the height by 37 mm. Colour: Black RAL 9011.



ORD. NO.  
**F AG 9330 00 07**

PAIR OF TRAVERSE WHEEL SUPPORTS



ORD. NO.  
**M 50 R013 00 00 00 07**  
Length 1016 mm. Colour: Black RAL 9011.

TWO SIDED ADHESIVE TAPE



ORD. NO.  
**R CMV 0025 00**  
Length 50 meters - Widht 15 mm.

PLINTHS



ORD. NO.  
**M 52 Z050 00 00 00 04**  
Plinth. Dimensions mm 1018x572x50 h.



ORD. NO.  
**M 52 Z100 00 00 00 04**  
Plinth. Dimensions mm 1018x572x100 h.

PLINTHS FOR FORK LIFT TRUCK



ORD. NO.  
**M 02 Z060 20 00 00 07**  
Pair of plinths for fork lift truck.  
Colour: Black RAL 9011. Dim. mm 200x569x60 h



ORD. NO.  
**M 02 Z100 20 00 00 07**  
Pair of plinths for fork lift truck.  
Colour: Black RAL 9011. Dim. mm 200x569x100 h

ORD. NO.  
**M 50 Z060 21 00 00 07**  
Facing piece. Colour: Black RAL 9011.  
Dimensions mm 1014x46x55 h

ORD. NO.  
**M 50 Z100 21 00 00 07**  
Facing piece. Colour: Black RAL 9011.  
Dimensions mm 1014x46x95 h

FIXING


The cabinet must be fixed to the floor or wall. If the cabinets are stacked they must be secured to the wall and their load rating must to be divided by 2.



ORD. NO.  
**F AG 9200 00 99**  
Pair of galvanized brackets for mounting the cabinet to the floor, hole 6 mm.



ORD. NO.  
**F AG 9204 00 99**  
Floor fixing set. Features:  
- N° 2 “HILTI” plugs for concrete floors ≥ to classes C 20/25  
- Recommended traction of the plug: 2.9 KN  
- Plug diameter: Ø 6 mm.



ORD. NO.  
**M 00 FISO 00 00 00 99**  
Fixing set for cabinet including 4 screws with M8 nuts.

ORD. NO.  
**M 00 SVR0 00 00 00 99**  
Predrilled holes and screws for attachment of the two stacked cabinets.

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC** IN 8  
COLOURS

**SYLOGIK**  
smart solutions

PARTITIONING MATERIAL



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 4005 01 00</b> |
| 75                | <b>F FH 4007 01 00</b> |
| 100 - 125         | <b>F FH 4010 01 00</b> |
| 150               | <b>F FH 4015 01 00</b> |
| 200 - 250         | <b>F FH 4020 01 00</b> |
| 300               | <b>F FH 4030 01 00</b> |

Set including:

2 Plain partitions 914 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 4005 03 00</b> |
| 75                | <b>F FH 4007 03 00</b> |
| 100 - 125         | <b>F FH 4010 03 00</b> |
| 150               | <b>F FH 4015 03 00</b> |
| 200 - 250         | <b>F FH 4020 03 00</b> |

Set including:

5 Slotted partitions 455 mm  
12 Plain partitions 149 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 4005 04 00</b> |
| 75                | <b>F FH 4007 04 00</b> |
| 100 - 125         | <b>F FH 4010 04 00</b> |
| 150               | <b>F FH 4015 04 00</b> |
| 200 - 250         | <b>F FH 4020 04 00</b> |

Set including:

4 Plain partitions 455 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 4005 05 00</b> |
| 75                | <b>F FH 4007 05 00</b> |
| 100 - 125         | <b>F FH 4010 05 00</b> |
| 150               | <b>F FH 4015 05 00</b> |
| 200 - 250         | <b>F FH 4020 05 00</b> |

Set including:

4 Slotted partitions 455 mm  
2 Plain partitions 149 mm  
3 Plain partitions 200 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 4005 11 00</b> |
| 75                | <b>F FH 4007 11 00</b> |
| 100 - 125         | <b>F FH 4010 11 00</b> |

Set including:

18 Plastic boxes 150x150 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 4005 12 00</b> |

Set including:

6 Troughs 4 grooves  
15 Plain partitions 36 mm  
6 Troughs 3 grooves  
10 Plain partitions 47 mm  
6 Troughs 2 grooves  
6 Plain partitions 73 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 4005 13 00</b> |
| 75                | <b>F FH 4007 13 00</b> |
| 100 - 125         | <b>F FH 4010 13 00</b> |

Set including:

12 Plastic boxes 150x75 mm  
12 Plastic boxes 150x150 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50 - 300          | <b>F FH 4005 15 00</b> |

Set including:

12 Troughs 4 grooves  
30 Plain partitions 36 mm  
6 Troughs 3 grooves  
10 Plain partitions 47 mm



| FOR FRONT HEIGHTS | ORD. NO.               |
|-------------------|------------------------|
| 50                | <b>F FH 4005 16 00</b> |
| 75                | <b>F FH 4007 16 00</b> |

Set including:

20 Plastic boxes 75x75 mm  
14 Plastic boxes 150x75 mm  
6 Plastic boxes 150x150 mm

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH



GUARANTEE  
**5**  
YEARS

**FLEX** flexible extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg


**TELE** telescopic extraction  
100% = 200 Kg

**KEY** = cylinder lock  
page 12 - 13

**CODE** = electronic lock  
page 14 - 17



YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.



FOR FRONT HEIGHTS

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 4005 02 00</b> |
| 75        | <b>F FH 4007 02 00</b> |
| 100 - 125 | <b>F FH 4010 02 00</b> |
| 150       | <b>F FH 4015 02 00</b> |
| 200 - 250 | <b>F FH 4020 02 00</b> |

Set including:

|                      |        |
|----------------------|--------|
| 2 Plain partitions   | 610 mm |
| 2 Slotted partitions | 455 mm |
| 12 Plain partitions  | 149 mm |



FOR FRONT HEIGHTS

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 4005 06 00</b> |
| 75        | <b>F FH 4007 06 00</b> |
| 100 - 125 | <b>F FH 4010 06 00</b> |

Set including:

|                      |        |
|----------------------|--------|
| 7 Slotted partitions | 455 mm |
| 12 Plain partitions  | 98 mm  |
| 2 Plain partitions   | 149 mm |



FOR FRONT HEIGHTS

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 4005 07 00</b> |
| 75        | <b>F FH 4007 07 00</b> |
| 100 - 125 | <b>F FH 4010 07 00</b> |
| 150       | <b>F FH 4015 07 00</b> |

Set including:

|                      |        |
|----------------------|--------|
| 3 Slotted partitions | 914 mm |
| 7 Plain partitions   | 98 mm  |
| 1 Plain partition    | 149 mm |



FOR FRONT HEIGHTS

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 4005 08 00</b> |
| 75        | <b>F FH 4007 08 00</b> |
| 100 - 125 | <b>F FH 4010 08 00</b> |

Set including:

|                      |        |
|----------------------|--------|
| 6 Slotted partitions | 455 mm |
| 6 Plain partitions   | 98 mm  |
| 3 Plain partitions   | 149 mm |
| 1 Plain partition    | 200 mm |



FOR FRONT HEIGHTS

ORD. NO.

|    |                        |
|----|------------------------|
| 50 | <b>F FH 4005 18 00</b> |
| 75 | <b>F FH 4007 18 00</b> |

Set including:

|                   |            |
|-------------------|------------|
| 1 Plain partition | 455 mm     |
| 5 Cutter holders  | Ø 15,5 mm  |
| 5 Cutter holders  | Ø 21,5 mm  |
| 4 Plastic boxes   | 75x75 mm   |
| 5 Plastic boxes   | 150x75 mm  |
| 1 Plastic boxes   | 150x150 mm |



FOR FRONT HEIGHTS

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 4005 19 00</b> |
| 75        | <b>F FH 4007 19 00</b> |
| 100 - 125 | <b>F FH 4010 19 00</b> |

Set including:

|                      |        |
|----------------------|--------|
| 8 Slotted partitions | 455 mm |
| 12 Plain partitions  | 98 mm  |



FOR FRONT HEIGHTS

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 4005 20 00</b> |
| 75        | <b>F FH 4007 20 00</b> |
| 100 - 125 | <b>F FH 4010 20 00</b> |
| 150       | <b>F FH 4015 20 00</b> |
| 200 - 250 | <b>F FH 4020 20 00</b> |
| 300       | <b>F FH 4030 20 00</b> |

Set including:

|                      |        |
|----------------------|--------|
| 2 Slotted partitions | 455 mm |
| 2 Plain partitions   | 302 mm |



FOR FRONT HEIGHTS

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 4005 21 00</b> |
| 75        | <b>F FH 4007 21 00</b> |
| 100 - 125 | <b>F FH 4010 21 00</b> |
| 150       | <b>F FH 4015 21 00</b> |
| 200 - 250 | <b>F FH 4020 21 00</b> |
| 300       | <b>F FH 4030 21 00</b> |

Set including:

|                      |        |
|----------------------|--------|
| 3 Slotted partitions | 455 mm |
| 3 Plain partitions   | 200 mm |



FOR FRONT HEIGHTS

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 4005 22 00</b> |
| 75        | <b>F FH 4007 22 00</b> |
| 100 - 125 | <b>F FH 4010 22 00</b> |
| 150       | <b>F FH 4015 22 00</b> |
| 200 - 250 | <b>F FH 4020 22 00</b> |
| 300       | <b>F FH 4030 22 00</b> |

Set including:

|                      |        |
|----------------------|--------|
| 4 Slotted partitions | 455 mm |
| 4 Plain partitions   | 149 mm |

Colours with no limits,  
endless combinations

MASTER **27x36** EH





CABINETS  
SERIES  
MASTER  
27x36



SUPPLEMENTARY PARTS



■ Spare key

Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. **M 00 CF00 00 00 00 00**



■ Master key

Master key are available in 25 series, numbered from F 01 to F 25.

Master key series F 01      ORD. NO. **M 00 PF01 00 00 00 00**

Master key series F 02      ORD. NO. **M 00 PF02 00 00 00 00**

Master key series F ..      ORD. NO. **M 00 PF .. 00 00 00 00**

Master key series F 25      ORD. NO. **M 00 PF25 00 00 00 00**

400 MM



300

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 A040 C0 10 12 04 | FLEX | KEY  |
| M 23 A040 E1 10 12 04 | FLEX | CODE |

Cabinet with 1 drawer.  
Dimensions mm 561x726x400 h.



100  
200

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 A040 C0 10 04 04 | FLEX | KEY  |
| M 23 A040 E1 10 04 04 | FLEX | CODE |

Cabinet with 2 drawers.  
Dimensions mm 561x726x400 h.



50  
100  
150

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 A040 C0 10 01 04 | FLEX | KEY  |
| M 23 A040 E1 10 01 04 | FLEX | CODE |

Cabinet with 3 drawers.  
Dimensions mm 561x726x400 h.



75  
75  
150

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 A040 C0 10 02 04 | FLEX | KEY  |
| M 23 A040 E1 10 02 04 | FLEX | CODE |

Cabinet with 3 drawers.  
Dimensions mm 561x726x400 h.

600 MM



100  
100  
300

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 A060 C0 10 19 04 | FLEX | KEY  |
| M 23 A060 E1 10 19 04 | FLEX | CODE |

Cabinet with 3 drawers.  
Dimensions mm 561x726x600 h.



75  
75  
150  
200

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 A060 C0 10 20 04 | FLEX | KEY  |
| M 23 A060 E1 10 20 04 | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 561x726x600 h.



50  
75  
75  
100  
200

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 A060 C0 10 21 04 | FLEX | KEY  |
| M 23 A060 E1 10 21 04 | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 561x726x600 h.



75  
75  
75  
75  
100  
100

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 A060 C0 10 22 04 | FLEX | KEY  |
| M 23 A060 E1 10 22 04 | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 561x726x600 h.

600 MM

DOOR 425 MM



75

PE

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 A060 C0 10 17 04 | FLEX | KEY  |
| M 23 A060 T2 10 17 04 | FLEX | CODE |

Cabinet with 1 drawer, 1 retractable shelf.  
Dimensions mm 561x751x600 h.

DOOR 500 MM



PR

PE

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 A060 C0 10 18 04 | FLEX | KEY  |
| M 23 A060 P4 10 18 04 | FLEX | CODE |

Cabinet with 1 retractable shelf, 1 adjustable shelf.  
Dimensions mm 561x751x600 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



700 MM



100  
200  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A070 C0 10 29 04</b> | FLEX | KEY  |
| <b>M 23 A070 E1 10 29 04</b> | FLEX | CODE |

Cabinet with 3 drawers.  
Dimensions mm 561x726x700 h.



100  
150  
150  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A070 C0 10 49 04</b> | FLEX | KEY  |
| <b>M 23 A070 E1 10 49 04</b> | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 561x726x700 h.



100  
100  
100  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A070 C0 10 34 04</b> | FLEX | KEY  |
| <b>M 23 A070 E1 10 34 04</b> | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 561x726x700 h.



75  
75  
100  
150  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A070 C0 10 31 04</b> | FLEX | KEY  |
| <b>M 23 A070 E1 10 31 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 561x726x700 h.

700 MM



75  
75  
150  
150  
150

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A070 C0 10 35 04</b> | FLEX | KEY  |
| <b>M 23 A070 E1 10 35 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 561x726x700 h.



50  
75  
75  
100  
100  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A070 C0 10 32 04</b> | FLEX | KEY  |
| <b>M 23 A070 E1 10 32 04</b> | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 561x726x700 h.



50  
50  
75  
75  
75  
75  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A070 C0 10 38 04</b> | FLEX | KEY  |
| <b>M 23 A070 E1 10 38 04</b> | FLEX | CODE |

Cabinet with 7 drawers.  
Dimensions mm 561x726x700 h.

700 MM

DOOR 425 MM



75  
100

PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A070 C0 10 30 04</b> | FLEX | KEY  |
| <b>M 23 A070 T2 10 30 04</b> | FLEX | CODE |

Cabinet with 2 drawers, 1 retractable shelf.  
Dimensions mm 561x751x700 h.

DOOR 600 MM



PR

PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A070 C0 10 36 04</b> | FLEX | KEY  |
| <b>M 23 A070 P4 10 36 04</b> | FLEX | CODE |

Cabinet with 1 adjustable shelf, 1 retractable shelf.  
Dimensions mm 561x751x700 h.

|                                              |                                                                                                                                                                     |                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                             |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 36x36 EH                                     | 45x36 EH                                                                                                                                                            | 54x36 EH                                                                                                                                | 64x36 EH                                                                                                                                                                                                                                                                                                                                        | 78x36 EH                                                                                                                                                                                                                    |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br><br>100% = 50 Kg<br>96% = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br><br>100% = 200 Kg |  <b>KEY</b> = cylinder lock page 12 - 13<br> <b>CODE</b> = electronic lock page 14 - 17<br> | YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.<br><b>PR</b> = Adjustable shelf<br><b>PE</b> = Retractable shelf<br>* 50 mm drawer height is available only in the flexible extraction |



|                                              |                                                                                 |                                                                                             |                                            |                                                                                                                                     |
|----------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| 18x27 EH                                     | 27x27 EH                                                                        | 36x27 EH                                                                                    | 54x27 EH                                   | 27x36 EH                                                                                                                            |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br>100% = 50 Kg<br>96 % = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br>100% = 200 Kg                                          | <b>KEY</b> = cylinder lock<br>page 12 - 13 | <b>CODE</b> = electronic lock<br>page 14 - 17                                                                                       |
|                                              |                                                                                 | <b>YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.</b> |                                            | <b>PR</b> = Adjustable shelf<br><b>PE</b> = Retractable shelf<br>* 50 mm drawer height is available only in the flexible extraction |



36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf  
PE = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

800 MM



700 mm

100  
100  
200  
300

ORD. NO.

TYPE

M 23 A080 C0 10 55 04

FLEX

KEY

M 23 A080 E1 10 55 04

FLEX

CODE

Cabinet with 4 drawers.

Dimensions mm 561x726x800 h.



50  
100  
100  
150  
300

ORD. NO.

TYPE

M 23 A080 C0 10 54 04

FLEX

KEY

M 23 A080 E1 10 54 04

FLEX

CODE

Cabinet with 5 drawers.

Dimensions mm 561x726x800 h.



75  
75  
100  
100  
150  
200

ORD. NO.

TYPE

M 23 A080 C0 10 56 04

FLEX

KEY

M 23 A080 E1 10 56 04

FLEX

CODE

Cabinet with 6 drawers.

Dimensions mm 561x726x800 h.

800 MM



75  
75  
100  
100  
100  
100  
150

ORD. NO.

TYPE

M 23 A080 C0 10 65 04

FLEX

KEY

M 23 A080 E1 10 65 04

FLEX

CODE

Cabinet with 7 drawers.

Dimensions mm 561x726x800 h.



50  
75  
75  
100  
100  
150  
150

ORD. NO.

TYPE

M 23 A080 C0 10 66 04

FLEX

KEY

M 23 A080 E1 10 66 04

FLEX

CODE

Cabinet with 7 drawers.

Dimensions mm 561x726x800 h.



50  
75  
75  
100  
100  
100  
100  
100

ORD. NO.

TYPE

M 23 A080 C0 10 67 04

FLEX

KEY

M 23 A080 E1 10 67 04

FLEX

CODE

Cabinet with 8 drawers.

Dimensions mm 561x726x800 h.

800 MM

DOOR 625 MM



75  
PR  
PE

ORD. NO.

TYPE

M 23 A080 C0 10 69 04

FLEX

KEY

M 23 A080 T2 10 69 04

FLEX

CODE

Cabinet with 1 drawer, 1 adjustable shelf,  
1 retractable shelf. Dim. mm 561x751x800 h.

425 MM



125  
150  
PE

ORD. NO.

TYPE

M 23 A080 C0 10 68 04

FLEX

KEY

M 23 A080 T2 10 68 04

FLEX

CODE

Cabinet with 2 drawers, 1 retractable shelf.

Dimensions mm 561x751x800 h.

425 MM



75  
100  
100  
PE

ORD. NO.

TYPE

M 23 A080 C0 10 57 04

FLEX

KEY

M 23 A080 T2 10 57 04

FLEX

CODE

Cabinet with 3 drawers, 1 retractable shelf.

Dimensions mm 561x751x800 h.



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



850 MM



150  
150  
150  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 AQ 04</b> | FLEX | KEY  |
| <b>M 23 A085 E1 10 AQ 04</b> | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 561x726x850 h.



100  
150  
200  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 92 04</b> | FLEX | KEY  |
| <b>M 23 A085 E1 10 92 04</b> | FLEX | CODE |

Cabinet with 4 drawers.  
Dimensions mm 561x726x850 h.



100  
100  
150  
200  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 90 04</b> | FLEX | KEY  |
| <b>M 23 A085 E1 10 90 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 561x726x850 h.



50  
100  
100  
200  
300

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 93 04</b> | FLEX | KEY  |
| <b>M 23 A085 E1 10 93 04</b> | FLEX | CODE |

Cabinet with 5 drawers.  
Dimensions mm 561x726x850 h.

850 MM



50  
100  
100  
150  
150  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 91 04</b> | FLEX | KEY  |
| <b>M 23 A085 E1 10 91 04</b> | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 561x726x850 h.



75  
100  
100  
100  
125  
250

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 94 04</b> | FLEX | KEY  |
| <b>M 23 A085 E1 10 94 04</b> | FLEX | CODE |

Cabinet with 6 drawers.  
Dimensions mm 561x726x850 h.



50  
75  
75  
100  
100  
150  
200

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 AE 04</b> | FLEX | KEY  |
| <b>M 23 A085 E1 10 AE 04</b> | FLEX | CODE |

Cabinet with 7 drawers.  
Dimensions mm 561x726x850 h.



75  
75  
100  
100  
100  
150  
150

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 95 04</b> | FLEX | KEY  |
| <b>M 23 A085 E1 10 95 04</b> | FLEX | CODE |

Cabinet with 7 drawers.  
Dimensions mm 561x726x850 h.

850 MM



50  
75  
75  
100  
100  
100  
100  
150

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 87 04</b> | FLEX | KEY  |
| <b>M 23 A085 E1 10 87 04</b> | FLEX | CODE |

Cabinet with 8 drawers.  
Dimensions mm 561x726x850 h.

DOOR 625 MM



125  
  
PR  
  
PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 99 04</b> | FLEX | KEY  |
| <b>M 23 A085 T2 10 99 04</b> | FLEX | CODE |

Cabinet with 1 drawer, 1 adjustable shelf,  
1 retractable shelf. Dim. mm 561x751x850 h.

DOOR 425 MM



125  
200  
  
PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 AR 04</b> | FLEX | KEY  |
| <b>M 23 A085 T2 10 AR 04</b> | FLEX | CODE |

Cabinet with 2 drawers, 1 retractable shelf.  
Dimensions mm 561x751x850 h.

DOOR 425 MM



75  
100  
150  
  
PE

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 23 A085 C0 10 97 04</b> | FLEX | KEY  |
| <b>M 23 A085 T2 10 97 04</b> | FLEX | CODE |

Cabinet with 3 drawers, 1 retractable shelf.  
Dimensions mm 561x751x850 h.

|         |                                                                                                     |                                               |                       |      |      |  |  |  |
|---------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------|-----------------------|------|------|--|--|--|
| 1000 MM |  <div>900 mm</div> | 100<br>150<br>150<br>200<br>300               | ORD. NO.              | TYPE |      |  |  |  |
|         |                                                                                                     |                                               | M 23 A100 C0 10 CY 04 | FLEX | KEY  |  |  |  |
|         |                                                                                                     |                                               | M 23 A100 E1 10 CY 04 | FLEX | CODE |  |  |  |
|         | Cabinet with 5 drawers.<br>Dimensions mm 561x726x1000 h.                                            |                                               |                       |      |      |  |  |  |
|         |                   | 75<br>75<br>100<br>150<br>200<br>300          | ORD. NO.              | TYPE |      |  |  |  |
|         |                                                                                                     |                                               | M 23 A100 C0 10 AY 04 | FLEX | KEY  |  |  |  |
|         |                                                                                                     |                                               | M 23 A100 E1 10 AY 04 | FLEX | CODE |  |  |  |
|         | Cabinet with 6 drawers.<br>Dimensions mm 561x726x1000 h.                                            |                                               |                       |      |      |  |  |  |
|         |                  | 100<br>100<br>100<br>100<br>150<br>150<br>200 | ORD. NO.              | TYPE |      |  |  |  |
|         |                                                                                                     |                                               | M 23 A100 C0 10 AZ 04 | FLEX | KEY  |  |  |  |
|         |                                                                                                     |                                               | M 23 A100 E1 10 AZ 04 | FLEX | CODE |  |  |  |
|         | Cabinet with 7 drawers.<br>Dimensions mm 561x726x1000 h.                                            |                                               |                       |      |      |  |  |  |
|         |                  | 75<br>75<br>100<br>150<br>150<br>200          | ORD. NO.              | TYPE |      |  |  |  |
|         |                                                                                                     |                                               | M 23 A100 C0 10 AW 04 | FLEX | KEY  |  |  |  |
|         |                                                                                                     |                                               | M 23 A100 E1 10 AW 04 | FLEX | CODE |  |  |  |
|         | Cabinet with 7 drawers.<br>Dimensions mm 561x726x1000 h.                                            |                                               |                       |      |      |  |  |  |

|             |                                                                                                   |                                                   |                       |      |      |  |  |  |
|-------------|---------------------------------------------------------------------------------------------------|---------------------------------------------------|-----------------------|------|------|--|--|--|
| 1000 MM     |                | 50<br>75<br>75<br>100<br>100<br>150<br>150<br>200 | ORD. NO.              | TYPE |      |  |  |  |
|             |                                                                                                   |                                                   | M 23 A100 C0 10 CU 04 | FLEX | KEY  |  |  |  |
|             |                                                                                                   |                                                   | M 23 A100 E1 10 CU 04 | FLEX | CODE |  |  |  |
|             | Cabinet with 8 drawers.<br>Dimensions mm 561x726x1000 h.                                          |                                                   |                       |      |      |  |  |  |
|             |               | 50<br>75<br>75<br>75<br>125<br>150<br>150<br>200  | ORD. NO.              | TYPE |      |  |  |  |
|             |                                                                                                   |                                                   | M 23 A100 C0 10 BA 04 | FLEX | KEY  |  |  |  |
|             |                                                                                                   |                                                   | M 23 A100 E1 10 BA 04 | FLEX | CODE |  |  |  |
|             | Cabinet with 8 drawers.<br>Dimensions mm 561x726x1000 h.                                          |                                                   |                       |      |      |  |  |  |
| DOOR 625 MM |              | 50<br>100<br>125<br>PR<br>PE                      | ORD. NO.              | TYPE |      |  |  |  |
|             |                                                                                                   |                                                   | M 23 A100 C0 10 BD 04 | FLEX | KEY  |  |  |  |
|             |                                                                                                   |                                                   | M 23 A100 T2 10 BD 04 | FLEX | CODE |  |  |  |
|             | Cabinet with 3 drawers, 1 adjustable shelf, 1 retractable shelf.<br>Dimensions mm 561x751x1000 h. |                                                   |                       |      |      |  |  |  |
| DOOR 425 MM |              | 75<br>75<br>75<br>100<br>150<br>PE                | ORD. NO.              | TYPE |      |  |  |  |
|             |                                                                                                   |                                                   | M 23 A100 C0 10 BC 04 | FLEX | KEY  |  |  |  |
|             |                                                                                                   |                                                   | M 23 A100 T2 10 BC 04 | FLEX | CODE |  |  |  |
|             | Cabinet with 5 drawers, 1 retractable shelf.<br>Dimensions mm 561x751x1000 h.                     |                                                   |                       |      |      |  |  |  |

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



818 MM



100  
100  
300

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 23 R060 S0 10 19 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 23 R060 P1 10 19 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 3 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x800x818 h.**



75  
75  
150  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 23 R060 S0 10 20 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 23 R060 P1 10 20 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 4 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x800x818 h.**



50  
75  
75  
100  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 23 R060 S0 10 21 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 23 R060 P1 10 21 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x800x818 h.**



75  
75  
75  
100  
100

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 23 R060 S0 10 22 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 23 R060 P1 10 22 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x800x818 h.**

918 MM



100  
100  
100  
300

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 23 R070 S0 10 34 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 23 R070 P1 10 34 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 4 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x800x918 h.**



75  
75  
100  
150  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 23 R070 S0 10 31 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 23 R070 P1 10 31 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x800x918 h.**



50  
75  
75  
100  
100  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 23 R070 S0 10 32 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 23 R070 P1 10 32 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x800x918 h.**

1018 MM



50  
100  
100  
150  
300

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 23 R080 S0 10 54 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 23 R080 P1 10 54 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x800x1018 h.**



100  
100  
100  
200  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 23 R080 S0 10 63 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 23 R080 P1 10 63 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x800x1018 h.**



75  
75  
100  
100  
150  
200

| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 23 R080 S0 10 56 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 23 R080 P1 10 56 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
**Dimensions mm 587x800x1018 h.**

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96% = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock  
page 12 - 13

123

456

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 R080 S0 10 65 04 | FLEX | KEY  |
| M 23 R080 P1 10 65 04 | FLEX | CODE |

Cabinet with 7 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
Dimensions mm 587x800x1018 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 R080 S0 10 66 04 | FLEX | KEY  |
| M 23 R080 P1 10 66 04 | FLEX | CODE |

Cabinet with 7 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
Dimensions mm 587x800x1018 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 R085 S0 10 93 04 | FLEX | KEY  |
| M 23 R085 P1 10 93 04 | FLEX | CODE |

Cabinet with 5 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
Dimensions mm 587x800x1068 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 R085 S0 10 94 04 | FLEX | KEY  |
| M 23 R085 P1 10 94 04 | FLEX | CODE |

Cabinet with 6 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
Dimensions mm 587x800x1068 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 R085 S0 10 95 04 | FLEX | KEY  |
| M 23 R085 P1 10 95 04 | FLEX | CODE |

Cabinet with 7 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
Dimensions mm 587x800x1068 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 R100 S0 10 AY 04 | FLEX | KEY  |
| M 23 R100 P1 10 AY 04 | FLEX | CODE |

Cabinet with 6 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
Dimensions mm 587x800x1218 h.




| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 R100 S0 10 AZ 04 | FLEX | KEY  |
| M 23 R100 P1 10 AZ 04 | FLEX | CODE |

Cabinet with 7 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
Dimensions mm 587x800x1218 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 23 R100 S0 10 BA 04 | FLEX | KEY  |
| M 23 R100 P1 10 BA 04 | FLEX | CODE |

Cabinet with 8 drawers.  
Ø 125 mm standard rubber wheels.  
Cabinet load capacity: 235 kg.  
Dimensions mm 587x800x1218 h.



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.


PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

EMPTY CABINET BODY WITH LOCKING MECHANISM

WIDTH = 561 mm

DEPTH = 726 mm

|                                                                                   |    |                                                                                    |                       |                       |                       |
|-----------------------------------------------------------------------------------|----|------------------------------------------------------------------------------------|-----------------------|-----------------------|-----------------------|
|  |    |  |                       |                       |                       |
| HEIGHT MM (A)                                                                     |    | 400                                                                                | 600                   | 700                   | 800                   |
| USABLE HEIGHT MM (B)                                                              |    | 300                                                                                | 500                   | 600                   | 700                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK*                                  | X0 | M 23 A040 X0 10 00 04                                                              | M 23 A060 X0 10 00 04 | M 23 A070 X0 10 00 04 | M 23 A080 X0 10 00 04 |
| CABINET WITH VERTEBRATE BAR WITHOUT LOCK*                                         | C5 | M 23 A040 C5 10 00 04                                                              | M 23 A060 C5 10 00 04 | M 23 A070 C5 10 00 04 | M 23 A080 C5 10 00 04 |
| KEY COMFORT                                                                       |    |                                                                                    |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS                                              | C0 | M 23 A040 C0 10 00 04                                                              | M 23 A060 C0 10 00 04 | M 23 A070 C0 10 00 04 | M 23 A080 C0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS                                           | C1 | M 23 A040 C1 10 00 04                                                              | M 23 A060 C1 10 00 04 | M 23 A070 C1 10 00 04 | M 23 A080 C1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS                                              | C2 | M 23 A040 C2 10 00 04                                                              | M 23 A060 C2 10 00 04 | M 23 A070 C2 10 00 04 | M 23 A080 C2 10 00 04 |
| CODE EASY                                                                         |    |                                                                                    |                       |                       |                       |
| BATTERY POWERED                                                                   | E1 | M 23 A040 E1 10 00 04                                                              | M 23 A060 E1 10 00 04 | M 23 A070 E1 10 00 04 | M 23 A080 E1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                                                    | E2 | M 23 A040 E2 10 00 04                                                              | M 23 A060 E2 10 00 04 | M 23 A070 E2 10 00 04 | M 23 A080 E2 10 00 04 |
| EXTERNAL POWERED                                                                  | E4 | M 23 A040 E4 10 00 04                                                              | M 23 A060 E4 10 00 04 | M 23 A070 E4 10 00 04 | M 23 A080 E4 10 00 04 |
| EXTERNAL POWERED - PROGRAMMABLE                                                   | E5 | M 23 A040 E5 10 00 04                                                              | M 23 A060 E5 10 00 04 | M 23 A070 E5 10 00 04 | M 23 A080 E5 10 00 04 |
| CODE TOP                                                                          |    |                                                                                    |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE                                          | T0 | M 23 A040 T0 10 00 04                                                              | M 23 A060 T0 10 00 04 | M 23 A070 T0 10 00 04 | M 23 A080 T0 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE                                         | T1 | M 23 A040 T1 10 00 04                                                              | M 23 A060 T1 10 00 04 | M 23 A070 T1 10 00 04 | M 23 A080 T1 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE                                          | T2 | M 23 A040 T2 10 00 04                                                              | M 23 A060 T2 10 00 04 | M 23 A070 T2 10 00 04 | M 23 A080 T2 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE                                         | T3 | M 23 A040 T3 10 00 04                                                              | M 23 A060 T3 10 00 04 | M 23 A070 T3 10 00 04 | M 23 A080 T3 10 00 04 |

\*The vertebrate bar and locking systems are available on page 154 - 155

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3.  
In configurations with the letter T the remote control always acts on the output 1 (see page 15).  
Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock

page 12 - 13

CODE

CODE = electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



|                       |                       |                       |                       |
|-----------------------|-----------------------|-----------------------|-----------------------|
| 850                   | 1000                  | 1500                  | 2000                  |
| 750                   | 900                   | 1400                  | 1900                  |
| M 23 A085 X0 10 00 04 | M 23 A100 X0 10 00 04 | M 23 A150 X0 10 00 04 | M 23 A200 X0 10 00 04 |
| M 23 A085 C5 10 00 04 | M 23 A100 C5 10 00 04 | M 23 A150 C5 10 00 04 | M 23 A200 C5 10 00 04 |
| M 23 A085 C0 10 00 04 | M 23 A100 C0 10 00 04 | M 23 A150 C0 10 00 04 | M 23 A200 C0 10 00 04 |
| M 23 A085 C1 10 00 04 | M 23 A100 C1 10 00 04 | M 23 A150 C1 10 00 04 | M 23 A200 C1 10 00 04 |
| M 23 A085 C2 10 00 04 | M 23 A100 C2 10 00 04 | M 23 A150 C2 10 00 04 | M 23 A200 C2 10 00 04 |
| M 23 A085 E1 10 00 04 | M 23 A100 E1 10 00 04 | M 23 A150 E1 10 00 04 | M 23 A200 E1 10 00 04 |
| M 23 A085 E2 10 00 04 | M 23 A100 E2 10 00 04 | M 23 A150 E2 10 00 04 | M 23 A200 E2 10 00 04 |
| M 23 A085 E4 10 00 04 | M 23 A100 E4 10 00 04 | M 23 A150 E4 10 00 04 | M 23 A200 E4 10 00 04 |
| M 23 A085 E5 10 00 04 | M 23 A100 E5 10 00 04 | M 23 A150 E5 10 00 04 | M 23 A200 E5 10 00 04 |
| M 23 A085 T0 10 00 04 | M 23 A100 T0 10 00 04 | M 23 A150 T0 10 00 04 | M 23 A200 T0 10 00 04 |
| M 23 A085 T1 10 00 04 | M 23 A100 T1 10 00 04 | M 23 A150 T1 10 00 04 | M 23 A200 T1 10 00 04 |
| M 23 A085 T2 10 00 04 | M 23 A100 T2 10 00 04 | M 23 A150 T2 10 00 04 | M 23 A200 T2 10 00 04 |
| M 23 A085 T3 10 00 04 | M 23 A100 T3 10 00 04 | M 23 A150 T3 10 00 04 | M 23 A200 T3 10 00 04 |



KEY COMFORT

C0

C1

C2

CODE EASY

123

456

E1

123

456

PROGRAMMABLE

E2

123

456

PROGRAMMABLE

E4

123

456

PROGRAMMABLE

E5

CODE TOP

123

456

T0

123

456

PROGRAMMABLE

T1

123

456

PROGRAMMABLE

T2

123

456

PROGRAMMABLE

T3

SEE PAGE 12 - 14 - 15

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

EMPTY CABINET BODY READY FOR WHEELS **WITH LOCKS**

WIDTH = 587 mm

DEPTH = 800 mm



|                                                  |    |                       |                       |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 663                   | 763                   | 863                   | 913                   |
| USABLE HEIGHT MM (B)                             |    | 500                   | 600                   | 700                   | 750                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 23 R060 X0 10 00 04 | M 23 R070 X0 10 00 04 | M 23 R080 X0 10 00 04 | M 23 R085 X0 10 00 04 |
| KEY SMART (Push to Open)                         |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | S0 | M 23 R060 S0 10 00 04 | M 23 R070 S0 10 00 04 | M 23 R080 S0 10 00 04 | M 23 R085 S0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | S1 | M 23 R060 S1 10 00 04 | M 23 R070 S1 10 00 04 | M 23 R080 S1 10 00 04 | M 23 R085 S1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | S2 | M 23 R060 S2 10 00 04 | M 23 R070 S2 10 00 04 | M 23 R080 S2 10 00 04 | M 23 R085 S2 10 00 04 |
| CODE PLUS (Push to Open)                         |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | P1 | M 23 R060 P1 10 00 04 | M 23 R070 P1 10 00 04 | M 23 R080 P1 10 00 04 | M 23 R085 P1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | P2 | M 23 R060 P2 10 00 04 | M 23 R070 P2 10 00 04 | M 23 R080 P2 10 00 04 | M 23 R085 P2 10 00 04 |
| CODE ADVANCE (Push to Open)                      |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A0 | M 23 R060 A0 10 00 04 | M 23 R070 A0 10 00 04 | M 23 R080 A0 10 00 04 | M 23 R085 A0 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A1 | M 23 R060 A1 10 00 04 | M 23 R070 A1 10 00 04 | M 23 R080 A1 10 00 04 | M 23 R085 A1 10 00 04 |

Full versions of cabinet includes: 4 border top with oil-resistant rubber cover, pair of handles, longitudinal wheel plates.

Wheels available on page 150


\*The vertebrae bar and locking systems are available on page 154 - 155

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P1 - P2 - A0 - A1.

Nelle configurazioni con la lettera A il telecomando agisce sempre sull'output 1 (see page 17).

Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

45x36 EH

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



|                       |
|-----------------------|
| 1063                  |
| 900                   |
| M 23 R100 X0 10 00 04 |
| M 23 R100 S0 10 00 04 |
| M 23 R100 S1 10 00 04 |
| M 23 R100 S2 10 00 04 |
| M 23 R100 P1 10 00 04 |
| M 23 R100 P2 10 00 04 |
| M 23 R100 A0 10 00 04 |
| M 23 R100 A1 10 00 04 |



KEY SMART (Push to Open)

S0

S1

S2

CODE PLUS (Push to Open)

1 2 3

4 5 C

P1

1 2 3

4 5 C

PROGRAMMABLE

P2

CODE ADVANCE (Push to Open)

1 2 3

4 5 C

A0

1 2 3

4 5 C

PROGRAMMABLE

A1

SEE PAGE 13 - 16 - 17

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17


YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions


WHEELS

STANDARD RUBBER WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BAC11 100</b> | 100  | 75           | 128  |
| <b>C RG BAC12 125</b> | 125  | 100          | 155  |
| <b>C RG BAC13 150</b> | 150  | 115          | 180  |
| <b>C RG BAC15 200</b> | 200  | 205          | 240  |


Standard rubber fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DAC11 100</b> | 100  | 75           | 128  |
| <b>C RG DAC12 125</b> | 125  | 100          | 155  |
| <b>C RG DAC13 150</b> | 150  | 115          | 180  |
| <b>C RG DAC15 200</b> | 200  | 205          | 240  |


Standard rubber swivel wheels with brake

NYLON WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BAD10 100</b> | 100  | 125          | 128  |
| <b>C RN BAD11 125</b> | 125  | 180          | 155  |
| <b>C RN BAD04 160</b> | 160  | 300          | 200  |

Nylon fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DAD10 100</b> | 100  | 125          | 128  |
| <b>C RN DAD11 125</b> | 125  | 180          | 155  |
| <b>C RN DAD04 160</b> | 160  | 300          | 200  |


Nylon swivel wheels with brake

SYNTHETIC MARK-PROOF RUBBER WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BPH22 125</b> | 125  | 100          | 155  |
| <b>C RG BPH25 160</b> | 160  | 200          | 200  |


Synthetic mark-proof rubber fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DPH22 125</b> | 125  | 100          | 155  |
| <b>C RG DPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber swivel wheels with brake

ELASTIC RUBBER WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BCE15 125</b> | 125  | 180          | 155  |
| <b>C RG BCE15 160</b> | 160  | 300          | 200  |


Elastic rubber fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DCE15 125</b> | 125  | 180          | 155  |
| <b>C RG DCE15 160</b> | 160  | 300          | 200  |

Elastic rubber swivel wheels with brake

POLYURETHANE WHEELS



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BDD31 125</b> | 125  | 180          | 155  |
| <b>C RN BDD44 160</b> | 160  | 300          | 200  |

Polyurethane fixed wheels



| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DDD31 125</b> | 125  | 180          | 155  |
| <b>C RN DDD44 160</b> | 160  | 300          | 200  |

Polyurethane swivel wheels with brake



To calculate load capacity of the cabinet use the formula:  $(Ax3) - 65 \text{ kg}$   
A = wheel load capacity  
ATTENTION: for security reasons, the load capacity of the cabinet with wheels cannot be more than 600 kg.

| 36x36 EH                                     | 45x36 EH                                                                       | 54x36 EH                                           | 64x36 EH                                                                                    | 78x36 EH                                                                             |
|----------------------------------------------|--------------------------------------------------------------------------------|----------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br>100% = 50 Kg<br>96% = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br>100% = 200 Kg | <b>KEY</b> = cylinder lock<br>page 12 - 13<br><b>CODE</b> = electronic lock<br>page 14 - 17 | YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10. |
|                                              |                                                                                |                                                    |                                                                                             | <b>PLASTIC</b> IN 8 COLOURS                                                          |



18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

DOORS WITH LOCKS

WIDTH = 561 mm

DOORS FOR FULL HEIGHT



REVERSIBLE  
DOOR



REVERSIBLE  
DOOR

|                                           |    |                                |                          |                                |
|-------------------------------------------|----|--------------------------------|--------------------------|--------------------------------|
| CABINET HEIGHT MM (B)                     |    | 600                            |                          | 700                            |
| DOOR HEIGHT MM (A)                        |    | 544                            |                          | 644                            |
|                                           |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit |
|                                           |    |                                |                          | ORD. NO. no plastic kit*       |
| KEY COMFORT                               |    |                                |                          |                                |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0 | M 20 P050 C0 10 00 04          | M 20 P050 C0 00 00 04    | M 20 P060 C0 10 00 04          |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1 | M 20 P050 C1 10 00 04          | M 20 P050 C1 00 00 04    | M 20 P060 C1 10 00 04          |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2 | M 20 P050 C2 10 00 04          | M 20 P050 C2 00 00 04    | M 20 P060 C2 10 00 04          |
| CODE PLUS (Push to Open)                  |    |                                |                          |                                |
| BATTERY POWERED                           | P4 | M 20 P050 P4 10 00 04          | M 20 P050 P4 00 00 04    | M 20 P060 P4 10 00 04          |
| BATTERY POWERED - PROGRAMMABLE            | P5 | M 20 P050 P5 10 00 04          | M 20 P050 P5 00 00 04    | M 20 P060 P5 10 00 04          |
| CODE ADVANCE (Push to Open)               |    |                                |                          |                                |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2 | M 20 P050 A2 10 00 04          | M 20 P050 A2 00 00 04    | M 20 P060 A2 10 00 04          |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3 | M 20 P050 A3 10 00 04          | M 20 P050 A3 00 00 04    | M 20 P060 A3 10 00 04          |

DOORS FOR PARTIAL HEIGHT



REVERSIBLE  
DOOR



REVERSIBLE  
DOOR



|                                           |    |                                |                          |                                |
|-------------------------------------------|----|--------------------------------|--------------------------|--------------------------------|
| OVERALL HEIGHT MM (D)                     |    | 425 (D)                        |                          | 525 (D)                        |
| USABLE HEIGHT MM (C) - DOOR HEIGHT MM (A) |    | 400 (C) - 444 (A)              |                          | 500 (C) - 544 (A)              |
|                                           |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit |
|                                           |    |                                |                          | ORD. NO. no plastic kit*       |
| KEY COMFORT                               |    |                                |                          |                                |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0 | M 20 P042 C0 10 01 04          | M 20 P042 C0 00 01 04    | M 20 P052 C0 10 01 04          |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1 | M 20 P042 C1 10 01 04          | M 20 P042 C1 00 01 04    | M 20 P052 C1 10 01 04          |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2 | M 20 P042 C2 10 01 04          | M 20 P042 C2 00 01 04    | M 20 P052 C2 10 01 04          |
| CODE PLUS (Push to Open)                  |    |                                |                          |                                |
| BATTERY POWERED                           | P4 | M 20 P042 P4 10 01 04          | M 20 P042 P4 00 01 04    | M 20 P052 P4 10 01 04          |
| BATTERY POWERED - PROGRAMMABLE            | P5 | M 20 P042 P5 10 01 04          | M 20 P042 P5 00 01 04    | M 20 P052 P5 10 01 04          |
| CODE ADVANCE (Push to Open)               |    |                                |                          |                                |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2 | M 20 P042 A2 10 01 04          | M 20 P042 A2 00 01 04    | M 20 P052 A2 10 01 04          |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3 | M 20 P042 A3 10 01 04          | M 20 P042 A3 00 01 04    | M 20 P052 A3 10 01 04          |
| LOCKING PREPARED FOR T2 - T3 - A1         | A4 | M 20 P042 A4 10 01 04          | M 20 P042 A4 00 01 04    | M 20 P050 A4 10 01 04          |

\*Match the item number to one of the plastic kits available at page 153

Receiver module hardware with remote control to insert into the control card hardware for configurations P4 - P5 - A2 - A3.  
Nelle configurazioni con la lettera A il telecomando agisce sempre sull'output 1 (see page 17).  
Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.                     | References |
|-------------------------------------|------------------------------|------------|
| Receiver module with remote control | <b>M 00 VRC0 00 00 00 00</b> | A+B        |
| Additional Remote Control           | <b>M 00 VRC0 00 00 01 00</b> | A          |



| 625 (D)                        |                              |
|--------------------------------|------------------------------|
| 600 (C) - 644 (A)              |                              |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     |
|                                |                              |
| <b>M 20 P062 C0 10 01 04</b>   | <b>M 20 P062 C0 00 01 04</b> |
| <b>M 20 P062 C1 10 01 04</b>   | <b>M 20 P062 C1 00 01 04</b> |
| <b>M 20 P062 C2 10 01 04</b>   | <b>M 20 P062 C2 00 01 04</b> |
|                                |                              |
| <b>M 20 P062 P4 10 01 04</b>   | <b>M 20 P062 P4 00 01 04</b> |
| <b>M 20 P062 P5 10 01 04</b>   | <b>M 20 P062 P5 00 01 04</b> |
|                                |                              |
| <b>M 20 P062 A2 10 01 04</b>   | <b>M 20 P062 A2 00 01 04</b> |
| <b>M 20 P062 A3 10 01 04</b>   | <b>M 20 P062 A3 00 01 04</b> |
| <b>M 20 P062 A4 10 01 04</b>   | <b>M 20 P062 A4 00 01 04</b> |

Plastic kit for wing doors with handle and hinges.

| LOCKING            |                                                                                       | KEY                   | CODE                  |
|--------------------|---------------------------------------------------------------------------------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE |  | M 00 PLS0 00 00 20 M1 | M 00 PLS0 00 00 21 M1 |
| SKY BLUE           |  | M 00 PLS0 00 00 20 M2 | M 00 PLS0 00 00 21 M2 |
| GLAMOUR RED        |  | M 00 PLS0 00 00 20 M3 | M 00 PLS0 00 00 21 M3 |
| RED CARPET         |  | M 00 PLS0 00 00 20 M4 | M 00 PLS0 00 00 21 M4 |
| JUICY ORANGE       |  | M 00 PLS0 00 00 20 M5 | M 00 PLS0 00 00 21 M5 |
| SUNNY YELLOW       |  | M 00 PLS0 00 00 20 M6 | M 00 PLS0 00 00 21 M6 |
| FOREST GREEN       |  | M 00 PLS0 00 00 20 M7 | M 00 PLS0 00 00 21 M7 |

18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

= cylinder lock

page 12 - 13

CODE

= electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS


SYLOGIK

smart solutions

LOCKING SYSTEMS

**ELECTRONIC LOCKING (CODE)**


The electronic keypad can be inserted under the locking shelf or under for the top of the Master cabinet series and can be powered either from the grid with a transformer or with 4 AA batteries 1.5 V - 0.15 A. The **Programmable** card comes with two inputs and two outputs depending on the needs of the customer. For more information contact a Fami technician.




| CODE EASY                                 |    |                       |                                 |
|-------------------------------------------|----|-----------------------|---------------------------------|
| BATTERY POWERED                           | E1 | M 23 V000 E1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | E2 | M 23 V000 E2 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED                          | E4 | M 23 V000 E4 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED - PROGRAMMABLE           | E5 | M 23 V000 E5 00 00 00 | A + B + C + D + E + F + G       |
| CODE TOP                                  |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T0 | M 23 V000 T0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T1 | M 23 V000 T1 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T2 | M 23 V000 T2 00 00 00 | A + B + C + D + E + F + G + H   |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T3 | M 23 V000 T3 00 00 00 | A + B + C + D + E + F + G + H   |
| CODE PLUS (Push to Open)                  |    |                       |                                 |
| BATTERY POWERED                           | P1 | M 23 V000 P1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | P2 | M 23 V000 P2 00 00 00 | A + B + C + D + E + F + G       |
| CODE ADVANCE (Push to Open)               |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A0 | M 23 V000 A0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A1 | M 23 V000 A1 00 00 00 | A + B + C + D + E + F + G + H   |

**ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL**

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3 -P1 - P2 - A0 - A1. In configurations with the letter T and A the remote control always acts on the output 1 (see page 15 - 17). Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |



36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions




VERTEBRATE BAR

The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.



| ORD. NO.              | Useful height<br>insertion drawers mm |
|-----------------------|---------------------------------------|
| M 00 V030 00 00 00 00 | 300                                   |
| M 00 V050 00 00 00 00 | 500                                   |
| M 00 V060 00 00 00 00 | 600                                   |
| M 00 V070 00 00 00 00 | 700                                   |
| M 00 V075 00 00 00 00 | 750                                   |
| M 00 V090 00 00 00 00 | 900                                   |
| M 00 V105 00 00 00 00 | 1050                                  |
| M 00 V122 00 00 00 00 | 1225                                  |
| M 00 V140 00 00 00 00 | 1400                                  |
| M 00 V152 00 00 00 00 | 1525                                  |
| M 00 V190 00 00 00 00 | 1900                                  |


CYLINDER LOCK (KEY)




- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |    |                       |
|-----------------------------------------|----|-----------------------|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 23 V000 C0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 23 V000 C1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 23 V000 C2 00 00 00 |
|                                         |    |                       |
| KEY SMART (Push to Open)                |    |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | S0 | M 23 V000 S0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | S1 | M 23 V000 S1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | S2 | M 23 V000 S2 00 00 00 |

KEY COMFORT



KEY SMART (Push to Open)



SEE PAGE 12 - 13

SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

UPPER SHELF FOR LOCKING SYSTEM

This upper shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 23 PS46 00 10 00 04 | 46              | 150              |

Dimensions mm 510x724x46 h.

LOWER SHELF FOR LOCKING SYSTEM

This lower shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 23 PS46 10 10 00 04 | 46              | 150              |

Dimensions mm 510x724x46 h.

ADJUSTABLE SHELF

This adjustable height shelf, comes standard with 2 guides, is designed to be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 23 PR25 00 00 01 04 | 25              | 70               |

Usable dimensions mm 504x617x25 h.




SLOTTED ADJUSTABLE SHELF

This adjustable height shelf cannot be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 23 PR35 10 00 00 04 | 35              | 100              |

Dimensions mm 510x721x35 h.



DRAWERS AND RETRACTABLES SHELVES

FLEXIBLE EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom in fixed increments makes inserting the partitioning elements simple and rational. Drawers are supplied with the flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|----------------------------|----------------------------|
| <b>M 23 C050 01 10 0F 04</b>      | <b>M 23 C050 01 00 0F 04</b> | 50                 | 31                  | 28                | 100                        | 50                         |
| <b>M 23 C075 01 10 0F 04</b>      | <b>M 23 C075 01 00 0F 04</b> | 75                 | 56                  | 53                | 100                        | 50                         |
| <b>M 23 C100 01 10 0F 04</b>      | <b>M 23 C100 01 00 0F 04</b> | 100                | 81                  | 75                | 100                        | 50                         |
| <b>M 23 C125 01 10 0F 04</b>      | <b>M 23 C125 01 00 0F 04</b> | 125                | 106                 | 75                | 96                         | 75                         |
| <b>M 23 C150 01 10 0F 04</b>      | <b>M 23 C150 01 00 0F 04</b> | 150                | 131                 | 125               | 96                         | 75                         |
| <b>M 23 C200 01 10 0F 04</b>      | <b>M 23 C200 01 00 0F 04</b> | 200                | 181                 | 175               | 96                         | 75                         |
| <b>M 23 C250 01 10 0F 04</b>      | <b>M 23 C250 01 00 0F 04</b> | 250                | 231                 | 175               | 92                         | 100                        |
| <b>M 23 C300 01 10 0F 04</b>      | <b>M 23 C300 01 00 0F 04</b> | 300                | 281                 | 275               | 92                         | 100                        |

Volume / extractability    kg/%: 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 447x600.**

\*Match the item number to one of the plastic kits available at page 157

TELESCOPIC EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom with fixed increments make inserting the partitioning elements simple and rational. Drawers supplied with a telescopic extraction system with 8 bearings in high strength polymer allows a consistently smooth, durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|---------------------|---------------------|
| <b>M 23 C075 01 10 0T 04</b>      | <b>M 23 C075 01 00 0T 04</b> | 75                 | 56                  | 53                | 100                 | 200                 |
| <b>M 23 C100 01 10 0T 04</b>      | <b>M 23 C100 01 00 0T 04</b> | 100                | 81                  | 75                | 100                 | 200                 |
| <b>M 23 C125 01 10 0T 04</b>      | <b>M 23 C125 01 00 0T 04</b> | 125                | 106                 | 75                | 100                 | 200                 |
| <b>M 23 C150 01 10 0T 04</b>      | <b>M 23 C150 01 00 0T 04</b> | 150                | 131                 | 125               | 100                 | 200                 |
| <b>M 23 C200 01 10 0T 04</b>      | <b>M 23 C200 01 00 0T 04</b> | 200                | 181                 | 175               | 100                 | 200                 |
| <b>M 23 C250 01 10 0T 04</b>      | <b>M 23 C250 01 00 0T 04</b> | 250                | 231                 | 175               | 100                 | 200                 |
| <b>M 23 C300 01 10 0T 04</b>      | <b>M 23 C300 01 00 0T 04</b> | 300                | 281                 | 275               | 100                 | 200                 |

**Usable dimensions mm 447x600.**

\*Match the item number to one of the plastic kits available at page 157

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96% = 75 kg

92% = 100 Kg

45x36 EH

TELE

telescopic extraction

100% = 200 Kg

KEY

=

cylinder lock

page 12 - 13

CODE

=

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



FLEXIBLE RETRACTABLE SHELVES

These retractable shelves were designed to fit in the cabinets. The shelves are supplied with a flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.




| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|----------------------------|----------------------------|
| M 23 C057 01 10 0F 04             | M 23 C057 01 00 0F 04       | 70                 | 53                | 96                         | 75                         |

Volume / extractability    kg/%: 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 447x600.**

\*Match the item number to one of the plastic kits available in the table below

TELESCOPIC RETRACTABLE SHELVES

These retractable shelves were designed to be inserted in the cabinet. The shelves are supplied with a telescopic extraction system with 8 bearings in high strength polymer that allows a consistently smooth, durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|---------------------|---------------------|
| M 23 C057 01 10 0T 04             | M 23 C057 01 00 0T 04       | 70                 | 53                | 100                 | 200                 |

**Usable dimensions mm 447x600.**

\*Match the item number to one of the plastic kits available in the table below

PLASTIC KIT FOR DRAWERS AND RETRACTABLE SHELVES

Plastic kit for drawers and retractable shelves with left handle, door profile in white plastic, right plug h =25 mm

|                    |  | ORD. NO.              |
|--------------------|--|-----------------------|
| MEDITERRANEAN BLUE |  | M 20 PLS1 00 00 00 M1 |
| SKY BLUE           |  | M 20 PLS1 00 00 00 M2 |
| GLAMOUR RED        |  | M 20 PLS1 00 00 00 M3 |
| RED CARPET         |  | M 20 PLS1 00 00 00 M4 |
| JUICY ORANGE       |  | M 20 PLS1 00 00 00 M5 |
| SUNNY YELLOW       |  | M 20 PLS1 00 00 00 M6 |
| FOREST GREEN       |  | M 20 PLS1 00 00 00 M7 |



|                                              |                                                                                 |                                                                                             |                                            |                                               |
|----------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------|-----------------------------------------------|
| 18x27 EH                                     | 27x27 EH                                                                        | 36x27 EH                                                                                    | 54x27 EH                                   | 27x36 EH                                      |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br>100% = 50 Kg<br>96 % = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br>100% = 200 Kg                                          | <b>KEY</b> = cylinder lock<br>page 12 - 13 | <b>CODE</b> = electronic lock<br>page 14 - 17 |
|                                              |                                                                                 | <b>YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.</b> |                                            | <b>PLASTIC IN 8 COLOURS</b>                   |
|                                              |                                                                                 |                                                                                             |                                            | <b>SYLOGIK</b><br>smart solutions             |

ACCESSORIES

MDF TOP WITH RUBBER COVERING

**A**

ORD. NO.  
**M 23 T030 MD GM 21 07**  
MDF top with rubber covering and side profile.  
For end cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 561x726x32 h.

**B**

ORD. NO.  
**M 23 T030 MD GM 11 07**  
MDF top with rubber covering, no side profile.  
For additional central cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 561x726x32 h.

**C**

ORD. NO.  
**M 23 T030 MD GM 01 07**  
MDF top with rubber covering and 2 side profiles.  
For single cabinet.  
Colour: Black RAL 9011.  
Dimensions mm 561x726x32 h.

ORD. NO.  
**M 00 T030 MD 00 F0 00**  
Drilling of the cabinet upper shelf for the MDF top fixing.

TOP SHELF WITH 3 EDGES

ORD. NO.  
**M 23 T023 AG 00 31 07**  
Oil-resistant rubber cover top with 3 edges for single cabinet. Colour: Black RAL 9011.  
Dimensions mm 561x726x23 h.

ORD. NO.  
**M 00 T023 AG 00 F0 00**  
Predrilled cabinet top for fixing the top with 4 edges.

PAIR OF HANDLES

Steel handles coated in oil-resistant rubber with screws for fixing, applicable only for the top with 4 edges. The handles can be fitted towards the bottom thereby reducing the height by 37 mm. Colour: Black RAL 9011.

ORD. NO.  
**F AG 9330 00 07**

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

LONGITUDINAL WHEELS PLATES




ORD. NO.  
**M 03 R023 00 00 00 07**  
Length 723 mm. Colour: Black RAL 9011.

TWO SIDED ADHESIVE TAPE



ORD. NO.  
**R CMV 0025 00**  
Length 50 meters - Width 15 mm.

PLINTHS



ORD. NO.  
**M 23 Z050 00 00 00 04**  
Plinth. Dimensions mm 559x725x50 h.



ORD. NO.  
**M 23 Z100 00 00 00 04**  
Plinth. Dimensions mm 559x725x100 h.



FIXING


The cabinet must be fixed to the floor or wall. If the cabinets are stacked they must be secured to the wall and their load rating must to be divided by 2.



ORD. NO.  
**F AG 9200 00 99**  
Pair of galvanized brackets for mounting the cabinet to the floor, hole Ø 6 mm.



ORD. NO.  
**F AG 9204 00 99**  
Floor fixing set. Features:  
- N° 2 “HILTI” plugs for concrete floors ≥ to classes C 20/25  
- Recommended traction of the plug: 2.9 KN  
- Plug diameter: Ø 6 mm.



ORD. NO.  
**M 00 FISO 00 00 00 99**  
Fixing set for cabinet including 4 screws with M8 nuts.

ORD. NO.  
**M 00 SVR0 00 00 00 99**  
Predrilled holes and screws for attachment of the two stacked cabinets.

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC** IN 8  
COLOURS



PARTITIONING MATERIAL



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 8605 07 00</b> |
| 75                   | <b>F FH 8607 07 00</b> |
| 100 - 125            | <b>F FH 8610 07 00</b> |
| 150                  | <b>F FH 8615 07 00</b> |
| 200 - 250            | <b>F FH 8620 07 00</b> |
| 300                  | <b>F FH 8630 07 00</b> |

Set including:

|                     |        |
|---------------------|--------|
| 1 Slotted partition | 610 mm |
| 1 Plain partition   | 200 mm |
| 1 Plain partition   | 251 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 8605 01 00</b> |

Set including:


|                     |           |
|---------------------|-----------|
| 12 Partitions       | 4 grooves |
| 50 Plain partitions | 36 mm     |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 8605 02 00</b> |

Set including:

|                     |           |
|---------------------|-----------|
| 4 Partitions        | 4 grooves |
| 8 Partitions        | 3 grooves |
| 20 Plain partitions | 36 mm     |
| 10 Plain partitions | 47 mm     |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 8605 03 00</b> |

Set including:

|                     |           |
|---------------------|-----------|
| 4 Partitions        | 3 grooves |
| 8 Partitions        | 2 grooves |
| 20 Plain partitions | 47 mm     |
| 10 Plain partitions | 73 mm     |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 8605 04 00</b> |

Set including:

|                     |           |
|---------------------|-----------|
| 12 Partitions       | 2 grooves |
| 18 Plain partitions | 73 mm     |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 8605 05 00</b> |

Set including:

|                     |           |
|---------------------|-----------|
| 4 Partitions        | 2 grooves |
| 6 Plain partitions  | 73 mm     |
| 4 Partitions        | 3 grooves |
| 12 Plain partitions | 47 mm     |
| 4 Partitions        | 4 grooves |
| 16 Plain partitions | 36 mm     |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 8605 06 00</b> |

Set including:

|                     |           |
|---------------------|-----------|
| 12 Partitions       | 3 grooves |
| 27 Plain partitions | 47 mm     |



36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH



GUARANTEE  
**5**  
YEARS

**FLEX** flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic extraction

100% = 200 Kg

**KEY** = cylinder lock  
page 12 - 13

**CODE** = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

PLASTIC IN 8 COLOURS

**SYLOGIK**  
smart solutions



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 8605 10 00</b> |
| 75                   | <b>F FH 8607 10 00</b> |
| 100 - 125            | <b>F FH 8610 10 00</b> |
| 150                  | <b>F FH 8615 10 00</b> |

- Set including:
- |   |                    |        |
|---|--------------------|--------|
| 3 | Slotted partitions | 610 mm |
| 6 | Plain partitions   | 98 mm  |
| 2 | Plain partitions   | 149 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 8605 12 00</b> |
| 75                   | <b>F FH 8607 12 00</b> |
| 100 - 125            | <b>F FH 8610 12 00</b> |
| 150                  | <b>F FH 8615 12 00</b> |
| 200 - 250            | <b>F FH 8620 12 00</b> |

- Set including:
- |   |                   |        |
|---|-------------------|--------|
| 1 | Slotted partition | 610 mm |
| 4 | Plain partitions  | 610 mm |
| 1 | Plain partition   | 149 mm |




| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 8605 13 00</b> |
| 75                   | <b>F FH 8607 13 00</b> |
| 100 - 125            | <b>F FH 8610 13 00</b> |
| 150                  | <b>F FH 8615 13 00</b> |
| 200 - 250            | <b>F FH 8620 13 00</b> |
| 300                  | <b>F FH 8630 13 00</b> |

- Set including:
- |   |                  |        |
|---|------------------|--------|
| 2 | Plain partitions | 610 mm |
|---|------------------|--------|



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 100                  | <b>F FH 8610 14 00</b> |
| 150                  | <b>F FH 8615 14 00</b> |
| 200 - 250            | <b>F FH 8620 14 00</b> |

- Set including:
- |    |                  |        |
|----|------------------|--------|
| 2  | Plain partitions | 610 mm |
| 20 | Location pins    | 27 mm  |
| 1  | Sliding drawer   | 470 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 8605 15 00</b> |

- Set including:
- |    |                |           |
|----|----------------|-----------|
| 10 | Cutter holders | Ø 12,2 mm |
| 5  | Cutter holders | Ø 26,5 mm |
| 5  | Cutter holders | Ø 31,2 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 8605 16 00</b> |
| 75                   | <b>F FH 8607 16 00</b> |

- Set including:
- |    |                                   |            |
|----|-----------------------------------|------------|
| 16 | Plastic boxes with 2 compartments | 75x75 mm   |
| 16 | Plastic boxes                     | 75x75 mm   |
| 4  | Plastic boxes                     | 150x75 mm  |
| 2  | Plastic boxes                     | 150x150 mm |




| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 8605 17 00</b> |
| 75                   | <b>F FH 8607 17 00</b> |

- Set including:
- |    |               |            |
|----|---------------|------------|
| 16 | Plastic boxes | 75x75 mm   |
| 8  | Plastic boxes | 150x75 mm  |
| 4  | Plastic boxes | 150x150 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 8605 18 00</b> |
| 75                   | <b>F FH 8607 18 00</b> |
| 100 - 125            | <b>F FH 8610 18 00</b> |

- Set including:
- |    |               |            |
|----|---------------|------------|
| 12 | Plastic boxes | 150x75 mm  |
| 6  | Plastic boxes | 150x150 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 8605 19 00</b> |

- Set including:
- |   |                        |        |
|---|------------------------|--------|
| 2 | Multi-purpose supports | 440 mm |
|---|------------------------|--------|

Drawers, freely configurable

# MASTER **36x36** EH





|                                 |          |          |          |          |
|---------------------------------|----------|----------|----------|----------|
| 18x27 EH                        | 27x27 EH | 36x27 EH | 54x27 EH | 27x36 EH |
| WIDTH = 714 mm - DEPTH = 726 mm |          |          |          |          |

CABINETS  
SERIES  
MASTER  
36x36



SUPPLEMENTARY PARTS



■ Spare key

Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. **M 00 CF00 00 00 00 00**



■ Master key

Master key are available in 25 series, numbered from F 01 to F 25.

|                        |                                        |
|------------------------|----------------------------------------|
| Master key series F 01 | ORD. NO. <b>M 00 PF01 00 00 00 00</b>  |
| Master key series F 02 | ORD. NO. <b>M 00 PF02 00 00 00 00</b>  |
| Master key series F .. | ORD. NO. <b>M 00 PF .. 00 00 00 00</b> |
| Master key series F 25 | ORD. NO. <b>M 00 PF25 00 00 00 00</b>  |

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

CODE =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PR = Adjustable shelf  
PE = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction

SYLOGIK

smart solutions

FAMI

MASTER

400 MM

ORD. NO.

TYPE

M 33 A040 C0 10 01 04

FLEX

KEY

M 33 A040 E1 10 01 04

FLEX

CODE

Cabinet with 3 drawers.

Dimensions mm 714x726x400 h.

700 MM

ORD. NO.

TYPE

M 33 A070 C0 10 29 04

FLEX

KEY

M 33 A070 C0 10 48 04

TELE

KEY

M 33 A070 E1 10 29 04

FLEX

CODE

M 33 A070 E1 10 48 04

TELE

CODE

Cabinet with 3 drawers.

Dimensions mm 714x726x700 h.

ORD. NO.

TYPE

M 33 A070 C0 10 40 04

FLEX

KEY

M 33 A070 C0 10 41 04

TELE\*

KEY

M 33 A070 E1 10 40 04

FLEX

CODE

M 33 A070 E1 10 41 04

TELE\*

CODE

Cabinet with 5 drawers.

Dimensions mm 714x726x700 h.

ORD. NO.

TYPE

M 33 A070 C0 10 42 04

FLEX

KEY

M 33 A070 C0 10 43 04

TELE

KEY

M 33 A070 E1 10 42 04

FLEX

CODE

M 33 A070 E1 10 43 04

TELE

CODE

Cabinet with 5 drawers.

Dimensions mm 714x726x700 h.

ORD. NO.

TYPE

M 33 A070 C0 10 44 04

FLEX

KEY

M 33 A070 C0 10 45 04

TELE

KEY

M 33 A070 E1 10 44 04

FLEX

CODE

M 33 A070 E1 10 45 04

TELE

CODE

Cabinet with 6 drawers.

Dimensions mm 714x726x700 h.

800 MM

ORD. NO.

TYPE

M 33 A080 C0 10 70 04

FLEX

KEY

M 33 A080 C0 10 71 04

TELE

KEY

M 33 A080 E1 10 70 04

FLEX

CODE

M 33 A080 E1 10 71 04

TELE

CODE

Cabinet with 3 drawers.

Dimensions mm 714x726x800 h.

ORD. NO.

TYPE

M 33 A080 C0 10 72 04

FLEX

KEY

M 33 A080 C0 10 73 04

TELE

KEY

M 33 A080 E1 10 72 04

FLEX

CODE

M 33 A080 E1 10 73 04

TELE

CODE

Cabinet with 4 drawers.

Dimensions mm 714x726x800 h.

ORD. NO.

TYPE

M 33 A080 C0 10 56 04

FLEX

KEY

M 33 A080 C0 10 59 04

TELE

KEY

M 33 A080 E1 10 56 04

FLEX

CODE

M 33 A080 E1 10 59 04

TELE

CODE

Cabinet with 6 drawers.

Dimensions mm 714x726x800 h.

ORD. NO.

TYPE

M 33 A080 C0 10 65 04

FLEX

KEY

M 33 A080 C0 10 78 04

TELE

KEY

M 33 A080 E1 10 65 04

FLEX

CODE

M 33 A080 E1 10 78 04

TELE

CODE

Cabinet with 7 drawers.

Dimensions mm 714x726x800 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A085 C0 10 92 04 | FLEX | KEY  |
| M 33 A085 C0 10 AS 04 | TELE | KEY  |
| M 33 A085 E1 10 92 04 | FLEX | CODE |
| M 33 A085 E1 10 AS 04 | TELE | CODE |

Cabinet with 4 drawers.  
Dimensions mm 714x726x850 h.



| ORD. NO.              | TYPE  |      |
|-----------------------|-------|------|
| M 33 A085 C0 10 93 04 | FLEX  | KEY  |
| M 33 A085 C0 10 AT 04 | TELE* | KEY  |
| M 33 A085 E1 10 93 04 | FLEX  | CODE |
| M 33 A085 E1 10 AT 04 | TELE* | CODE |

Cabinet with 5 drawers.  
Dimensions mm 714x726x850 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A085 C0 10 88 04 | FLEX | KEY  |
| M 33 A085 C0 10 AP 04 | TELE | KEY  |
| M 33 A085 E1 10 88 04 | FLEX | CODE |
| M 33 A085 E1 10 AP 04 | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 714x726x850 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A085 C0 10 95 04 | FLEX | KEY  |
| M 33 A085 C0 10 AU 04 | TELE | KEY  |
| M 33 A085 E1 10 95 04 | FLEX | CODE |
| M 33 A085 E1 10 AU 04 | TELE | CODE |

Cabinet with 7 drawers.  
Dimensions mm 714x726x850 h.



| ORD. NO.              | TYPE  |      |
|-----------------------|-------|------|
| M 33 A085 C0 10 AE 04 | FLEX  | KEY  |
| M 33 A085 C0 10 AF 04 | TELE* | KEY  |
| M 33 A085 E1 10 AE 04 | FLEX  | CODE |
| M 33 A085 E1 10 AF 04 | TELE* | CODE |

Cabinet with 7 drawers.  
Dimensions mm 714x726x850 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A085 C0 10 AC 04 | FLEX | KEY  |
| M 33 A085 C0 10 AD 04 | TELE | KEY  |
| M 33 A085 E1 10 AC 04 | FLEX | CODE |
| M 33 A085 E1 10 AD 04 | TELE | CODE |

Cabinet with 7 drawers.  
Dimensions mm 714x726x850 h.



| ORD. NO.              | TYPE  |      |
|-----------------------|-------|------|
| M 33 A085 C0 10 87 04 | FLEX  | KEY  |
| M 33 A085 C0 10 AV 04 | TELE* | KEY  |
| M 33 A085 E1 10 87 04 | FLEX  | CODE |
| M 33 A085 E1 10 AV 04 | TELE* | CODE |

Cabinet with 8 drawers.  
Dimensions mm 714x726x850 h.




| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A085 C0 10 AG 04 | FLEX | KEY  |
| M 33 A085 C0 10 AH 04 | TELE | KEY  |
| M 33 A085 E1 10 AG 04 | FLEX | CODE |
| M 33 A085 E1 10 AH 04 | TELE | CODE |

Cabinet with 8 drawers.  
Dimensions mm 714x726x850 h.

|         |                                                                                                                                                           |                                                                                                                                           |                                                                                                                                            |                                                                                                                                            |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| 1000 MM |  <div>900 mm</div> <div>50<br/>150<br/>150<br/>150<br/>200<br/>200</div> |  <div>100<br/>150<br/>150<br/>150<br/>150<br/>200</div> |  <div>150<br/>150<br/>150<br/>150<br/>150<br/>150</div> |  <div>100<br/>100<br/>100<br/>150<br/>150<br/>300</div> |
|         | ORD. NO. TYPE                                                                                                                                             | ORD. NO. TYPE                                                                                                                             | ORD. NO. TYPE                                                                                                                              | ORD. NO. TYPE                                                                                                                              |
|         | M 33 A100 C0 10 CZ 04 FLEX KEY                                                                                                                            | M 33 A100 C0 10 DB 04 FLEX KEY                                                                                                            | M 33 A100 C0 10 BE 04 FLEX KEY                                                                                                             | M 33 A100 C0 10 CQ 04 FLEX KEY                                                                                                             |
|         | M 33 A100 C0 10 DA 04 TELE* KEY                                                                                                                           | M 33 A100 C0 10 DC 04 TELE KEY                                                                                                            | M 33 A100 C0 10 BF 04 TELE KEY                                                                                                             | M 33 A100 C0 10 CR 04 TELE KEY                                                                                                             |
|         | M 33 A100 E1 10 CZ 04 FLEX CODE                                                                                                                           | M 33 A100 E1 10 DB 04 FLEX CODE                                                                                                           | M 33 A100 E1 10 BE 04 FLEX CODE                                                                                                            | M 33 A100 E1 10 CQ 04 FLEX CODE                                                                                                            |
|         | M 33 A100 E1 10 DA 04 TELE* CODE                                                                                                                          | M 33 A100 E1 10 DC 04 TELE CODE                                                                                                           | M 33 A100 E1 10 BF 04 TELE CODE                                                                                                            | M 33 A100 E1 10 CR 04 TELE CODE                                                                                                            |
|         | Cabinet with 6 drawers.<br>Dimensions mm 714x726x1000 h.                                                                                                  | Cabinet with 6 drawers.<br>Dimensions mm 714x726x1000 h.                                                                                  | Cabinet with 6 drawers.<br>Dimensions mm 714x726x1000 h.                                                                                   | Cabinet with 6 drawers.<br>Dimensions mm 714x726x1000 h.                                                                                   |

|         |                                                                                                                                                 |                                                                                                                                                   |                                                                                                                                                   |                                                                                                                                                    |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| 1000 MM |  <div>50<br/>75<br/>75<br/>100<br/>100<br/>200<br/>300</div> |  <div>75<br/>75<br/>100<br/>150<br/>150<br/>150<br/>200</div> |  <div>50<br/>75<br/>75<br/>100<br/>100<br/>150<br/>200</div> |  <div>75<br/>75<br/>100<br/>100<br/>100<br/>150<br/>150</div> |
|         | ORD. NO. TYPE                                                                                                                                   | ORD. NO. TYPE                                                                                                                                     | ORD. NO. TYPE                                                                                                                                     | ORD. NO. TYPE                                                                                                                                      |
|         | M 33 A100 C0 10 BN 04 FLEX KEY                                                                                                                  | M 33 A100 C0 10 AW 04 FLEX KEY                                                                                                                    | M 33 A100 C0 10 CU 04 FLEX KEY                                                                                                                    | M 33 A100 C0 10 DD 04 FLEX KEY                                                                                                                     |
|         | M 33 A100 C0 10 BP 04 TELE* KEY                                                                                                                 | M 33 A100 C0 10 BH 04 TELE KEY                                                                                                                    | M 33 A100 C0 10 CV 04 TELE* KEY                                                                                                                   | M 33 A100 C0 10 DE 04 TELE KEY                                                                                                                     |
|         | M 33 A100 E1 10 BN 04 FLEX CODE                                                                                                                 | M 33 A100 E1 10 AW 04 FLEX CODE                                                                                                                   | M 33 A100 E1 10 CU 04 FLEX CODE                                                                                                                   | M 33 A100 E1 10 DD 04 FLEX CODE                                                                                                                    |
|         | M 33 A100 E1 10 BP 04 TELE* CODE                                                                                                                | M 33 A100 E1 10 BH 04 TELE CODE                                                                                                                   | M 33 A100 E1 10 CV 04 TELE* CODE                                                                                                                  | M 33 A100 E1 10 DE 04 TELE CODE                                                                                                                    |
|         | Cabinet with 7 drawers.<br>Dimensions mm 714x726x1000 h.                                                                                        | Cabinet with 7 drawers.<br>Dimensions mm 714x726x1000 h.                                                                                          | Cabinet with 8 drawers.<br>Dimensions mm 714x726x1000 h.                                                                                          | Cabinet with 8 drawers.<br>Dimensions mm 714x726x1000 h.                                                                                           |

|         |                                                                                                                                                 |                                                                                                                                                   |                                                                                                                                                    |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| 1000 MM |  <div>50<br/>75<br/>75<br/>100<br/>100<br/>150<br/>250</div> |  <div>75<br/>75<br/>100<br/>100<br/>100<br/>150<br/>200</div> |  <div>75<br/>75<br/>100<br/>100<br/>100<br/>150<br/>200</div> |
|         | ORD. NO. TYPE                                                                                                                                   | ORD. NO. TYPE                                                                                                                                     | ORD. NO. TYPE                                                                                                                                      |
|         | M 33 A100 C0 10 BQ 04 FLEX KEY                                                                                                                  | M 33 A100 C0 10 CN 04 FLEX KEY                                                                                                                    | M 33 A100 C0 10 CP 04 TELE KEY                                                                                                                     |
|         | M 33 A100 C0 10 BR 04 TELE* KEY                                                                                                                 | M 33 A100 C0 10 CR 04 TELE KEY                                                                                                                    | M 33 A100 E1 10 CN 04 FLEX CODE                                                                                                                    |
|         | M 33 A100 E1 10 BQ 04 FLEX CODE                                                                                                                 | M 33 A100 E1 10 BR 04 TELE* CODE                                                                                                                  | M 33 A100 E1 10 CP 04 TELE CODE                                                                                                                    |
|         | M 33 A100 E1 10 BR 04 TELE* CODE                                                                                                                |                                                                                                                                                   |                                                                                                                                                    |
|         | Cabinet with 8 drawers.<br>Dimensions mm 714x726x1000 h.                                                                                        | Cabinet with 8 drawers.<br>Dimensions mm 714x726x1000 h.                                                                                          | Cabinet with 8 drawers.<br>Dimensions mm 714x726x1000 h.                                                                                           |

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction

**SYLOGIK**  
smart solutions



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 33 A100 C0 10 CS 04</b> | FLEX  | KEY  |
| <b>M 33 A100 C0 10 CT 04</b> | TELE* | KEY  |
| <b>M 33 A100 E1 10 CS 04</b> | FLEX  | CODE |
| <b>M 33 A100 E1 10 CT 04</b> | TELE* | CODE |

Cabinet with 9 drawers.  
Dimensions mm 714x726x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 33 A100 C0 10 DH 04</b> | FLEX | KEY  |
| <b>M 33 A100 C0 10 DJ 04</b> | TELE | KEY  |
| <b>M 33 A100 E1 10 DH 04</b> | FLEX | CODE |
| <b>M 33 A100 E1 10 DJ 04</b> | TELE | CODE |

Cabinet with 9 drawers.  
Dimensions mm 714x726x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 33 A100 C0 10 BL 04</b> | FLEX | KEY  |
| <b>M 33 A100 C0 10 BM 04</b> | TELE | KEY  |
| <b>M 33 A100 E1 10 BL 04</b> | FLEX | CODE |
| <b>M 33 A100 E1 10 BM 04</b> | TELE | CODE |

Cabinet with 9 drawers.  
Dimensions mm 714x726x1000 h.



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 33 A100 C0 10 DM 04</b> | FLEX  | KEY  |
| <b>M 33 A100 C0 10 DN 04</b> | TELE* | KEY  |
| <b>M 33 A100 E1 10 DM 04</b> | FLEX  | CODE |
| <b>M 33 A100 E1 10 DN 04</b> | TELE* | CODE |

Cabinet with 9 drawers.  
Dimensions mm 714x726x1000 h.



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 33 A100 C0 10 DF 04</b> | FLEX  | KEY  |
| <b>M 33 A100 C0 10 DG 04</b> | TELE* | KEY  |
| <b>M 33 A100 E1 10 DF 04</b> | FLEX  | CODE |
| <b>M 33 A100 E1 10 DG 04</b> | TELE* | CODE |

Cabinet with 10 drawers.  
Dimensions mm 714x726x1000 h.



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 33 A100 C0 10 DP 04</b> | FLEX  | KEY  |
| <b>M 33 A100 C0 10 DQ 04</b> | TELE* | KEY  |
| <b>M 33 A100 E1 10 DP 04</b> | FLEX  | CODE |
| <b>M 33 A100 E1 10 DQ 04</b> | TELE* | CODE |

Cabinet with 10 drawers.  
Dimensions mm 714x726x1000 h.



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 33 A100 C0 10 DK 04</b> | FLEX  | KEY  |
| <b>M 33 A100 C0 10 DL 04</b> | TELE* | KEY  |
| <b>M 33 A100 E1 10 DK 04</b> | FLEX  | CODE |
| <b>M 33 A100 E1 10 DL 04</b> | TELE* | CODE |

Cabinet with 11 drawers.  
Dimensions mm 714x726x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 33 A100 C0 10 DR 04</b> | FLEX | KEY  |
| <b>M 33 A100 C0 10 DS 04</b> | TELE | KEY  |
| <b>M 33 A100 E1 10 DR 04</b> | FLEX | CODE |
| <b>M 33 A100 E1 10 DS 04</b> | TELE | CODE |

Cabinet with 12 drawers.  
Dimensions mm 714x726x1000 h.



| ORD. NO.                     | TYPE |
|------------------------------|------|
| <b>M 33 A100 X0 10 DV 04</b> | FLEX |
| <b>M 33 A100 X0 10 DW 04</b> | TELE |

Cabinet with 1 adjustable shelf,  
1 retractable shelf.  
Dimensions mm 714x726x1000 h.



| ORD. NO.                     |
|------------------------------|
| <b>M 33 A100 X0 10 DX 04</b> |

Cabinet with 2 adjustable shelves.  
Dimensions mm 714x726x1000 h.

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96% = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions



|                                              |                                                                                |                                                                                             |                                            |                                                                                                                                     |
|----------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| 18x27 EH                                     | 27x27 EH                                                                       | 36x27 EH                                                                                    | 54x27 EH                                   | 27x36 EH                                                                                                                            |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br>100% = 50 Kg<br>96% = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br>100% = 200 Kg                                          | <b>KEY</b> = cylinder lock<br>page 12 - 13 | <b>CODE</b> = electronic lock<br>page 14 - 17                                                                                       |
|                                              |                                                                                | <b>YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.</b> |                                            | <b>PR</b> = Adjustable shelf<br><b>PE</b> = Retractable shelf<br>* 50 mm drawer height is available only in the flexible extraction |



36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH



GUARANTEE  
**5**  
YEARS

**FLEX** flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic extraction

100% = 200 Kg

**KEY** = cylinder lock  
page 12 - 13

**CODE** = electronic lock  
page 14 - 17



YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A100 C0 10 LJ 04 | FLEX | KEY  |
| M 33 A100 C0 10 LK 04 | TELE | KEY  |
| M 33 A100 P4 10 LJ 04 | FLEX | CODE |
| M 33 A100 P4 10 LK 04 | TELE | CODE |

Cabinet with 2 drawers, 2 retractable shelves, 1 top shelf with 3 edges.  
Dimensions mm 714x751x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A100 C0 10 LG 04 | FLEX | KEY  |
| M 33 A100 C0 10 LH 04 | TELE | KEY  |
| M 33 A100 P4 10 LG 04 | FLEX | CODE |
| M 33 A100 P4 10 LH 04 | TELE | CODE |

Cabinet with 3 drawers, 1 top shelf with 3 edges.  
Dimensions mm 714x751x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A100 C0 10 BY 04 | FLEX | KEY  |
| M 33 A100 C0 10 BZ 04 | TELE | KEY  |
| M 33 A100 P4 10 BY 04 | FLEX | CODE |
| M 33 A100 P4 10 BZ 04 | TELE | CODE |

Cabinet with 3 drawers, 1 retractable shelf, 1 top shelf with 3 edges.  
Dimensions mm 714x751x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A100 C0 10 CA 04 | FLEX | KEY  |
| M 33 A100 C0 10 CB 04 | TELE | KEY  |
| M 33 A100 P4 10 CA 04 | FLEX | CODE |
| M 33 A100 P4 10 CB 04 | TELE | CODE |

Cabinet with 3 drawers, 2 retractable shelves, 1 top shelf with 3 edges.  
Dimensions mm 714x751x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A100 C0 10 LP 04 | FLEX | KEY  |
| M 33 A100 C0 10 LQ 04 | TELE | KEY  |
| M 33 A100 P4 10 LP 04 | FLEX | CODE |
| M 33 A100 P4 10 LQ 04 | TELE | CODE |

Cabinet with 4 drawers, 1 retractable shelf, 1 top shelf with 3 edges.  
Dimensions mm 714x751x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A100 C0 10 LM 04 | FLEX | KEY  |
| M 33 A100 C0 10 LN 04 | TELE | KEY  |
| M 33 A100 P4 10 LM 04 | FLEX | CODE |
| M 33 A100 P4 10 LN 04 | TELE | CODE |

Cabinet with 2 adjustable shelves, 2 retractable shelves, 1 top shelf with 3 edges.  
Dimensions mm 714x751x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A100 C0 10 LR 04 | FLEX | KEY  |
| M 33 A100 C0 10 LS 04 | TELE | KEY  |
| M 33 A100 T2 10 LR 04 | FLEX | CODE |
| M 33 A100 T2 10 LS 04 | TELE | CODE |

Cabinet with 3 drawers, 2 retractable shelves, 1 top shelf with 3 edges.  
Dimensions mm 714x751x1023 h.



| ORD. NO.              | TYPE  |      |
|-----------------------|-------|------|
| M 33 A100 C0 10 LT 04 | FLEX  | KEY  |
| M 33 A100 C0 10 LU 04 | TELE* | KEY  |
| M 33 A100 T2 10 LT 04 | FLEX  | CODE |
| M 33 A100 T2 10 LU 04 | TELE* | CODE |

Cabinet with 5 drawers, 1 retractable shelf, 1 top shelf with 3 edges.  
Dimensions mm 714x751x1023 h.



| ORD. NO.              | TYPE  |      |
|-----------------------|-------|------|
| M 33 A100 C0 10 LV 04 | FLEX  | KEY  |
| M 33 A100 C0 10 LW 04 | TELE* | KEY  |
| M 33 A100 T2 10 LV 04 | FLEX  | CODE |
| M 33 A100 T2 10 LW 04 | TELE* | CODE |

Cabinet with 5 drawers, 1 retractable shelf, 1 top shelf with 3 edges.  
Dimensions mm 714x751x1023 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A150 C0 10 FJ 04 | FLEX | KEY  |
| M 33 A150 C0 10 FK 04 | TELE | KEY  |
| M 33 A150 E1 10 FJ 04 | FLEX | CODE |
| M 33 A150 E1 10 FK 04 | TELE | CODE |

Cabinet with 9 drawers.  
Dimensions mm 714x726x1500 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A150 C0 10 LX 04 | FLEX | KEY  |
| M 33 A150 C0 10 LY 04 | TELE | KEY  |
| M 33 A150 E1 10 LX 04 | FLEX | CODE |
| M 33 A150 E1 10 LY 04 | TELE | CODE |

Cabinet with 9 drawers.  
Dimensions mm 714x726x1500 h.



| ORD. NO.              | TYPE  |      |
|-----------------------|-------|------|
| M 33 A150 C0 10 LZ 04 | FLEX  | KEY  |
| M 33 A150 C0 10 MA 04 | TELE* | KEY  |
| M 33 A150 E1 10 LZ 04 | FLEX  | CODE |
| M 33 A150 E1 10 MA 04 | TELE* | CODE |

Cabinet with 10 drawers.  
Dimensions mm 714x726x1500 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A150 C0 10 LA 04 | FLEX | KEY  |
| M 33 A150 C0 10 LB 04 | TELE | KEY  |
| M 33 A150 P4 10 LA 04 | FLEX | CODE |
| M 33 A150 P4 10 LB 04 | TELE | CODE |

Cabinet with 3 drawers, 2 retractable shelves.  
Dimensions mm 714x751x1500 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A150 C0 10 LE 04 | FLEX | KEY  |
| M 33 A150 C0 10 LF 04 | TELE | KEY  |
| M 33 A150 P4 10 LE 04 | FLEX | CODE |
| M 33 A150 P4 10 LF 04 | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 714x751x1500 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A150 C0 10 LC 04 | FLEX | KEY  |
| M 33 A150 C0 10 LD 04 | TELE | KEY  |
| M 33 A150 P4 10 LC 04 | FLEX | CODE |
| M 33 A150 P4 10 LD 04 | TELE | CODE |

Cabinet with 3 adjustable shelves, 2 retractable  
shelves. Dimensions mm 714x751x1500 h.

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock

page 12 - 13

123456

CODE = electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

FAMI

MASTER

A blue cabinet with four drawers. The height is indicated as 1900 mm. The drawers are labeled with their heights: 100, 100, 100, and 100 mm.

| ORD. NO.              | TYPE |
|-----------------------|------|
| M 33 A200 C5 10 FU 04 | FLEX |
| M 33 A200 C5 10 FV 04 | TELE |

Cabinet with 4 drawers.  
Dimensions mm 714x726x2000 h.

A blue cabinet with seven drawers and two adjustable shelves. The height is indicated as 2000 mm. The drawers are labeled with their heights: 75, 75, 100, 150, 150, 150, and 200 mm. The shelves are labeled as PR.

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A200 C0 10 FS 04 | FLEX | KEY  |
| M 33 A200 C0 10 FT 04 | TELE | KEY  |
| M 33 A200 E1 10 FS 04 | FLEX | CODE |
| M 33 A200 E1 10 FT 04 | TELE | CODE |

Cabinet with 7 drawers, 2 adjustable shelves.  
Dimensions mm 714x726x2000 h.

A blue cabinet with seven drawers and three adjustable shelves. The height is indicated as 2000 mm. The drawers are labeled with their heights: 75, 75, 100, 150, 150, 150, and 200 mm. The shelves are labeled as PR.

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A200 C0 10 FY 04 | FLEX | KEY  |
| M 33 A200 C0 10 FZ 04 | TELE | KEY  |
| M 33 A200 T2 10 FY 04 | FLEX | CODE |
| M 33 A200 T2 10 FZ 04 | TELE | CODE |

Cabinet with 7 drawers, 3 adjustable shelves.  
Dimensions mm 714x751x2000 h.

A blue cabinet with three drawers and two retractable shelves. The height is indicated as 2000 mm. The drawers are labeled with their heights: 100, 100, and 150 mm. The shelves are labeled as PE.

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 33 A200 C0 10 FW 04 | FLEX | KEY  |
| M 33 A200 C0 10 FX 04 | TELE | KEY  |
| M 33 A200 P4 10 FW 04 | FLEX | CODE |
| M 33 A200 P4 10 FX 04 | TELE | CODE |

Cabinet with 3 drawers, 2 adjustable shelves,  
2 retractable shelves.  
Dimensions mm 714x751x2000 h.

173

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96% = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



873 MM



SINGLE SLIDING DOOR

ORD. NO. TYPE

|                              |             |            |
|------------------------------|-------------|------------|
| <b>M 33 D085 C0 10 GJ 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D085 C0 10 GK 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 6 drawers, 1 adjustable shelf,  
1 retractable shelf, 1 top shelf with 3 edges.  
Dimensions mm 1428x751x873 h.



DOUBLE SLIDING DOOR

ORD. NO. TYPE

|                              |             |            |
|------------------------------|-------------|------------|
| <b>M 33 D085 C0 10 GL 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D085 C0 10 GM 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 2 drawers, 2 adjustable shelves,  
2 retractable shelves, 1 top shelf with 3 edges.  
Dimensions mm 1428x776x873 h.



DOUBLE SLIDING DOOR

ORD. NO. TYPE

|                              |             |            |
|------------------------------|-------------|------------|
| <b>M 33 D085 C0 10 GN 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D085 C0 10 GP 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 4 drawers, 2 retractable shelves,  
1 top shelf with 3 edges.  
Dimensions mm 1428x776x873 h.

1023 MM



SINGLE SLIDING DOOR

ORD. NO. TYPE

|                              |             |            |
|------------------------------|-------------|------------|
| <b>M 33 D100 C0 10 GQ 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D100 C0 10 GR 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 7 drawers, 2 adjustable shelves,  
1 retractable shelf, 1 top shelf with 3 edges.  
Dimensions mm 1428x751x1023 h.



SINGLE SLIDING DOOR

ORD. NO. TYPE

|                              |             |            |
|------------------------------|-------------|------------|
| <b>M 33 D100 C0 10 GS 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D100 C0 10 GT 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 8 drawers, 1 adjustable shelf,  
2 retractable shelves, 1 top shelf with 3 edges.  
Dimensions mm 1428x751x1023 h.



SINGLE SLIDING DOOR

ORD. NO. TYPE

|                              |             |            |
|------------------------------|-------------|------------|
| <b>M 33 D100 C0 10 GU 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D100 C0 10 GV 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 10 drawers, 1 top shelf with 3 edges.  
Dimensions mm 1428x751x1023 h.

1023 MM



DOUBLE SLIDING DOOR

ORD. NO. TYPE

|                              |             |            |
|------------------------------|-------------|------------|
| <b>M 33 D100 C0 10 GW 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D100 C0 10 GX 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 2 drawers, 6 retractable shelves,  
1 top shelf with 3 edges.  
Dimensions mm 1428x776x1023 h.



DOUBLE SLIDING DOOR

ORD. NO. TYPE

|                              |             |            |
|------------------------------|-------------|------------|
| <b>M 33 D100 C0 10 GY 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D100 C0 10 GZ 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 4 drawers, 2 retractable shelves,  
1 top shelf with 3 edges.  
Dimensions mm 1428x776x1023 h.



DOUBLE SLIDING DOOR

ORD. NO. TYPE

|                              |             |            |
|------------------------------|-------------|------------|
| <b>M 33 D100 C0 10 HL 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D100 C0 10 HM 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 4 drawers, 2 retractable shelves,  
1 top shelf with 3 edges.  
Dimensions mm 1428x776x1023 h.

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible extraction  
100% = 50 Kg  
96% = 75 kg  
92% = 100 Kg

**TELE** telescopic extraction  
100% = 200 Kg

**KEY** = cylinder lock  
page 12 - 13

**CODE** = electronic lock  
page 14 - 17



YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction



1023 MM



DOUBLE SLIDING DOOR

| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 33 D100 C0 10 HE 04 | FLEX | KEY |
| M 33 D100 C0 10 HF 04 | TELE | KEY |

Cabinet with 4 drawers, 4 retractable shelves, 1 top shelf with 3 edges.

Dimensions mm 1428x776x1023 h.



DOUBLE SLIDING DOOR

| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 33 D100 C0 10 HS 04 | FLEX | KEY |
| M 33 D100 C0 10 HT 04 | TELE | KEY |

Cabinet with 6 drawers, 1 top shelf with 3 edges.

Dimensions mm 1428x776x1023 h.



DOUBLE SLIDING DOOR

| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 33 D100 C0 10 HA 04 | FLEX | KEY |
| M 33 D100 C0 10 HB 04 | TELE | KEY |

Cabinet with 6 drawers, 2 retractable shelves, 1 top shelf with 3 edges.

Dimensions mm 1428x776x1023 h.

1023 MM



DOUBLE SLIDING DOOR

| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 33 D100 C0 10 HN 04 | FLEX | KEY |
| M 33 D100 C0 10 HP 04 | TELE | KEY |

Cabinet with 8 drawers, 1 top shelf with 3 edges.

Dimensions mm 1428x776x1023 h.



DOUBLE SLIDING DOOR

| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 33 D100 C0 10 HC 04 | FLEX | KEY |
| M 33 D100 C0 10 HD 04 | TELE | KEY |

Cabinet with 8 drawers, 2 retractable shelves, 1 top shelf with 3 edges.

Dimensions mm 1428x776x1023 h.



DOUBLE SLIDING DOOR

| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 33 D100 C0 10 HJ 04 | FLEX | KEY |
| M 33 D100 C0 10 HK 04 | TELE | KEY |

Cabinet with 10 drawers, 1 top shelf with 3 edges.

Dimensions mm 1428x776x1023 h.

1023 MM



DOUBLE SLIDING DOOR

| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 33 D100 C0 10 HY 04 | FLEX | KEY |
| M 33 D100 C0 10 HZ 04 | TELE | KEY |

Cabinet with 12 drawers, 1 top shelf with 3 edges.

Dimensions mm 1428x776x1023 h.



DOUBLE SLIDING DOOR

| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 33 D100 C0 10 JA 04 | FLEX | KEY |
| M 33 D100 C0 10 JB 04 | TELE | KEY |

Cabinet with 4 adjustable shelves, 2 retractable shelves, 1 top shelf with 3 edges.

Dimensions mm 1428x776x1023 h.



DOUBLE SLIDING DOOR

| ORD. NO.              | TYPE |     |
|-----------------------|------|-----|
| M 33 D100 C0 10 HQ 04 | FLEX | KEY |
| M 33 D100 C0 10 HR 04 | TELE | KEY |

Cabinet with 2 adjustable shelves, 4 retractable shelves, 1 top shelf with 3 edges.

Dimensions mm 1428x776x1023 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction

**SYLOGIK**  
smart solutions

1500 MM



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 33 D150 C0 10 JC 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D150 C0 10 JD 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 4 drawers, 4 retractable shelves.  
**Dimensions mm 1428x776x1500 h.**



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 33 D150 C0 10 JE 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D150 C0 10 JF 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 6 drawers, 2 adjustable shelves,  
4 retractable shelves. **Dim. mm 1428x776x1500 h.**

2000 MM



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 33 D200 C0 10 JJ 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D200 C0 10 JK 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 6 drawers, 6 adjustable shelves,  
2 retractable shelves. **Dim. mm 1428x776x2000 h.**



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 33 D200 C0 10 JL 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 33 D200 C0 10 JM 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 8 drawers, 4 adjustable shelves.  
**Dimensions mm 1428x776x2000 h.**

|                                              |                                                                                                                                                                     |                                                                                                                                         |                                                                                                                                 |                                                                                                                                    |                                                                                    |                                                                                      |  |                                                                                                                                     |                                                                                     |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 36x36 EH                                     |                                                                                                                                                                     | 45x36 EH                                                                                                                                |                                                                                                                                 | 54x36 EH                                                                                                                           |                                                                                    | 64x36 EH                                                                             |  | 78x36 EH                                                                                                                            |                                                                                     |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> | <b>FLEX</b> flexible extraction<br><br>100% = 50 Kg<br>96% = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br><br>100% = 200 Kg | <br><b>KEY</b> = cylinder lock<br>page 12 - 13 | <br><b>CODE</b> = electronic lock<br>page 14 - 17 |  | YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10. |  | <b>PR</b> = Adjustable shelf<br><b>PE</b> = Retractable shelf<br>* 50 mm drawer height is available only in the flexible extraction |  |



GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



918 MM



50  
100  
100  
150  
200

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 33 R070 S0 10 40 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 33 R070 P1 10 40 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
**Dimensions mm 740x800x918 h.**



75  
75  
100  
100  
250

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 33 R070 S0 10 42 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 33 R070 P1 10 42 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
**Dimensions mm 740x800x918 h.**



75  
75  
100  
100  
100  
150

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 33 R070 S0 10 44 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 33 R070 P1 10 44 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
**Dimensions mm 740x800x918 h.**

1018 MM



100  
150  
150  
300

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 33 R080 S0 10 72 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 33 R080 P1 10 72 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 4 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
**Dimensions mm 740x800x1018 h.**



75  
75  
100  
100  
150  
200

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 33 R080 S0 10 56 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 33 R080 P1 10 56 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
**Dimensions mm 740x800x1018 h.**



75  
75  
100  
100  
100  
100  
150

ORD. NO.

TYPE

|                              |             |             |
|------------------------------|-------------|-------------|
| <b>M 33 R080 S0 10 65 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 33 R080 P1 10 65 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 7 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
**Dimensions mm 740x800x1018 h.**

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf  
PE = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

1068 MM



750 mm

50  
75  
75  
100  
100  
150  
200

ORD. NO.

TYPE

M 33 R085 S0 10 AE 04

FLEX

KEY

M 33 R085 P1 10 AE 04

FLEX

CODE

Cabinet with 7 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
Dimensions mm 740x800x1068 h.



75  
75  
100  
100  
125  
125  
150

ORD. NO.

TYPE

M 33 R085 S0 10 AC 04

FLEX

KEY

M 33 R085 P1 10 AC 04

FLEX

CODE

Cabinet with 7 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
Dimensions mm 740x800x1068 h.



75  
75  
75  
100  
100  
100  
150

ORD. NO.

TYPE

M 33 R085 S0 10 AG 04

FLEX

KEY

M 33 R085 P1 10 AG 04

FLEX

CODE

Cabinet with 8 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
Dimensions mm 740x800x1068 h.

1218 MM



900 mm

100  
150  
150  
150  
150  
200

ORD. NO.

TYPE

M 33 R100 S0 10 DB 04

FLEX

KEY

M 33 R100 P1 10 DB 04

FLEX

CODE

Cabinet with 6 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
Dimensions mm 740x800x1218 h.



75  
75  
100  
150  
150  
150  
200

ORD. NO.

TYPE

M 33 R100 S0 10 AW 04

FLEX

KEY

M 33 R100 P1 10 AW 04

FLEX

CODE

Cabinet with 7 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
Dimensions mm 740x800x1218 h.



50  
75  
75  
100  
100  
150  
150  
200

ORD. NO.

TYPE

M 33 R100 S0 10 CU 04

FLEX


KEY

M 33 R100 P1 10 CU 04

FLEX

CODE

Cabinet with 8 drawers.  
Ø 125 mm wheels in elastic rubber.  
Cabinet load capacity: 400 kg.  
Dimensions mm 740x800x1218 h.



18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock  
page 12 - 13

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

EMPTY CABINET BODY WITH LOCKING MECHANISM

WIDTH = 714 mm      DEPTH = 726 mm




|                                                  |    |                       |                       |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 400                   | 700                   | 800                   | 850                   |
| USABLE HEIGHT MM (B)                             |    | 300                   | 600                   | 700                   | 750                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 33 A040 X0 10 00 04 | M 33 A070 X0 10 00 04 | M 33 A080 X0 10 00 04 | M 33 A085 X0 10 00 04 |
| CABINET WITH VERTEBRATE BAR WITHOUT LOCK*        | C5 | M 33 A040 C5 10 00 04 | M 33 A070 C5 10 00 04 | M 33 A080 C5 10 00 04 | M 33 A085 C5 10 00 04 |
| KEY COMFORT                                      |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | C0 | M 33 A040 C0 10 00 04 | M 33 A070 C0 10 00 04 | M 33 A080 C0 10 00 04 | M 33 A085 C0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | C1 | M 33 A040 C1 10 00 04 | M 33 A070 C1 10 00 04 | M 33 A080 C1 10 00 04 | M 33 A085 C1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | C2 | M 33 A040 C2 10 00 04 | M 33 A070 C2 10 00 04 | M 33 A080 C2 10 00 04 | M 33 A085 C2 10 00 04 |
| CODE EASY                                        |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | E1 | M 33 A040 E1 10 00 04 | M 33 A070 E1 10 00 04 | M 33 A080 E1 10 00 04 | M 33 A085 E1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | E2 | M 33 A040 E2 10 00 04 | M 33 A070 E2 10 00 04 | M 33 A080 E2 10 00 04 | M 33 A085 E2 10 00 04 |
| EXTERNAL POWERED                                 | E4 | M 33 A040 E4 10 00 04 | M 33 A070 E4 10 00 04 | M 33 A080 E4 10 00 04 | M 33 A085 E4 10 00 04 |
| EXTERNAL POWERED - PROGRAMMABLE                  | E5 | M 33 A040 E5 10 00 04 | M 33 A070 E5 10 00 04 | M 33 A080 E5 10 00 04 | M 33 A085 E5 10 00 04 |
| CODE TOP                                         |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T0 | M 33 A040 T0 10 00 04 | M 33 A070 T0 10 00 04 | M 33 A080 T0 10 00 04 | M 33 A085 T0 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T1 | M 33 A040 T1 10 00 04 | M 33 A070 T1 10 00 04 | M 33 A080 T1 10 00 04 | M 33 A085 T1 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T2 | M 33 A040 T2 10 00 04 | M 33 A070 T2 10 00 04 | M 33 A080 T2 10 00 04 | M 33 A085 T2 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T3 | M 33 A040 T3 10 00 04 | M 33 A070 T3 10 00 04 | M 33 A080 T3 10 00 04 | M 33 A085 T3 10 00 04 |

\*The vertebrate bar and locking systems are available on page 190 - 191

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3.  
In configurations with the letter T the remote control always acts on the output 1 (see page 15).  
Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE  
5  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

45x36 EH

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

54x36 EH

**CODE** =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

78x36 EH




| 1000                  | 1150                  | 1325                  | 1500                  | 1625                  | 2000                  |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 900                   | 1050                  | 1225                  | 1400                  | 1525                  | 1900                  |
| M 33 A100 X0 10 00 04 | M 33 A115 X0 10 00 04 | M 33 A132 X0 10 00 04 | M 33 A150 X0 10 00 04 | M 33 A162 X0 10 00 04 | M 33 A200 X0 10 00 04 |
| M 33 A100 C5 10 00 04 | M 33 A115 C5 10 00 04 | M 33 A132 C5 10 00 04 | M 33 A150 C5 10 00 04 | M 33 A162 C5 10 00 04 | M 33 A200 C5 10 00 04 |
| M 33 A100 C0 10 00 04 | M 33 A115 C0 10 00 04 | M 33 A132 C0 10 00 04 | M 33 A150 C0 10 00 04 | M 33 A162 C0 10 00 04 | M 33 A200 C0 10 00 04 |
| M 33 A100 C1 10 00 04 | M 33 A115 C1 10 00 04 | M 33 A132 C1 10 00 04 | M 33 A150 C1 10 00 04 | M 33 A162 C1 10 00 04 | M 33 A200 C1 10 00 04 |
| M 33 A100 C2 10 00 04 | M 33 A115 C2 10 00 04 | M 33 A132 C2 10 00 04 | M 33 A150 C2 10 00 04 | M 33 A162 C2 10 00 04 | M 33 A200 C2 10 00 04 |
| M 33 A100 E1 10 00 04 | M 33 A115 E1 10 00 04 | M 33 A132 E1 10 00 04 | M 33 A150 E1 10 00 04 | M 33 A162 E1 10 00 04 | M 33 A200 E1 10 00 04 |
| M 33 A100 E2 10 00 04 | M 33 A115 E2 10 00 04 | M 33 A132 E2 10 00 04 | M 33 A150 E2 10 00 04 | M 33 A162 E2 10 00 04 | M 33 A200 E2 10 00 04 |
| M 33 A100 E4 10 00 04 | M 33 A115 E4 10 00 04 | M 33 A132 E4 10 00 04 | M 33 A150 E4 10 00 04 | M 33 A162 E4 10 00 04 | M 33 A200 E4 10 00 04 |
| M 33 A100 E5 10 00 04 | M 33 A115 E5 10 00 04 | M 33 A132 E5 10 00 04 | M 33 A150 E5 10 00 04 | M 33 A162 E5 10 00 04 | M 33 A200 E5 10 00 04 |
| M 33 A100 T0 10 00 04 | M 33 A115 T0 10 00 04 | M 33 A132 T0 10 00 04 | M 33 A150 T0 10 00 04 | M 33 A162 T0 10 00 04 | M 33 A200 T0 10 00 04 |
| M 33 A100 T1 10 00 04 | M 33 A115 T1 10 00 04 | M 33 A132 T1 10 00 04 | M 33 A150 T1 10 00 04 | M 33 A162 T1 10 00 04 | M 33 A200 T1 10 00 04 |
| M 33 A100 T2 10 00 04 | M 33 A115 T2 10 00 04 | M 33 A132 T2 10 00 04 | M 33 A150 T2 10 00 04 | M 33 A162 T2 10 00 04 | M 33 A200 T2 10 00 04 |
| M 33 A100 T3 10 00 04 | M 33 A115 T3 10 00 04 | M 33 A132 T3 10 00 04 | M 33 A150 T3 10 00 04 | M 33 A162 T3 10 00 04 | M 33 A200 T3 10 00 04 |

KEY COMFORT

CODE EASY

CODE TOP



SEE PAGE 12 - 14 - 15

18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

EMPTY CABINET BODY READY FOR WHEELS

WITH LOCKS

WIDTH = 740 mm

DEPTH = 800 mm



|                                                  |    |                       |                       |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 763                   | 863                   | 913                   | 1063                  |
| USABLE HEIGHT MM (B)                             |    | 600                   | 700                   | 750                   | 900                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 33 R070 X0 10 00 04 | M 33 R080 X0 10 00 04 | M 33 R085 X0 10 00 04 | M 33 R100 X0 10 00 04 |
| key SMART (Push to Open)                         |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | S0 | M 33 R070 S0 10 00 04 | M 33 R080 S0 10 00 04 | M 33 R085 S0 10 00 04 | M 33 R100 S0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | S1 | M 33 R070 S1 10 00 04 | M 33 R080 S1 10 00 04 | M 33 R085 S1 10 00 04 | M 33 R100 S1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | S2 | M 33 R070 S2 10 00 04 | M 33 R080 S2 10 00 04 | M 33 R085 S2 10 00 04 | M 33 R100 S2 10 00 04 |
| CODE PLUS (Push to Open)                         |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | P1 | M 33 R070 P1 10 00 04 | M 33 R080 P1 10 00 04 | M 33 R085 P1 10 00 04 | M 33 R100 P1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | P2 | M 33 R070 P2 10 00 04 | M 33 R080 P2 10 00 04 | M 33 R085 P2 10 00 04 | M 33 R100 P2 10 00 04 |
| CODE ADVANCE (Push to Open)                      |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A0 | M 33 R070 A0 10 00 04 | M 33 R080 A0 10 00 04 | M 33 R085 A0 10 00 04 | M 33 R100 A0 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A1 | M 33 R070 A1 10 00 04 | M 33 R080 A1 10 00 04 | M 33 R085 A1 10 00 04 | M 33 R100 A1 10 00 04 |

Full versions of cabinet includes: 4 border top with oil-resistant rubber cover, pair of handles, longitudinal wheel plates.  
Wheels available on page 183

\*The vertebrae bar and locking systems are available on page 190 - 191

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P1 - P2 - A0 - A1. Nelle configurazioni con la lettera A il telecomando agisce sempre sull’output 1 (see page 17). Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

KEY SMART (Push to Open)

CODE PLUS (Push to Open)

CODE ADVANCE (Push to Open)

S0

S1

S2

P1

P2

A0

A1

SEE PAGE 13 - 16 - 17

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI MASTER

WHEELS


STANDARD RUBBER WHEELS



Ø 100  
Ø 125



Ø 150  
Ø 200



Ø 100  
Ø 125



Ø 150  
Ø 200

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BAC11 100</b> | 100  | 75           | 128  |
| <b>C RG BAC12 125</b> | 125  | 100          | 155  |
| <b>C RG BAC13 150</b> | 150  | 115          | 180  |
| <b>C RG BAC15 200</b> | 200  | 205          | 240  |

Standard rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DAC11 100</b> | 100  | 75           | 128  |
| <b>C RG DAC12 125</b> | 125  | 100          | 155  |
| <b>C RG DAC13 150</b> | 150  | 115          | 180  |
| <b>C RG DAC15 200</b> | 200  | 205          | 240  |

Standard rubber swivel wheels with brake

NYLON WHEELS



Ø 100  
Ø 125



Ø 160



Ø 100  
Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BAD10 100</b> | 100  | 125          | 128  |
| <b>C RN BAD11 125</b> | 125  | 180          | 155  |
| <b>C RN BAD04 160</b> | 160  | 300          | 200  |

Nylon fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DAD10 100</b> | 100  | 125          | 128  |
| <b>C RN DAD11 125</b> | 125  | 180          | 155  |
| <b>C RN DAD04 160</b> | 160  | 300          | 200  |

Nylon swivel wheels with brake

SYNTHETIC MARK-PROOF RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BPH22 125</b> | 125  | 100          | 155  |
| <b>C RG BPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DPH22 125</b> | 125  | 100          | 155  |
| <b>C RG DPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber swivel wheels with brake

ELASTIC RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BCE15 125</b> | 125  | 180          | 155  |
| <b>C RG BCE15 160</b> | 160  | 300          | 200  |

Elastic rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DCE15 125</b> | 125  | 180          | 155  |
| <b>C RG DCE15 160</b> | 160  | 300          | 200  |

Elastic rubber swivel wheels with brake

POLYURETHANE WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BDD31 125</b> | 125  | 180          | 155  |
| <b>C RN BDD44 160</b> | 160  | 300          | 200  |

Polyurethane fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DDD31 125</b> | 125  | 180          | 155  |
| <b>C RN DDD44 160</b> | 160  | 300          | 200  |

Polyurethane swivel wheels with brake





To calculate load capacity of the cabinet use the formula: (Ax3) - 140 kg  
A = wheel load capacity  
ATTENTION: for security reasons, the load capacity of the cabinet with wheels cannot be more than 600 kg.

18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock

page 12 - 13

CODE = electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK



smart solutions

DOORS WITH LOCKS

WIDTH = 714 mm

DOORS FOR FULL HEIGHT

|                                                                                   |    |                                                                                     |                          |                                                                                     |                          |
|-----------------------------------------------------------------------------------|----|-------------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------|--------------------------|
|  |    |  |                          |  |                          |
| CABINET HEIGHT MM (B)                                                             |    | 600                                                                                 |                          | 700                                                                                 |                          |
| DOOR HEIGHT MM (A)                                                                |    | 544                                                                                 |                          | 644                                                                                 |                          |
|                                                                                   |    | ORD. NO. Dark Grey plastic kit                                                      | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit                                                      | ORD. NO. no plastic kit* |
| KEY COMFORT                                                                       |    |                                                                                     |                          |                                                                                     |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS                                              | C0 | M 30 P050 C0 10 00 04                                                               | M 30 P050 C0 00 00 04    | M 30 P060 C0 10 00 04                                                               | M 30 P060 C0 00 00 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS                                           | C1 | M 30 P050 C1 10 00 04                                                               | M 30 P050 C1 00 00 04    | M 30 P060 C1 10 00 04                                                               | M 30 P060 C1 00 00 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS                                              | C2 | M 30 P050 C2 10 00 04                                                               | M 30 P050 C2 00 00 04    | M 30 P060 C2 10 00 04                                                               | M 30 P060 C2 00 00 04    |
| CODE PLUS (Push to Open)                                                          |    |                                                                                     |                          |                                                                                     |                          |
| BATTERY POWERED                                                                   | P4 | M 30 P050 P4 10 00 04                                                               | M 30 P050 P4 00 00 04    | M 30 P060 P4 10 00 04                                                               | M 30 P060 P4 00 00 04    |
| BATTERY POWERED - PROGRAMMABLE                                                    | P5 | M 30 P050 P5 10 00 04                                                               | M 30 P050 P5 00 00 04    | M 30 P060 P5 10 00 04                                                               | M 30 P060 P5 00 00 04    |
| CODE ADVANCE (Push to Open)                                                       |    |                                                                                     |                          |                                                                                     |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE                                          | A2 | M 30 P050 A2 10 00 04                                                               | M 30 P050 A2 00 00 04    | M 30 P060 A2 10 00 04                                                               | M 30 P060 A2 00 00 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE                                         | A3 | M 30 P050 A3 10 00 04                                                               | M 30 P050 A3 00 00 04    | M 30 P060 A3 10 00 04                                                               | M 30 P060 A3 00 00 04    |

|                                                                                       |    |                                                                                       |                          |                                |                          |
|---------------------------------------------------------------------------------------|----|---------------------------------------------------------------------------------------|--------------------------|--------------------------------|--------------------------|
|  |    |  |                          |                                |                          |
| PAIR OF DOORS                                                                         |    | PAIR OF DOORS                                                                         |                          |                                |                          |
| CABINET HEIGHT MM (B)                                                                 |    | 1500                                                                                  |                          | 2000                           |                          |
| DOOR HEIGHT MM (A)                                                                    |    | 1444                                                                                  |                          | 1944                           |                          |
|                                                                                       |    | ORD. NO. Dark Grey plastic kit                                                        | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                                                                           |    |                                                                                       |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS                                                  | C0 | M 30 P140 C0 10 10 04                                                                 | M 30 P140 C0 00 10 04    | M 30 P190 C0 10 10 04          | M 30 P190 C0 00 10 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS                                               | C1 | M 30 P140 C1 10 10 04                                                                 | M 30 P140 C1 00 10 04    | M 30 P190 C1 10 10 04          | M 30 P190 C1 00 10 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS                                                  | C2 | M 30 P140 C2 10 10 04                                                                 | M 30 P140 C2 00 10 04    | M 30 P190 C2 10 10 04          | M 30 P190 C2 00 10 04    |
| CODE PLUS (Push to Open)                                                              |    |                                                                                       |                          |                                |                          |
| BATTERY POWERED                                                                       | P4 | M 30 P140 P4 10 10 04                                                                 | M 30 P140 P4 00 10 04    | M 30 P190 P4 10 10 04          | M 30 P190 P4 00 10 04    |
| BATTERY POWERED - PROGRAMMABLE                                                        | P5 | M 30 P140 P5 10 10 04                                                                 | M 30 P140 P5 00 10 04    | M 30 P190 P5 10 10 04          | M 30 P190 P5 00 10 04    |
| CODE ADVANCE (Push to Open)                                                           |    |                                                                                       |                          |                                |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE                                              | A2 | M 30 P140 A2 10 10 04                                                                 | M 30 P140 A2 00 10 04    | M 30 P190 A2 10 10 04          | M 30 P190 A2 00 10 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE                                             | A3 | M 30 P140 A3 10 10 04                                                                 | M 30 P140 A3 00 10 04    | M 30 P190 A3 10 10 04          | M 30 P190 A3 00 10 04    |

\*Match the item number to one of the plastic kits available at page 185

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17


YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS


SYLOGIK



smart solutions





|                                                                                   |                          |                                                                                     |                          |
|-----------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------|--------------------------|
|  |                          |  |                          |
| 850                                                                               |                          | 1000                                                                                |                          |
| 794                                                                               |                          | 944                                                                                 |                          |
| ORD. NO. Dark Grey plastic kit                                                    | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit                                                      | ORD. NO. no plastic kit* |
| M 30 P075 C0 10 10 04                                                             | M 30 P075 C0 00 10 04    | M 30 P090 C0 10 10 04                                                               | M 30 P090 C0 00 10 04    |
| M 30 P075 C1 10 10 04                                                             | M 30 P075 C1 00 10 04    | M 30 P090 C1 10 10 04                                                               | M 30 P090 C1 00 10 04    |
| M 30 P075 C2 10 10 04                                                             | M 30 P075 C2 00 10 04    | M 30 P090 C2 10 10 04                                                               | M 30 P090 C2 00 10 04    |
| M 30 P075 P4 10 10 04                                                             | M 30 P075 P4 00 10 04    | M 30 P090 P4 10 10 04                                                               | M 30 P090 P4 00 10 04    |
| M 30 P075 P5 10 10 04                                                             | M 30 P075 P5 00 10 04    | M 30 P090 P5 10 10 04                                                               | M 30 P090 P5 00 10 04    |
| M 30 P075 A2 10 10 04                                                             | M 30 P075 A2 00 10 04    | M 30 P090 A2 10 10 04                                                               | M 30 P090 A2 00 10 04    |
| M 30 P075 A3 10 10 04                                                             | M 30 P075 A3 00 10 04    | M 30 P090 A3 10 10 04                                                               | M 30 P090 A3 00 10 04    |

KEY COMFORT







CODE PLUS (Push to Open)



CODE ADVANCE (Push to Open)



SEE PAGE 12 - 16 - 17

PLASTIC KIT FOR DOORS


Plastic kit for wing doors with handle and hinges.

| LOCKING            | KEY                      |                            |
|--------------------|--------------------------|----------------------------|
|                    | ORD. NO. for single door | ORD. NO. for pair of doors |
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 20 M1    | M 00 PLS0 00 00 30 M1      |
| SKY BLUE           | M 00 PLS0 00 00 20 M2    | M 00 PLS0 00 00 30 M2      |
| GLAMOUR RED        | M 00 PLS0 00 00 20 M3    | M 00 PLS0 00 00 30 M3      |
| RED CARPET         | M 00 PLS0 00 00 20 M4    | M 00 PLS0 00 00 30 M4      |
| JUICY ORANGE       | M 00 PLS0 00 00 20 M5    | M 00 PLS0 00 00 30 M5      |
| SUNNY YELLOW       | M 00 PLS0 00 00 20 M6    | M 00 PLS0 00 00 30 M6      |
| FOREST GREEN       | M 00 PLS0 00 00 20 M7    | M 00 PLS0 00 00 30 M7      |

| LOCKING            | CODE                     |                            |
|--------------------|--------------------------|----------------------------|
|                    | ORD. NO. for single door | ORD. NO. for pair of doors |
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 21 M1    | M 00 PLS0 00 00 31 M1      |
| SKY BLUE           | M 00 PLS0 00 00 21 M2    | M 00 PLS0 00 00 31 M2      |
| GLAMOUR RED        | M 00 PLS0 00 00 21 M3    | M 00 PLS0 00 00 31 M3      |
| RED CARPET         | M 00 PLS0 00 00 21 M4    | M 00 PLS0 00 00 31 M4      |
| JUICY ORANGE       | M 00 PLS0 00 00 21 M5    | M 00 PLS0 00 00 31 M5      |
| SUNNY YELLOW       | M 00 PLS0 00 00 21 M6    | M 00 PLS0 00 00 31 M6      |
| FOREST GREEN       | M 00 PLS0 00 00 21 M7    | M 00 PLS0 00 00 31 M7      |

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P4 - P5 - A2 - A3. Nelle configurazioni con la lettera A il telecomando agisce sempre sull’output 1 (see page 17). Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96% = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

123  
456

CODE =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

SYLOGIK  
smart solutions

DOORS FOR PARTIAL HEIGHT



| OVERALL HEIGHT MM (D)                     |    | 425 (D)                        |                          | 525 (D)                        |                          |
|-------------------------------------------|----|--------------------------------|--------------------------|--------------------------------|--------------------------|
| USABLE HEIGHT MM (C) - DOOR HEIGHT MM (A) |    | 400 (C) - 444 (A)              |                          | 500 (C) - 544 (A)              |                          |
|                                           |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                               |    |                                |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0 | M 30 P042 C0 10 01 04          | M 30 P042 C0 00 01 04    | M 30 P052 C0 10 01 04          | M 30 P052 C0 00 01 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1 | M 30 P042 C1 10 01 04          | M 30 P042 C1 00 01 04    | M 30 P052 C1 10 01 04          | M 30 P052 C1 00 01 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2 | M 30 P042 C2 10 01 04          | M 30 P042 C2 00 01 04    | M 30 P052 C2 10 01 04          | M 30 P052 C2 00 01 04    |
| CODE PLUS (Push to Open)                  |    |                                |                          |                                |                          |
| BATTERY POWERED                           | P4 | M 30 P042 P4 10 01 04          | M 30 P042 P4 00 01 04    | M 30 P052 P4 10 01 04          | M 30 P052 P4 00 01 04    |
| BATTERY POWERED - PROGRAMMABLE            | P5 | M 30 P042 P5 10 01 04          | M 30 P042 P5 00 01 04    | M 30 P052 P5 10 01 04          | M 30 P052 P5 00 01 04    |
| CODE ADVANCE (Push to Open)               |    |                                |                          |                                |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2 | M 30 P042 A2 10 01 04          | M 30 P042 A2 00 01 04    | M 30 P052 A2 10 01 04          | M 30 P052 A2 00 01 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3 | M 30 P042 A3 10 01 04          | M 30 P042 A3 00 01 04    | M 30 P052 A3 10 01 04          | M 30 P052 A3 00 01 04    |
| LOCKING PREPARED FOR T2 - T3 - A1         | A4 | M 30 P042 A4 10 01 04          | M 30 P042 A4 00 01 04    | M 30 P052 A4 10 01 04          | M 30 P052 A4 00 01 04    |

\*Match the item number to one of the plastic kits available in the table below

PLASTIC KIT FOR DOORS

Plastic kit for wing doors with handle and hinges.

| LOCKING            | KEY                      |                            | CODE                     |                            |
|--------------------|--------------------------|----------------------------|--------------------------|----------------------------|
|                    | ORD. NO. for single door | ORD. NO. for pair of doors | ORD. NO. for single door | ORD. NO. for pair of doors |
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 20 M1    | M 00 PLS0 00 00 30 M1      | M 00 PLS0 00 00 21 M1    | M 00 PLS0 00 00 31 M1      |
| SKY BLUE           | M 00 PLS0 00 00 20 M2    | M 00 PLS0 00 00 30 M2      | M 00 PLS0 00 00 21 M2    | M 00 PLS0 00 00 31 M2      |
| GLAMOUR RED        | M 00 PLS0 00 00 20 M3    | M 00 PLS0 00 00 30 M3      | M 00 PLS0 00 00 21 M3    | M 00 PLS0 00 00 31 M3      |
| RED CARPET         | M 00 PLS0 00 00 20 M4    | M 00 PLS0 00 00 30 M4      | M 00 PLS0 00 00 21 M4    | M 00 PLS0 00 00 31 M4      |
| JUICY ORANGE       | M 00 PLS0 00 00 20 M5    | M 00 PLS0 00 00 30 M5      | M 00 PLS0 00 00 21 M5    | M 00 PLS0 00 00 31 M5      |
| SUNNY YELLOW       | M 00 PLS0 00 00 20 M6    | M 00 PLS0 00 00 30 M6      | M 00 PLS0 00 00 21 M6    | M 00 PLS0 00 00 31 M6      |
| FOREST GREEN       | M 00 PLS0 00 00 20 M7    | M 00 PLS0 00 00 30 M7      | M 00 PLS0 00 00 21 M7    | M 00 PLS0 00 00 31 M7      |

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions




REVERSIBLE  
DOOR




PAIR  
OF DOORS

| 625 (D)                        |                          | 775 (D)                        |                          |
|--------------------------------|--------------------------|--------------------------------|--------------------------|
| 600 (C) - 644 (A)              |                          | 750 (C) - 794 (A)              |                          |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| M 30 P062 C0 10 01 04          | M 30 P062 C0 00 01 04    | M 30 P077 C0 10 11 04          | M 30 P077 C0 00 11 04    |
| M 30 P062 C1 10 01 04          | M 30 P062 C1 00 01 04    | M 30 P077 C1 10 11 04          | M 30 P077 C1 00 11 04    |
| M 30 P062 C2 10 01 04          | M 30 P062 C2 00 01 04    | M 30 P077 C2 10 11 04          | M 30 P077 C2 00 11 04    |
| M 30 P062 P4 10 01 04          | M 30 P062 P4 00 01 04    | M 30 P077 P4 10 11 04          | M 30 P077 P4 00 11 04    |
| M 30 P062 P5 10 01 04          | M 30 P062 P5 00 01 04    | M 30 P077 P5 10 11 04          | M 30 P077 P5 00 11 04    |
| M 30 P062 A2 10 01 04          | M 30 P062 A2 00 01 04    | M 30 P077 A2 10 11 04          | M 30 P077 A2 00 11 04    |
| M 30 P062 A3 10 01 04          | M 30 P062 A3 00 01 04    | M 30 P077 A3 10 11 04          | M 30 P077 A3 00 11 04    |
| M 30 P062 A4 10 01 04          | M 30 P062 A4 00 01 04    | M 30 P077 A4 10 11 04          | M 30 P077 A4 00 11 04    |


KEY COMFORT



CODE PLUS (Push to Open)



CODE ADVANCE (Push to Open)




SEE PAGE 12 - 16 - 17

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P4 - P5 - A2 - A3.

Nelle configurazioni con la lettera A il telecomando agisce sempre sull'output 1 (see page 17).

Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRCo 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRCo 00 00 01 00 | A          |

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC IN 8  
COLOURS**

**SYLOGIK**  
smart solutions

EMPTY DOUBLE BODY CABINET **WITH LOCKS**

**WIDTH = 1428 mm**

**DEPTH = 776/751 mm**

CABINET WITH DOUBLE SLIDING DOOR



| HEIGHT MM (A)                           | 850                                    |                              | 1000                           |                              |
|-----------------------------------------|----------------------------------------|------------------------------|--------------------------------|------------------------------|
| USABLE HEIGHT MM (B)                    | 750                                    |                              | 900                            |                              |
|                                         | ORD. NO. Dark Grey plastic kit         | ORD. NO. no plastic kit*     | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     |
| KEY COMFORT                             |                                        |                              |                                |                              |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | <b>C0</b> <b>M 33 D085 C0 10 0D 04</b> | <b>M 33 D085 C0 00 0D 04</b> | <b>M 33 D100 C0 10 0D 04</b>   | <b>M 33 D100 C0 00 0D 04</b> |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | <b>C1</b> <b>M 33 D085 C1 10 0D 04</b> | <b>M 33 D085 C1 00 0D 04</b> | <b>M 33 D100 C1 10 0D 04</b>   | <b>M 33 D100 C1 00 0D 04</b> |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | <b>C2</b> <b>M 33 D085 C2 10 0D 04</b> | <b>M 33 D085 C2 00 0D 04</b> | <b>M 33 D100 C2 10 0D 04</b>   | <b>M 33 D100 C2 00 0D 04</b> |

Cabinet body without lock and without anti-dumping bar.

\*Match the item number to one of the plastic kits available at page 189

CABINET WITH SINGLE RIGHT SLIDING DOOR



| HEIGHT MM (A)                           | 850                                    |                              | 1000                           |                              |
|-----------------------------------------|----------------------------------------|------------------------------|--------------------------------|------------------------------|
| USABLE HEIGHT MM (B)                    | 750                                    |                              | 900                            |                              |
|                                         | ORD. NO. Dark Grey plastic kit         | ORD. NO. no plastic kit*     | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit*     |
| KEY COMFORT                             |                                        |                              |                                |                              |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | <b>C0</b> <b>M 33 D085 C0 10 0S 04</b> | <b>M 33 D085 C0 00 0S 04</b> | <b>M 33 D100 C0 10 0S 04</b>   | <b>M 33 D100 C0 00 0S 04</b> |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | <b>C1</b> <b>M 33 D085 C1 10 0S 04</b> | <b>M 33 D085 C1 00 0S 04</b> | <b>M 33 D100 C1 10 0S 04</b>   | <b>M 33 D100 C1 00 0S 04</b> |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | <b>C2</b> <b>M 33 D085 C2 10 0S 04</b> | <b>M 33 D085 C2 00 0S 04</b> | <b>M 33 D100 C2 10 0S 04</b>   | <b>M 33 D100 C2 00 0S 04</b> |

Cabinet body without lock and without anti-dumping bar. **Attention:** drawers can only be insert in the left side of the cabinet.

\*Match the item number to one of the plastic kits available at page 189

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.


PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI

MASTER



| 1500                           |                          | 2000                           |                          |
|--------------------------------|--------------------------|--------------------------------|--------------------------|
| 1400                           |                          | 1900                           |                          |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
|                                |                          |                                |                          |
| M 33 D150 C0 10 0D 04          | M 33 D150 C0 00 0D 04    | M 33 D200 C0 10 0D 04          | M 33 D200 C0 00 0D 04    |
| M 33 D150 C1 10 0D 04          | M 33 D150 C1 00 0D 04    | M 33 D200 C1 10 0D 04          | M 33 D200 C1 00 0D 04    |
| M 33 D150 C2 10 0D 04          | M 33 D150 C2 00 0D 04    | M 33 D200 C2 10 0D 04          | M 33 D200 C2 00 0D 04    |

PLASTIC KIT FOR DOUBLE CABINET

Plastic kit for sliding doors.

|                    | ORD. NO. for double sliding doors | ORD. NO. for single sliding door |
|--------------------|-----------------------------------|----------------------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 50 M1             | M 00 PLS0 00 00 40 M1            |
| SKY BLUE           | M 00 PLS0 00 00 50 M2             | M 00 PLS0 00 00 40 M2            |
| GLAMOUR RED        | M 00 PLS0 00 00 50 M3             | M 00 PLS0 00 00 40 M3            |
| RED CARPET         | M 00 PLS0 00 00 50 M4             | M 00 PLS0 00 00 40 M4            |
| JUICY ORANGE       | M 00 PLS0 00 00 50 M5             | M 00 PLS0 00 00 40 M5            |
| SUNNY YELLOW       | M 00 PLS0 00 00 50 M6             | M 00 PLS0 00 00 40 M6            |
| FOREST GREEN       | M 00 PLS0 00 00 50 M7             | M 00 PLS0 00 00 40 M7            |

KEY COMFORT

C0


C1

C2

SEE PAGE 12

ANTI-DUMPING BAR AND LOCKS

CYLINDER LOCK (KEY)



- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |    |                       |
|-----------------------------------------|----|-----------------------|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 33 V000 C0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 33 V000 C1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 33 V000 C2 00 00 00 |

VERTEBRATE BAR



The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.

| ORD. NO.              | Useful height<br>insertion drawers mm |
|-----------------------|---------------------------------------|
| M 00 V075 00 00 00 00 | 750                                   |
| M 00 V090 00 00 00 00 | 900                                   |
| M 00 V140 00 00 00 00 | 1400                                  |
| M 00 V190 00 00 00 00 | 1900                                  |

18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK


smart solutions

LOCKING SYSTEMS

**ELECTRONIC LOCKING (CODE)**

The electronic keypad can be inserted under the locking shelf or under for the top of the Master cabinet series and can be powered either from the grid with a transformer or with 4 AA batteries 1.5 V - 0.15 A. The **Programmable** card comes with two inputs and two outputs depending on the needs of the customer.

For more information contact a Fami technician.



| CODE EASY                                 |    |                       |                                 |
|-------------------------------------------|----|-----------------------|---------------------------------|
| BATTERY POWERED                           | E1 | M 33 V000 E1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | E2 | M 33 V000 E2 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED                          | E4 | M 33 V000 E4 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED - PROGRAMMABLE           | E5 | M 33 V000 E5 00 00 00 | A + B + C + D + E + F + G       |
| CODE TOP                                  |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T0 | M 33 V000 T0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T1 | M 33 V000 T1 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T2 | M 33 V000 T2 00 00 00 | A + B + C + D + E + F + G + H   |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T3 | M 33 V000 T3 00 00 00 | A + B + C + D + E + F + G + H   |
| CODE PLUS (Push to Open)                  |    |                       |                                 |
| BATTERY POWERED                           | P1 | M 33 V000 P1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | P2 | M 33 V000 P2 00 00 00 | A + B + C + D + E + F + G       |
| CODE ADVANCE (Push to Open)               |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A0 | M 33 V000 A0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A1 | M 33 V000 A1 00 00 00 | A + B + C + D + E + F + G + H   |

**ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL**

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3 - P1 - P2 - A0 - A1.

In configurations with the letter T and A the remote control always acts on the output 1 (see page 15 - 17).

Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

CODE EASY

1 2 3  
4 5 C

↑

BATTERY

E1

1 2 3  
4 5 C

↑

PROGRAMMABLE

E2

1 2 3  
4 5 C

↑

BATTERY

E4

1 2 3  
4 5 C

↑

PROGRAMMABLE

E5

CODE TOP

1 2 3  
4 5 C

↑

PROGRAMMABLE

T0

1 2 3  
4 5 C

↑

PROGRAMMABLE

T1

1 2 3  
4 5 C

↑

PROGRAMMABLE

T2

1 2 3  
4 5 C

↑

PROGRAMMABLE

T3

CODE PLUS (Push to Open)

1 2 3  
4 5 C

↑

BATTERY

P1

1 2 3  
4 5 C

↑

PROGRAMMABLE

P2

CODE ADVANCE (Push to Open)

1 2 3  
4 5 C

↑

PROGRAMMABLE

A0

1 2 3  
4 5 C

↑

PROGRAMMABLE

A1

SEE PAGE 14 - 15 - 17

190

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions




VERTEBRATE BAR

The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.



| ORD. NO.              | Useful height<br>insertion drawers mm |
|-----------------------|---------------------------------------|
| M 00 V030 00 00 00 00 | 300                                   |
| M 00 V050 00 00 00 00 | 500                                   |
| M 00 V060 00 00 00 00 | 600                                   |
| M 00 V070 00 00 00 00 | 700                                   |
| M 00 V075 00 00 00 00 | 750                                   |
| M 00 V090 00 00 00 00 | 900                                   |
| M 00 V105 00 00 00 00 | 1050                                  |
| M 00 V122 00 00 00 00 | 1225                                  |
| M 00 V140 00 00 00 00 | 1400                                  |
| M 00 V152 00 00 00 00 | 1525                                  |
| M 00 V190 00 00 00 00 | 1900                                  |


CYLINDER LOCK (KEY)




- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |    |                       |
|-----------------------------------------|----|-----------------------|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 33 V000 C0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 33 V000 C1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 33 V000 C2 00 00 00 |
|                                         |    |                       |
| KEY SMART (Push to Open)                |    |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | S0 | M 33 V000 S0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | S1 | M 33 V000 S1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | S2 | M 33 V000 S2 00 00 00 |

KEY COMFORT



KEY SMART (Push to Open)



SEE PAGE 12 - 13

SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

UPPER SHELF FOR LOCKING SYSTEM

This upper shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 33 PS46 00 10 00 04 | 46              | 150              |

Dimensions mm 663x724x46 h.

LOWER SHELF FOR LOCKING SYSTEM

This lower shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 33 PS46 10 10 01 04 | 46              | 150              |

Dimensions mm 663x724x46 h.

ADJUSTABLE SHELF

This adjustable height shelf, comes standard with 2 guides and 1 reinforcement, is designed to be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 33 PR25 00 00 01 04 | 25              | 150              |

Usable dimensions mm 657x617x25 h.

SLOTTED ADJUSTABLE SHELF

This adjustable height shelf cannot be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 33 PR35 10 00 00 04 | 35              | 300              |

Dimensions mm 663x721x35 h.

18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

27x27 EH

TELE

telescopic extraction

100% = 200 Kg

KEY =

cylinder lock

page 12 - 13

36x27 EH

1

2

3

4

5

6

CODE =

electronic lock

page 14 - 17

PLASTIC IN 8 COLOURS

54x27 EH

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

27x36 EH

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

DRAWERS AND RETRACTABLES SHELVES

FLEXIBLE EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom in fixed increments makes inserting the partitioning elements simple and rational. Drawers are supplied with the flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.

| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Preset<br>Extractability % | Preset<br>load capacity kg |
|-----------------------------------|-----------------------------|--------------------|---------------------|-------------------|----------------------------|----------------------------|
| M 33 C050 01 10 0F 04             | M 33 C050 01 00 0F 04       | 50                 | 31                  | 28                | 100                        | 50                         |
| M 33 C075 01 10 0F 04             | M 33 C075 01 00 0F 04       | 75                 | 56                  | 53                | 96                         | 75                         |
| M 33 C100 01 10 0F 04             | M 33 C100 01 00 0F 04       | 100                | 81                  | 75                | 96                         | 75                         |
| M 33 C125 01 10 0F 04             | M 33 C125 01 00 0F 04       | 125                | 106                 | 75                | 96                         | 75                         |
| M 33 C150 01 10 0F 04             | M 33 C150 01 00 0F 04       | 150                | 131                 | 125               | 96                         | 75                         |
| M 33 C200 01 10 0F 04             | M 33 C200 01 00 0F 04       | 200                | 181                 | 175               | 92                         | 100                        |
| M 33 C250 01 10 0F 04             | M 33 C250 01 00 0F 04       | 250                | 231                 | 175               | 92                         | 100                        |
| M 33 C300 01 10 0F 04             | M 33 C300 01 00 0F 04       | 300                | 281                 | 275               | 92                         | 100                        |

Volume / extractability    kg/%: 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 600x600.**

\*Match the item number to one of the plastic kits available at page 193

TELESCOPIC EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom with fixed increments make inserting the partitioning elements simple and rational. Drawers supplied with a telescopic extraction system with 8 bearings in high strength polymer allows a consistently smooth, durable and silent glide.

| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|-----------------------------|--------------------|---------------------|-------------------|---------------------|---------------------|
| M 33 C075 01 10 0T 04             | M 33 C075 01 00 0T 04       | 75                 | 56                  | 53                | 100                 | 200                 |
| M 33 C100 01 10 0T 04             | M 33 C100 01 00 0T 04       | 100                | 81                  | 75                | 100                 | 200                 |
| M 33 C125 01 10 0T 04             | M 33 C125 01 00 0T 04       | 125                | 106                 | 75                | 100                 | 200                 |
| M 33 C150 01 10 0T 04             | M 33 C150 01 00 0T 04       | 150                | 131                 | 125               | 100                 | 200                 |
| M 33 C200 01 10 0T 04             | M 33 C200 01 00 0T 04       | 200                | 181                 | 175               | 100                 | 200                 |
| M 33 C250 01 10 0T 04             | M 33 C250 01 00 0T 04       | 250                | 231                 | 175               | 100                 | 200                 |
| M 33 C300 01 10 0T 04             | M 33 C300 01 00 0T 04       | 300                | 281                 | 275               | 100                 | 200                 |

**Usable dimensions mm 600x600.**

\*Match the item number to one of the plastic kits available at page 193

192

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg



KEY =  
cylinder lock  
page 12 - 13



CODE =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.



PLASTIC IN 8  
COLOURS



FAMI

MASTER

FLEXIBLE RETRACTABLE SHELVES

These retractable shelves were designed to fit in the cabinets. The shelves are supplied with a flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|----------------------------|----------------------------|
| M 33 C057 01 10 0F 04             | M 33 C057 01 00 0F 04       | 70                 | 53                | 96                         | 75                         |

Volume / extractability    kg/%: 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 600x600.**

\*Match the item number to one of the plastic kits available in the table below

TELESCOPIC RETRACTABLE SHELVES

These retractable shelves were designed to be inserted in the cabinet. The shelves are supplied with a telescopic extraction system with 8 bearings in high strength polymer that allows a consistently smooth durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|---------------------|---------------------|
| M 33 C057 01 10 0T 04             | M 33 C057 01 00 0T 04       | 70                 | 53                | 100                 | 200                 |

**Usable dimensions mm 600x600.**

\*Match the item number to one of the plastic kits available in the table below

PLASTIC KIT FOR DRAWERS AND RETRACTABLE SHELVES

Plastic kit for drawers and retractable shelves with left handle, door profile in white plastic, right plug h =25 mm

|                    |                                                                                     | ORD. NO.              |
|--------------------|-------------------------------------------------------------------------------------|-----------------------|
| MEDITERRANEAN BLUE |  | M 30 PLS1 00 00 00 M1 |
| SKY BLUE           |  | M 30 PLS1 00 00 00 M2 |
| GLAMOUR RED        |  | M 30 PLS1 00 00 00 M3 |
| RED CARPET         |  | M 30 PLS1 00 00 00 M4 |
| JUICY ORANGE       |  | M 30 PLS1 00 00 00 M5 |
| SUNNY YELLOW       |  | M 30 PLS1 00 00 00 M6 |
| FOREST GREEN       |  | M 30 PLS1 00 00 00 M7 |



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17


YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

## ACCESSORIES

### MDF TOP WITH RUBBER COVERING



ORD. NO.

**M 33 T030 MD GM 21 07**

MDF top with rubber covering and side profile.  
For end cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 714x726x32 h.



ORD. NO.

**M 33 T030 MD GM 11 07**

MDF top with rubber covering, no side profile.  
For additional central cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 714x726x32 h.



ORD. NO.

**M 33 T030 MD GM 01 07**

MDF top with rubber covering and 2 side profiles.  
For single cabinet.  
Colour: Black RAL 9011.  
Dimensions mm 714x726x32 h.



ORD. NO.

**M 00 T030 MD 00 F0 00**

Drilling of the cabinet upper shelf for the  
MDF top fixing.

### TOP SHELVES WITH 3 EDGES



ORD. NO.

**M 33 T023 AG 00 31 07**

Oil-resistant rubber cover top with 3 edges for single  
cabinet. Colour: Black RAL 9011.  
Dimensions mm 714x726x23 h.



ORD. NO.

**M 33 T023 AG 00 32 07**

Oil-resistant rubber cover top with 3 edges  
for double cabinet. Colour: Black RAL 9011.  
Dimensions mm 1428x726x23 h.

### TOP SHELF WITH 4 EDGES



ORD. NO.

**M 33 T023 AG 00 41 07**

Oil-resistant rubber cover top with 4 edges for  
single cabinet. Colour: Black RAL 9011.  
Dimensions mm 714x726x23 h.

ORD. NO.

**M 00 T023 AG 00 F0 00**

Predrilled cabinet top for fixing the top with 4  
edges.

### PAIR OF HANDLES

Steel handles coated in oil-resistant rubber with screws for fixing, applicable only for the top with 4  
edges. The handles can be fitted towards the bottom thereby reducing the height by 37 mm.  
Colour: Black RAL 9011.



ORD. NO.

**F AG 9330 00 07**





PARTITIONING MATERIAL



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 2005 05 00</b> |
| 75                   | <b>F FH 2007 05 00</b> |
| 100 - 125            | <b>F FH 2010 05 00</b> |
| 150                  | <b>F FH 2015 05 00</b> |
| 200 - 250            | <b>F FH 2020 05 00</b> |
| 300                  | <b>F FH 2030 05 00</b> |

- Set including:
- |                     |        |
|---------------------|--------|
| 1 Slotted partition | 610 mm |
| 2 Plain partitions  | 302 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 2005 06 00</b> |
| 75                   | <b>F FH 2007 06 00</b> |
| 100 - 125            | <b>F FH 2010 06 00</b> |
| 150                  | <b>F FH 2015 06 00</b> |
| 200 - 250            | <b>F FH 2020 06 00</b> |
| 300                  | <b>F FH 2030 06 00</b> |

- Set including:
- |                      |        |
|----------------------|--------|
| 2 Slotted partitions | 610 mm |
| 3 Plain partitions   | 200 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 2005 07 00</b> |
| 75                   | <b>F FH 2007 07 00</b> |
| 100 - 125            | <b>F FH 2010 07 00</b> |
| 150                  | <b>F FH 2015 07 00</b> |
| 200 - 250            | <b>F FH 2020 07 00</b> |

- Set including:
- |                      |        |
|----------------------|--------|
| 3 Slotted partitions | 610 mm |
| 15 Plain partitions  | 149 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 2005 08 00</b> |
| 75                   | <b>F FH 2007 08 00</b> |
| 100 - 125            | <b>F FH 2010 08 00</b> |

- Set including:
- |                      |        |
|----------------------|--------|
| 4 Slotted partitions | 610 mm |
| 12 Plain partitions  | 98 mm  |
| 9 Plain partitions   | 149 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 2005 09 00</b> |
| 75                   | <b>F FH 2007 09 00</b> |
| 100 - 125            | <b>F FH 2010 09 00</b> |
| 150                  | <b>F FH 2015 09 00</b> |

- Set including:
- |                      |        |
|----------------------|--------|
| 5 Slotted partitions | 610 mm |
| 20 Plain partitions  | 98 mm  |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 2005 12 00</b> |
| 75                   | <b>F FH 2007 12 00</b> |

- Set including:
- |                  |            |
|------------------|------------|
| 16 Plastic boxes | 75x75 mm   |
| 16 Plastic boxes | 150x75 mm  |
| 4 Plastic boxes  | 150x150 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 2005 13 00</b> |
| 75                   | <b>F FH 2007 13 00</b> |
| 100 - 125            | <b>F FH 2010 13 00</b> |

- Set including:
- |                  |            |
|------------------|------------|
| 16 Plastic boxes | 150x75 mm  |
| 8 Plastic boxes  | 150x150 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 2005 15 00</b> |

- Set including:
- |                     |           |
|---------------------|-----------|
| 16 Partitions       | 2 grooves |
| 35 Plain partitions | 73 mm     |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 2005 16 00</b> |

- Set including:
- |                     |           |
|---------------------|-----------|
| 16 Partitions       | 3 grooves |
| 50 Plain partitions | 47 mm     |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 2005 17 00</b> |

Set including:


|                     |           |
|---------------------|-----------|
| 16 Partitions       | 4 grooves |
| 65 Plain partitions | 36 mm     |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 150                  | <b>F FH 2015 18 00</b> |
| 200 - 250            | <b>F FH 2020 18 00</b> |

Set including:

|                |            |
|----------------|------------|
| 6 Athena boxes | 300x200 mm |
|----------------|------------|



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 2005 19 00</b> |

Set including:

|                   |           |
|-------------------|-----------|
| 1 Plain partition | 610 mm    |
| 10 Cutter holders | Ø 12,2 mm |
| 10 Cutter holders | Ø 15,5 mm |
| 10 Cutter holders | Ø 21,5 mm |
| 5 Cutter holders  | Ø 26,5 mm |
| 5 Cutter holders  | Ø 31,2 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 2005 20 00</b> |

Set including:

|                     |           |
|---------------------|-----------|
| 4 Partitions        | 4 grooves |
| 30 Plain partitions | 36 mm     |
| 8 Partitions        | 3 grooves |
| 20 Plain partitions | 47 mm     |
| 4 Partitions        | 2 grooves |
| 10 Plain partitions | 73 mm     |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 2005 21 00</b> |

Set including:

|                     |           |
|---------------------|-----------|
| 8 Partitions        | 4 grooves |
| 24 Plain partitions | 36 mm     |
| 8 Partitions        | 3 grooves |
| 16 Plain partitions | 47 mm     |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 2005 22 00</b> |
| 75                   | <b>F FH 2007 22 00</b> |
| 100 - 125            | <b>F FH 2010 22 00</b> |
| 150                  | <b>F FH 2015 22 00</b> |
| 200 - 250            | <b>F FH 2020 22 00</b> |

Set including:

|                    |        |
|--------------------|--------|
| 4 Plain partitions | 610 mm |
|--------------------|--------|



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 2005 23 00</b> |
| 75                   | <b>F FH 2007 23 00</b> |
| 100 - 125            | <b>F FH 2010 23 00</b> |
| 150                  | <b>F FH 2015 23 00</b> |
| 200 - 250            | <b>F FH 2020 23 00</b> |

Set including:

|                     |        |
|---------------------|--------|
| 1 Slotted partition | 610 mm |
| 3 Plain partitions  | 455 mm |
| 1 Plain partition   | 149 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 2005 24 00</b> |
| 75                   | <b>F FH 2007 24 00</b> |
| 100 - 125            | <b>F FH 2010 24 00</b> |
| 150                  | <b>F FH 2015 24 00</b> |

Set including:

|                      |        |
|----------------------|--------|
| 2 Slotted partitions | 610 mm |
| 5 Plain partitions   | 405 mm |
| 4 Plain partitions   | 98 mm  |




| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 2005 25 00</b> |

Set including:

|                      |            |
|----------------------|------------|
| 3 Slotted partitions | 610 mm     |
| 15 Plain partitions  | 149 mm     |
| 4 Angle trays        | 6 grooves  |
| 3 Angle trays        | 8 grooves  |
| 4 Angle trays        | 11 grooves |

Front handle,  
new design new colors

MASTER **45x36** EH



|                                 |          |          |          |          |
|---------------------------------|----------|----------|----------|----------|
| 18x27 EH                        | 27x27 EH | 36x27 EH | 54x27 EH | 27x36 EH |
| WIDTH = 867 mm - DEPTH = 726 mm |          |          |          |          |

CABINETS  
SERIES  
MASTER  
45x36



SUPPLEMENTARY PARTS



■ Spare key

Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. **M 00 CF00 00 00 00 00**



■ Master key

Master key are available in 25 series, numbered from F 01 to F 25.

|                        |                                        |
|------------------------|----------------------------------------|
| Master key series F 01 | ORD. NO. <b>M 00 PF01 00 00 00 00</b>  |
| Master key series F 02 | ORD. NO. <b>M 00 PF02 00 00 00 00</b>  |
| Master key series F .. | ORD. NO. <b>M 00 PF .. 00 00 00 00</b> |
| Master key series F 25 | ORD. NO. <b>M 00 PF25 00 00 00 00</b>  |

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock

page 12 - 13

123

456

CODE = electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 43 A070 C0 10 29 04 | FLEX | KEY  |
| M 43 A070 C0 10 48 04 | TELE | KEY  |
| M 43 A070 E1 10 29 04 | FLEX | CODE |
| M 43 A070 E1 10 48 04 | TELE | CODE |

Cabinet with 3 drawers.  
Dimensions mm 867x726x700 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 43 A070 C0 10 42 04 | FLEX | KEY  |
| M 43 A070 C0 10 43 04 | TELE | KEY  |
| M 43 A070 E1 10 42 04 | FLEX | CODE |
| M 43 A070 E1 10 43 04 | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 867x726x700 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 43 A070 C0 10 44 04 | FLEX | KEY  |
| M 43 A070 C0 10 45 04 | TELE | KEY  |
| M 43 A070 E1 10 44 04 | FLEX | CODE |
| M 43 A070 E1 10 45 04 | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 867x726x700 h.



| ORD. NO.              | TYPE  |      |
|-----------------------|-------|------|
| M 43 A085 C0 10 AE 04 | FLEX  | KEY  |
| M 43 A085 C0 10 AF 04 | TELE* | KEY  |
| M 43 A085 E1 10 AE 04 | FLEX  | CODE |
| M 43 A085 E1 10 AF 04 | TELE* | CODE |

Cabinet with 7 drawers.  
Dimensions mm 867x726x850 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 43 A085 C0 10 AC 04 | FLEX | KEY  |
| M 43 A085 C0 10 AD 04 | TELE | KEY  |
| M 43 A085 E1 10 AC 04 | FLEX | CODE |
| M 43 A085 E1 10 AD 04 | TELE | CODE |

Cabinet with 7 drawers.  
Dimensions mm 867x726x850 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 43 A085 C0 10 AG 04 | FLEX | KEY  |
| M 43 A085 C0 10 AH 04 | TELE | KEY  |
| M 43 A085 E1 10 AG 04 | FLEX | CODE |
| M 43 A085 E1 10 AH 04 | TELE | CODE |

Cabinet with 8 drawers.  
Dimensions mm 867x726x850 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 43 A100 C0 10 BN 04</b> | FLEX  | KEY  |
| <b>M 43 A100 C0 10 BP 04</b> | TELE* | KEY  |
| <b>M 43 A100 E1 10 BN 04</b> | FLEX  | CODE |
| <b>M 43 A100 E1 10 BP 04</b> | TELE* | CODE |

Cabinet with 7 drawers.  
Dimensions mm 867x726x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 43 A100 C0 10 AW 04</b> | FLEX | KEY  |
| <b>M 43 A100 C0 10 BH 04</b> | TELE | KEY  |
| <b>M 43 A100 E1 10 AW 04</b> | FLEX | CODE |
| <b>M 43 A100 E1 10 BH 04</b> | TELE | CODE |

Cabinet with 7 drawers.  
Dimensions mm 867x726x1000 h.



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 43 A100 C0 10 BQ 04</b> | FLEX  | KEY  |
| <b>M 43 A100 C0 10 BR 04</b> | TELE* | KEY  |
| <b>M 43 A100 E1 10 BQ 04</b> | FLEX  | CODE |
| <b>M 43 A100 E1 10 BR 04</b> | TELE* | CODE |

Cabinet with 8 drawers.  
Dimensions mm 867x726x1000 h.



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 43 A100 C0 10 CS 04</b> | FLEX  | KEY  |
| <b>M 43 A100 C0 10 CT 04</b> | TELE* | KEY  |
| <b>M 43 A100 E1 10 CS 04</b> | FLEX  | CODE |
| <b>M 43 A100 E1 10 CT 04</b> | TELE* | CODE |

Cabinet with 9 drawers.  
Dimensions mm 867x726x1000 h.



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 43 A100 C0 10 DP 04</b> | FLEX  | KEY  |
| <b>M 43 A100 C0 10 DQ 04</b> | TELE* | KEY  |
| <b>M 43 A100 E1 10 DP 04</b> | FLEX  | CODE |
| <b>M 43 A100 E1 10 DQ 04</b> | TELE* | CODE |

Cabinet with 10 drawers.  
Dimensions mm 867x726x1000 h.



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 43 A100 C0 10 DK 04</b> | FLEX  | KEY  |
| <b>M 43 A100 C0 10 DL 04</b> | TELE* | KEY  |
| <b>M 43 A100 E1 10 DK 04</b> | FLEX  | CODE |
| <b>M 43 A100 E1 10 DL 04</b> | TELE* | CODE |

Cabinet with 11 drawers.  
Dimensions mm 867x726x1000 h.

1023 MM

DOOR 900 MM



75  
PE  
PE

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 43 A100 C0 10 BU 04 | FLEX | KEY  |
| M 43 A100 C0 10 BV 04 | TELE | KEY  |
| M 43 A100 P4 10 BU 04 | FLEX | CODE |
| M 43 A100 P4 10 BV 04 | TELE | CODE |

Cabinet with 1 drawer, 2 retractable shelves,  
1 top shelf with 3 edges.

Dimensions mm 867x751x1023 h.



75  
75  
PE

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 43 A100 C0 10 BW 04 | FLEX | KEY  |
| M 43 A100 C0 10 BX 04 | TELE | KEY  |
| M 43 A100 P4 10 BW 04 | FLEX | CODE |
| M 43 A100 P4 10 BX 04 | TELE | CODE |

Cabinet with 2 drawers, 1 retractable shelf,  
1 top shelf with 3 edges.

Dimensions mm 867x751x1023 h.



75  
75  
75  
PE

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 43 A100 C0 10 BY 04 | FLEX | KEY  |
| M 43 A100 C0 10 BZ 04 | TELE | KEY  |
| M 43 A100 P4 10 BY 04 | FLEX | CODE |
| M 43 A100 P4 10 BZ 04 | TELE | CODE |

Cabinet with 3 drawers, 1 retractable shelf,  
1 top shelf with 3 edges.

Dimensions mm 867x751x1023 h.

1023 MM

DOOR 900 MM



75  
75  
75  
PE  
PE

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 43 A100 C0 10 CA 04 | FLEX | KEY  |
| M 43 A100 C0 10 CB 04 | TELE | KEY  |
| M 43 A100 P4 10 CA 04 | FLEX | CODE |
| M 43 A100 P4 10 CB 04 | TELE | CODE |

Cabinet with 3 drawers, 2 retractable shelves,  
1 top shelf with 3 edges.

Dim. mm 867x751x1023 h.



75  
75  
75  
75  
PE

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 43 A100 C0 10 CC 04 | FLEX | KEY  |
| M 43 A100 C0 10 CD 04 | TELE | KEY  |
| M 43 A100 P4 10 CC 04 | FLEX | CODE |
| M 43 A100 P4 10 CD 04 | TELE | CODE |

Cabinet with 4 drawers, 1 top shelf with 3 edges.

Dimensions mm 867x751x1023 h.



75  
75  
75  
75  
75  
PE

ORD. NO.

TYPE

|                       |      |      |
|-----------------------|------|------|
| M 43 A100 C0 10 CE 04 | FLEX | KEY  |
| M 43 A100 C0 10 CF 04 | TELE | KEY  |
| M 43 A100 P4 10 CE 04 | FLEX | CODE |
| M 43 A100 P4 10 CF 04 | TELE | CODE |

Cabinet with 5 drawers, 1 top shelf with 3 edges.

Dimensions mm 867x751x1023 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction




| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 A150 C0 10 FJ 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 A150 C0 10 FK 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 43 A150 E1 10 FJ 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 43 A150 E1 10 FK 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 9 drawers.  
Dimensions mm 867x726x1500 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 A150 C0 10 EY 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 A150 C0 10 EZ 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 43 A150 E1 10 EY 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 43 A150 E1 10 EZ 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 9 drawers.  
Dimensions mm 867x726x1500 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 A150 C0 10 FC 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 A150 C0 10 FD 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 43 A150 E1 10 FC 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 43 A150 E1 10 FD 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 13 drawers.  
Dimensions mm 867x726x1500 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 A150 C0 10 LA 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 A150 C0 10 LB 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 43 A150 P4 10 LA 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 43 A150 P4 10 LB 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 3 drawers, 2 retractable shelves.  
Dimensions mm 867x751x1500 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 A150 C0 10 LE 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 A150 C0 10 LF 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 43 A150 P4 10 LE 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 43 A150 P4 10 LF 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Dimensions mm 867x751x1500 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 A150 C0 10 LC 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 A150 C0 10 LD 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 43 A150 P4 10 LC 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 43 A150 P4 10 LD 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 3 adjustable shelves, 2 retractable shelves.  
Dimensions mm 867x751x1500 h.

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

=

cylinder lock

page 12 - 13

1

2

3

4

5

6

CODE =

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions



| ORD. NO.              | TYPE |
|-----------------------|------|
| M 43 A200 C5 10 FU 04 | FLEX |
| M 43 A200 C5 10 FV 04 | TELE |

Cabinet with 4 drawers.  
Dimensions mm 867x726x2000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 43 A200 C0 10 FS 04 | FLEX | KEY  |
| M 43 A200 C0 10 FT 04 | TELE | KEY  |
| M 43 A200 E1 10 FS 04 | FLEX | CODE |
| M 43 A200 E1 10 FT 04 | TELE | CODE |

Cabinet with 7 drawers, 2 adjustable shelves.  
Dimensions mm 867x726x2000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 43 A200 C0 10 FY 04 | FLEX | KEY  |
| M 43 A200 C0 10 FZ 04 | TELE | KEY  |
| M 43 A200 T2 10 FY 04 | FLEX | CODE |
| M 43 A200 T2 10 FZ 04 | TELE | CODE |

Cabinet with 7 drawers, 3 adjustable shelves.  
Dimensions mm 867x751x2000 h.



2000 MM  
DOOR 1900 MM

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 43 A200 C0 10 FW 04 | FLEX | KEY  |
| M 43 A200 C0 10 FX 04 | TELE | KEY  |
| M 43 A200 P4 10 FW 04 | FLEX | CODE |
| M 43 A200 P4 10 FX 04 | TELE | CODE |

Cabinet with 3 drawers, 2 adjustable shelves,  
2 retractable shelves.  
Dimensions mm 867x751x2000 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 R070 S0 10 40 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 R070 P1 10 40 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
**Dimensions mm 947x752x963 h.**



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 R070 S0 10 42 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 R070 P1 10 42 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
**Dimensions mm 947x752x963 h.**



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 R070 S0 10 44 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 R070 P1 10 44 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
**Dimensions mm 947x752x963 h.**



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 R085 S0 10 AE 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 R085 P1 10 AE 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 7 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
**Dimensions mm 947x752x1113 h.**



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 R085 S0 10 AC 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 R085 P1 10 AC 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 7 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
**Dimensions mm 947x752x1113 h.**



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 43 R085 S0 10 AG 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 43 R085 P1 10 AG 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 8 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
**Dimensions mm 947x752x1113 h.**

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock

page 12 - 13

123

456

CODE = electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf

PE = Retractable shelf

\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions

1263 MM

900 mm

100

100

100

150

150

300

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 43 R100 S0 10 CQ 04 | FLEX | KEY  |
| M 43 R100 P1 10 CQ 04 | FLEX | CODE |

Cabinet with 6 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
Dimensions mm 947x752x1263 h.

75

75

100

150

150

150

200

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 43 R100 S0 10 AW 04 | FLEX | KEY  |
| M 43 R100 P1 10 AW 04 | FLEX | CODE |

Cabinet with 7 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
Dimensions mm 947x752x1263 h.

50

75

75

100

100

100

150

250

| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 43 R100 S0 10 BQ 04 | FLEX | KEY  |
| M 43 R100 P1 10 BQ 04 | FLEX | CODE |

Cabinet with 8 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
Dimensions mm 947x752x1263 h.



18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

EMPTY CABINET BODY WITH LOCKING MECHANISM

WIDTH = 867 mm      DEPTH = 726 mm



| HEIGHT MM (A)                                    |    | 700                   | 850                   | 1000                  | 1500                  |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| USABLE HEIGHT MM (B)                             |    | 600                   | 750                   | 900                   | 1400                  |
|                                                  |    |                       |                       |                       |                       |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 43 A070 X0 10 00 04 | M 43 A085 X0 10 00 04 | M 43 A100 X0 10 00 04 | M 43 A150 X0 10 00 04 |
| CABINET WITH VERTEBRATE BAR WITHOUT LOCK*        | C5 | M 43 A070 C5 10 00 04 | M 43 A085 C5 10 00 04 | M 43 A100 C5 10 00 04 | M 43 A150 C5 10 00 04 |
|                                                  |    |                       |                       |                       |                       |
| KEY COMFORT                                      |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | C0 | M 43 A070 C0 10 00 04 | M 43 A085 C0 10 00 04 | M 43 A100 C0 10 00 04 | M 43 A150 C0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | C1 | M 43 A070 C1 10 00 04 | M 43 A085 C1 10 00 04 | M 43 A100 C1 10 00 04 | M 43 A150 C1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | C2 | M 43 A070 C2 10 00 04 | M 43 A085 C2 10 00 04 | M 43 A100 C2 10 00 04 | M 43 A150 C2 10 00 04 |
|                                                  |    |                       |                       |                       |                       |
| CODE EASY                                        |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | E1 | M 43 A070 E1 10 00 04 | M 43 A085 E1 10 00 04 | M 43 A100 E1 10 00 04 | M 43 A150 E1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | E2 | M 43 A070 E2 10 00 04 | M 43 A085 E2 10 00 04 | M 43 A100 E2 10 00 04 | M 43 A150 E2 10 00 04 |
| EXTERNAL POWERED                                 | E4 | M 43 A070 E4 10 00 04 | M 43 A085 E4 10 00 04 | M 43 A100 E4 10 00 04 | M 43 A150 E4 10 00 04 |
| EXTERNAL POWERED - PROGRAMMABLE                  | E5 | M 43 A070 E5 10 00 04 | M 43 A085 E5 10 00 04 | M 43 A100 E5 10 00 04 | M 43 A150 E5 10 00 04 |
|                                                  |    |                       |                       |                       |                       |
| CODE TOP                                         |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T0 | M 43 A070 T0 10 00 04 | M 43 A085 T0 10 00 04 | M 43 A100 T0 10 00 04 | M 43 A150 T0 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T1 | M 43 A070 T1 10 00 04 | M 43 A085 T1 10 00 04 | M 43 A100 T1 10 00 04 | M 43 A150 T1 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T2 | M 43 A070 T2 10 00 04 | M 43 A085 T2 10 00 04 | M 43 A100 T2 10 00 04 | M 43 A150 T2 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T3 | M 43 A070 T3 10 00 04 | M 43 A085 T3 10 00 04 | M 43 A100 T3 10 00 04 | M 43 A150 T3 10 00 04 |


\*The vertebrate bar and locking systems are available on pages 214 - 215

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3.

In configurations with the letter T the remote control always acts on the output 1 (see page 15).

Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH



GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

CODE =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

SYLOGIK

smart solutions



|                       |
|-----------------------|
| 2000                  |
| 1900                  |
| M 43 A200 X0 10 00 04 |
| M 43 A200 C5 10 00 04 |
|                       |
| M 43 A200 C0 10 00 04 |
| M 43 A200 C1 10 00 04 |
| M 43 A200 C2 10 00 04 |
|                       |
| M 43 A200 E1 10 00 04 |
| M 43 A200 E2 10 00 04 |
| M 43 A200 E4 10 00 04 |
| M 43 A200 E5 10 00 04 |
|                       |
| M 43 A200 T0 10 00 04 |
| M 43 A200 T1 10 00 04 |
| M 43 A200 T2 10 00 04 |
| M 43 A200 T3 10 00 04 |

KEY COMFORT

C0

C1

C2

CODE EASY

E1

E2

E4

E5

CODE TOP

T0

T1

T2

T3

SEE PAGE 12 - 14 - 15

18x27 EH

GUARANTEE  
5 YEARS

FLEX flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE telescopic extraction

100% = 200 Kg

KEY = cylinder lock  
page 12 - 13

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK smart solutions

EMPTY CABINET BODY READY FOR WHEELS WITH LOCKS

WIDTH = 941 mm

DEPTH = 752 mm




|                                                  |    |                       |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 763                   | 913                   | 1063                  |
| USABLE HEIGHT MM (B)                             |    | 600                   | 750                   | 900                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 43 R070 X0 10 00 04 | M 43 R085 X0 10 00 04 | M 43 R100 X0 10 00 04 |
| KEY SMART (Push to Open)                         |    |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | S0 | M 43 R070 S0 10 00 04 | M 43 R085 S0 10 00 04 | M 43 R100 S0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | S1 | M 43 R070 S1 10 00 04 | M 43 R085 S1 10 00 04 | M 43 R100 S1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | S2 | M 43 R070 S2 10 00 04 | M 43 R085 S2 10 00 04 | M 43 R100 S2 10 00 04 |
| CODE PLUS (Push to Open)                         |    |                       |                       |                       |
| BATTERY POWERED                                  | P1 | M 43 R070 P1 10 00 04 | M 43 R085 P1 10 00 04 | M 43 R100 P1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | P2 | M 43 R070 P2 10 00 04 | M 43 R085 P2 10 00 04 | M 43 R100 P2 10 00 04 |
| CODE ADVANCE (Push to Open)                      |    |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A0 | M 43 R070 A0 10 00 04 | M 43 R085 A0 10 00 04 | M 43 R100 A0 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A1 | M 43 R070 A1 10 00 04 | M 43 R085 A1 10 00 04 | M 43 R100 A1 10 00 04 |

Full versions of cabinet includes: 4 border top with oil-resistant rubber cover, pair of handles, transversal wheel plates.  
Wheels available on page 211

\*The vertebrate bar and locking systems are available on pages 214 - 215

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P1 - P2 - A0 - A1.  
In configurations with the letter A the remote control always acts on the output 1 (see page 17).  
Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

KEY SMART (Push to Open)

S0

S1

S2

CODE PLUS (Push to Open)

P1

PROGRAMMABLE

P2

CODE ADVANCE (Push to Open)

PROGRAMMABLE

A0

PROGRAMMABLE

A1

SEE PAGE 13 - 16 - 17

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI

MASTER

WHEELS


STANDARD RUBBER WHEELS



Ø 100  
Ø 125



Ø 150  
Ø 200



Ø 100  
Ø 125



Ø 150  
Ø 200

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BAC11 100</b> | 100  | 75           | 128  |
| <b>C RG BAC12 125</b> | 125  | 100          | 155  |
| <b>C RG BAC13 150</b> | 150  | 115          | 180  |
| <b>C RG BAC15 200</b> | 200  | 205          | 240  |

Standard rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DAC11 100</b> | 100  | 75           | 128  |
| <b>C RG DAC12 125</b> | 125  | 100          | 155  |
| <b>C RG DAC13 150</b> | 150  | 115          | 180  |
| <b>C RG DAC15 200</b> | 200  | 205          | 240  |

Standard rubber swivel wheels with brake

NYLON WHEELS



Ø 100  
Ø 125



Ø 160



Ø 100  
Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BAD10 100</b> | 100  | 125          | 128  |
| <b>C RN BAD11 125</b> | 125  | 180          | 155  |
| <b>C RN BAD04 160</b> | 160  | 300          | 200  |

Nylon fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DAD10 100</b> | 100  | 125          | 128  |
| <b>C RN DAD11 125</b> | 125  | 180          | 155  |
| <b>C RN DAD04 160</b> | 160  | 300          | 200  |

Nylon swivel wheels with brake

SYNTHETIC MARK-PROOF RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BPH22 125</b> | 125  | 100          | 155  |
| <b>C RG BPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DPH22 125</b> | 125  | 100          | 155  |
| <b>C RG DPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber swivel wheels with brake

ELASTIC RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BCE15 125</b> | 125  | 180          | 155  |
| <b>C RG BCE15 160</b> | 160  | 300          | 200  |

Elastic rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DCE15 125</b> | 125  | 180          | 155  |
| <b>C RG DCE15 160</b> | 160  | 300          | 200  |

Elastic rubber swivel wheels with brake

POLYURETHANE WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BDD31 125</b> | 125  | 180          | 155  |
| <b>C RN BDD44 160</b> | 160  | 300          | 200  |

Polyurethane fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DDD31 125</b> | 125  | 180          | 155  |
| <b>C RN DDD44 160</b> | 160  | 300          | 200  |

Polyurethane swivel wheels with brake



To calculate load capacity of the cabinet use the formula:  $(A \times 3) - 160$  kg  
A = wheel load capacity  
ATTENTION: for security reasons, the load capacity of the cabinet with wheels cannot be more than 600 kg.

211

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.


**PLASTIC IN 8  
COLOURS**



DOORS WITH LOCKS



WIDTH = 867 mm

DOORS FOR FULL HEIGHT



| CABINET HEIGHT MM (B)                     |    | 850                            |                          | 1000                           |                          |
|-------------------------------------------|----|--------------------------------|--------------------------|--------------------------------|--------------------------|
| DOOR HEIGHT MM (A)                        |    | 794                            |                          | 944                            |                          |
|                                           |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                               |    |                                |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0 | M 40 P075 C0 10 10 04          | M 40 P075 C0 00 10 04    | M 40 P090 C0 10 10 04          | M 40 P090 C0 00 10 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1 | M 40 P075 C1 10 10 04          | M 40 P075 C1 00 10 04    | M 40 P090 C1 10 10 04          | M 40 P090 C1 00 10 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2 | M 40 P075 C2 10 10 04          | M 40 P075 C2 00 10 04    | M 40 P090 C2 10 10 04          | M 40 P090 C2 00 10 04    |
| CODE PLUS (Push to Open)                  |    |                                |                          |                                |                          |
| BATTERY POWERED                           | P4 | M 40 P075 P4 10 10 04          | M 40 P075 P4 00 10 04    | M 40 P090 P4 10 10 04          | M 40 P090 P4 00 10 04    |
| BATTERY POWERED - PROGRAMMABLE            | P5 | M 40 P075 P5 10 10 04          | M 40 P075 P5 00 10 04    | M 40 P090 P5 10 10 04          | M 40 P090 P5 00 10 04    |
| CODE ADVANCE (Push to Open)               |    |                                |                          |                                |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2 | M 40 P075 A2 10 10 04          | M 40 P075 A2 00 10 04    | M 40 P090 A2 10 10 04          | M 40 P090 A2 00 10 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3 | M 40 P075 A3 10 10 04          | M 40 P075 A3 00 10 04    | M 40 P090 A3 10 10 04          | M 40 P090 A3 00 10 04    |

DOORS FOR PARTIAL HEIGHT



| OVERALL HEIGHT MM (D)                     |    | 775 (D)                        |                          |
|-------------------------------------------|----|--------------------------------|--------------------------|
| USABLE HEIGHT MM (C) - DOOR HEIGHT MM (A) |    | 750 (C) - 794 (A)              |                          |
|                                           |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                               |    |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0 | M 40 P077 C0 10 11 04          | M 40 P077 C0 00 11 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1 | M 40 P077 C1 10 11 04          | M 40 P077 C1 00 11 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2 | M 40 P077 C2 10 11 04          | M 40 P077 C2 00 11 04    |
| CODE PLUS (Push to Open)                  |    |                                |                          |
| BATTERY POWERED                           | P4 | M 40 P077 P4 10 11 04          | M 40 P077 P4 00 11 04    |
| BATTERY POWERED - PROGRAMMABLE            | P5 | M 40 P077 P5 10 11 04          | M 40 P077 P5 00 11 04    |
| CODE ADVANCE (Push to Open)               |    |                                |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2 | M 40 P077 A2 10 11 04          | M 40 P077 A2 00 11 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3 | M 40 P077 A3 10 11 04          | M 40 P077 A3 00 11 04    |
| LOCKING PREPARED FOR T2 - T3 - A1         | A4 | M 40 P077 A4 10 11 04          | M 40 P077 A4 00 11 04    |

\*Match the item number to one of the plastic kits available at page 213

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE


electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



| 1500                           |                          | 2000                           |                          |
|--------------------------------|--------------------------|--------------------------------|--------------------------|
| 1444                           |                          | 1944                           |                          |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| M 40 P140 C0 10 10 04          | M 40 P140 C0 00 10 04    | M 40 P190 C0 10 10 04          | M 40 P190 C0 00 10 04    |
| M 40 P140 C1 10 10 04          | M 40 P140 C1 00 10 04    | M 40 P190 C1 10 10 04          | M 40 P190 C1 00 10 04    |
| M 40 P140 C2 10 10 04          | M 40 P140 C2 00 10 04    | M 40 P190 C2 10 10 04          | M 40 P190 C2 00 10 04    |
| M 40 P140 P4 10 10 04          | M 40 P140 P4 00 10 04    | M 40 P190 P4 10 10 04          | M 40 P190 P4 00 10 04    |
| M 40 P140 P5 10 10 04          | M 40 P140 P5 00 10 04    | M 40 P190 P5 10 10 04          | M 40 P190 P5 00 10 04    |
| M 40 P140 A2 10 10 04          | M 40 P140 A2 00 10 04    | M 40 P190 A2 10 10 04          | M 40 P190 A2 00 10 04    |
| M 40 P140 A3 10 10 04          | M 40 P140 A3 00 10 04    | M 40 P190 A3 10 10 04          | M 40 P190 A3 00 10 04    |

KEY COMFORT

C0

C1

C2

CODE PLUS (Push to Open)

P4

P5

CODE ADVANCE (Push to Open)

A2

A3

A4

SEE PAGE 12 - 16 - 17


PLASTIC KIT FOR DOORS

Plastic kit for wing doors with handle and hinges.

| LOCKING            |  | KEY                   | CODE                  |
|--------------------|--|-----------------------|-----------------------|
| MEDITERRANEAN BLUE |  | M 00 PLS0 00 00 30 M1 | M 00 PLS0 00 00 31 M1 |
| SKY BLUE           |  | M 00 PLS0 00 00 30 M2 | M 00 PLS0 00 00 31 M2 |
| GLAMOUR RED        |  | M 00 PLS0 00 00 30 M3 | M 00 PLS0 00 00 31 M3 |
| RED CARPET         |  | M 00 PLS0 00 00 30 M4 | M 00 PLS0 00 00 31 M4 |
| JUICY ORANGE       |  | M 00 PLS0 00 00 30 M5 | M 00 PLS0 00 00 31 M5 |
| SUNNY YELLOW       |  | M 00 PLS0 00 00 30 M6 | M 00 PLS0 00 00 31 M6 |
| FOREST GREEN       |  | M 00 PLS0 00 00 30 M7 | M 00 PLS0 00 00 31 M7 |

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P4 - P5 - A2 - A3. In configurations with the letter A the remote control always acts on the output 1 (see page 17). Each receiver module can manage up to 10 remote controls.




| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

LOCKING SYSTEMS


ELECTRONIC LOCKING (CODE)

The electronic keypad can be inserted under the locking shelf or under for the top of the Master cabinet series and can be powered either from the grid with a transformer or with 4 AA batteries 1.5 V - 0.15 A. The **Programmable** card comes with two inputs and two outputs depending on the needs of the customer. For more information contact a Fami technician.




| CODE EASY                                 |    |                       |                                 |
|-------------------------------------------|----|-----------------------|---------------------------------|
| BATTERY POWERED                           | E1 | M 43 V000 E1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | E2 | M 43 V000 E2 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED                          | E4 | M 43 V000 E4 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED - PROGRAMMABLE           | E5 | M 43 V000 E5 00 00 00 | A + B + C + D + E + F + G       |
| CODE TOP                                  |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T0 | M 43 V000 T0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T1 | M 43 V000 T1 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T2 | M 43 V000 T2 00 00 00 | A + B + C + D + E + F + G + H   |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T3 | M 43 V000 T3 00 00 00 | A + B + C + D + E + F + G + H   |
| CODE PLUS (Push to Open)                  |    |                       |                                 |
| BATTERY POWERED                           | P1 | M 43 V000 P1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | P2 | M 43 V000 P2 00 00 00 | A + B + C + D + E + F + G       |
| CODE ADVANCE (Push to Open)               |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A0 | M 43 V000 A0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A1 | M 43 V000 A1 00 00 00 | A + B + C + D + E + F + G + H   |


CODE EASY




CODE TOP



CODE PLUS (Push to Open)




CODE ADVANCE (Push to Open)



SEE PAGE 14 - 17

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3 - P1 - P2 - A0 - A1. In configurations with the letter T and A the remote control always acts on the output 1 (see page 15 - 17). Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VR00 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VR00 00 00 01 00 | A          |

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

= cylinder lock  
page 12 - 13

CODE

= electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions




VERTEBRATE BAR

The vertebrae bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.



| ORD. NO.              | Useful height<br>insertion drawers mm |
|-----------------------|---------------------------------------|
| M 00 V030 00 00 00 00 | 300                                   |
| M 00 V050 00 00 00 00 | 500                                   |
| M 00 V060 00 00 00 00 | 600                                   |
| M 00 V070 00 00 00 00 | 700                                   |
| M 00 V075 00 00 00 00 | 750                                   |
| M 00 V090 00 00 00 00 | 900                                   |
| M 00 V105 00 00 00 00 | 1050                                  |
| M 00 V122 00 00 00 00 | 1225                                  |
| M 00 V140 00 00 00 00 | 1400                                  |
| M 00 V152 00 00 00 00 | 1525                                  |
| M 00 V190 00 00 00 00 | 1900                                  |


CYLINDER LOCK (KEY)




- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |    |                       |
|-----------------------------------------|----|-----------------------|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 43 V000 C0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 43 V000 C1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 43 V000 C2 00 00 00 |
|                                         |    |                       |
| KEY SMART (Push to Open)                |    |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | S0 | M 43 V000 S0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | S1 | M 43 V000 S1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | S2 | M 43 V000 S2 00 00 00 |

KEY COMFORT



KEY SMART (Push to Open)



SEE PAGE 12 - 13

SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

UPPER SHELF FOR LOCKING SYSTEM

This upper shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 43 PS46 00 10 00 04 | 46              | 150              |

Dimensions mm 816x724x46 h.

LOWER SHELF FOR LOCKING SYSTEM

This lower shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 43 PS46 10 10 00 04 | 46              | 150              |

Dimensions mm 816x724x46 h.

ADJUSTABLE SHELF

This adjustable height shelf, comes standard with 2 guides and 1 reinforcement, is designed to be inserted in front of the vertebrae bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 43 PR25 00 00 01 04 | 25              | 100              |

Usable dimensions mm 810x617x25 h.

SLOTTED ADJUSTABLE SHELF

This adjustable height shelf cannot be inserted in front of the vertebrae bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 43 PR35 10 00 00 04 | 35              | 250              |

Dimensions mm 816x721x35 h.

DRAWERS AND RETRACTABLES SHELVES

FLEXIBLE EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom in fixed increments makes inserting the partitioning elements simple and rational. Drawers are supplied with the flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|----------------------------|----------------------------|
| <b>M 43 C050 01 10 0F 04</b>      | <b>M 43 C050 01 00 0F 04</b> | 50                 | 33                  | 28                | 100                        | 50                         |
| <b>M 43 C075 01 10 0F 04</b>      | <b>M 43 C075 01 00 0F 04</b> | 75                 | 58                  | 53                | 96                         | 75                         |
| <b>M 43 C100 01 10 0F 04</b>      | <b>M 43 C100 01 00 0F 04</b> | 100                | 83                  | 75                | 96                         | 75                         |
| <b>M 43 C125 01 10 0F 04</b>      | <b>M 43 C125 01 00 0F 04</b> | 125                | 108                 | 75                | 96                         | 75                         |
| <b>M 43 C150 01 10 0F 04</b>      | <b>M 43 C150 01 00 0F 04</b> | 150                | 133                 | 125               | 92                         | 100                        |
| <b>M 43 C200 01 10 0F 04</b>      | <b>M 43 C200 01 00 0F 04</b> | 200                | 183                 | 175               | 92                         | 100                        |
| <b>M 43 C250 01 10 0F 04</b>      | <b>M 43 C250 01 00 0F 04</b> | 250                | 233                 | 175               | 92                         | 100                        |
| <b>M 43 C300 01 10 0F 04</b>      | <b>M 43 C300 01 00 0F 04</b> | 300                | 283                 | 275               | 92                         | 100                        |

Volume / extractability kg/%: 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 753x600.**

\*Match the item number to one of the plastic kits available at page 217

TELESCOPIC EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom with fixed increments make inserting the partitioning elements simple and rational. Drawers supplied with a telescopic extraction system with 8 bearings in high strength polymer allows a consistently smooth, durable and silent glide



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|---------------------|---------------------|
| <b>M 43 C075 01 10 0T 04</b>      | <b>M 43 C075 01 00 0T 04</b> | 75                 | 58                  | 53                | 100                 | 200                 |
| <b>M 43 C100 01 10 0T 04</b>      | <b>M 43 C100 01 00 0T 04</b> | 100                | 83                  | 75                | 100                 | 200                 |
| <b>M 43 C125 01 10 0T 04</b>      | <b>M 43 C125 01 00 0T 04</b> | 125                | 108                 | 75                | 100                 | 200                 |
| <b>M 43 C150 01 10 0T 04</b>      | <b>M 43 C150 01 00 0T 04</b> | 150                | 133                 | 125               | 100                 | 200                 |
| <b>M 43 C200 01 10 0T 04</b>      | <b>M 43 C200 01 00 0T 04</b> | 200                | 183                 | 175               | 100                 | 200                 |
| <b>M 43 C250 01 10 0T 04</b>      | <b>M 43 C250 01 00 0T 04</b> | 250                | 233                 | 175               | 100                 | 200                 |
| <b>M 43 C300 01 10 0T 04</b>      | <b>M 43 C300 01 00 0T 04</b> | 300                | 283                 | 275               | 100                 | 200                 |

**Usable dimensions mm 753x600.**

\*Match the item number to one of the plastic kits available at page 217

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg

96% = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock page 12 - 13

123

456

CODE = electronic lock page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI

MASTER

FLEXIBLE RETRACTABLE SHELVES

These retractable shelves were designed to fit in the cabinets. The shelves are supplied with a flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|----------------------------|----------------------------|
| M 43 C057 01 10 0F 04             | M 43 C057 01 00 0F 04       | 70                 | 53                | 96                         | 75                         |

Volume / extractability    kg/%: 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 753x600.**

\*Match the item number to one of the plastic kits available in the table below

TELESCOPIC RETRACTABLE SHELVES

These retractable shelves were designed to be inserted in the cabinet. The shelves are supplied with a telescopic extraction system with 8 bearings in high strength polymer that allows a consistently smooth, durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|---------------------|---------------------|
| M 43 C057 01 10 0T 04             | M 43 C057 01 00 0T 04       | 70                 | 53                | 100                 | 200                 |

**Usable dimensions mm 753x600.**

\*Match the item number to one of the plastic kits available in the table below

PLASTIC KIT FOR DRAWERS AND RETRACTABLE SHELVES

Plastic kit for drawers and retractable shelves with left handle, door profile in white plastic, right plug h =25 mm

|                    |                                                                                     | ORD. NO.              |
|--------------------|-------------------------------------------------------------------------------------|-----------------------|
| MEDITERRANEAN BLUE |  | M 40 PLS1 00 00 00 M1 |
| SKY BLUE           |  | M 40 PLS1 00 00 00 M2 |
| GLAMOUR RED        |  | M 40 PLS1 00 00 00 M3 |
| RED CARPET         |  | M 40 PLS1 00 00 00 M4 |
| JUICY ORANGE       |  | M 40 PLS1 00 00 00 M5 |
| SUNNY YELLOW       |  | M 40 PLS1 00 00 00 M6 |
| FOREST GREEN       |  | M 40 PLS1 00 00 00 M7 |



|                                                                                          |                                                                                     |                                                        |                                                |                                                   |
|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------|------------------------------------------------|---------------------------------------------------|
| 18x27 EH                                                                                 | 27x27 EH                                                                            | 36x27 EH                                               | 54x27 EH                                       | 27x36 EH                                          |
| <b>GUARANTEE</b><br><b>5 YEARS</b>                                                       | <b>FLEX</b> flexible extraction<br><br>100% = 50 Kg<br>96 % = 75 kg<br>92% = 100 Kg | <b>TELE</b> telescopic extraction<br><br>100% = 200 Kg | <br><b>KEY</b> = cylinder lock<br>page 12 - 13 | <br><b>CODE</b> = electronic lock<br>page 14 - 17 |
| <br>YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10. |                                                                                     |                                                        | <br>PLASTIC IN 8 COLOURS                       |                                                   |

ACCESSORIES

UPPER MDF TOP WITH RUBBER COVERING

**A**

**B**

**C**

**A**

ORD. NO.  
**M 43 T030 MD GM 21 07**  
MDF top with rubber covering and side profile.  
For end cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 867x726x32 h.

**B**

ORD. NO.  
**M 43 T030 MD GM 11 07**  
MDF top with rubber covering, no side profile.  
For additional central cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 867x726x32 h.

**C**

ORD. NO.  
**M 43 T030 MD GM 01 07**  
MDF top with rubber covering and 2 side profiles.  
For single cabinet.  
Colour: Black RAL 9011.  
Dimensions mm 867x726x32 h.

**M 00 T030 MD 00 F0 00**  
Drilling of the cabinet upper shelf for the MDF top fixing.

TOP SHELF WITH 3 EDGES



ORD. NO.  
**M 43 T023 AG 00 31 07**  
Oil-resistant rubber cover top with 3 edges for single cabinet. Colour: Black RAL 9011.  
Dimensions mm 867x726x23 h.

TUBE HANDLE

Handle complete with 2 nylon supports, one steel tube, screws for mounting.



ORD. NO.  
**M 03 R000 00 00 00 07**



TOP SHELF WITH 4 EDGES



ORD. NO.  
**M 43 T023 AG 00 41 07**  
Oil-resistant rubber cover top with 4 edges for single cabinet. Colour: Black RAL 9011.  
Dimensions mm 867x726x23 h.

ORD. NO.  
**M 00 T023 AG 00 F0 00**  
Predrilled cabinet top for fixing the top with 4 edges.

PAIR OF HANDLES

Steel handles coated in oil-resistant rubber with screws for fixing, applicable only for the top with 4 edges. The handles can be fitted towards the bottom thereby reducing the height by 37 mm. Colour: Black RAL 9011.



ORD. NO.  
**F AG 9330 00 07**



PAIR OF TRAVERSE WHEEL SUPPORTS



ORD. NO.  
**M 40 R013 00 00 00 07**  
Length 863 mm. Colour: Black RAL 9011.

TWO SIDED ADHESIVE TAPE



ORD. NO.  
**R CMV 0025 00**  
Length 50 meters - Width 15 mm.



PLINTHS



ORD. NO.  
**M 43 Z050 00 00 00 04**  
Plinth. Dimensions mm 865x725x50 h.



ORD. NO.  
**M 43 Z100 00 00 00 04**  
Plinth. Dimensions mm 865x725x100 h.

PLINTHS FOR FORK LIFT TRUCK



ORD. NO.  
**M 03 Z060 20 00 00 07**  
Pair of plinths for fork lift truck.  
Colour: Black RAL 9011. Dim. mm 200x722x60 h.  
ORD. NO.  
**M 40 Z060 21 00 00 07**  
Facing piece. Colour: Black RAL 9011.  
Dimensions mm 861x46x55 h.

PLINTHS FOR TRANSPALLET



ORD. NO.  
**M 43 Z100 10 00 00 07**  
Plinth for transpallet. Colour: Black RAL 9011.  
Dimensions mm 865x722x100 h.  
ORD. NO.  
**M 40 Z100 11 00 00 07**  
Facing piece. Colour: Black RAL 9011.  
Dimensions mm 861x46x95 h.

FIXING


The cabinet must be fixed to the floor or wall. If the cabinets are stacked they must be secured to the wall and their load rating must to be divided by 2.



ORD. NO.  
**F AG 9200 00 99**  
Pair of galvanized brackets for mounting the cabinet to the floor, hole Ø 6 mm.



ORD. NO.  
**F AG 9204 00 99**  
Floor fixing set. Features:  
- N° 2 “HILTI” plugs for concrete floors ≥ to classes C 20/25  
- Recommended traction of the plug: 2.9 KN  
- Plug diameter: Ø 6 mm.



ORD. NO.  
**M 00 FISO 00 00 00 99**  
Fixing set for cabinet including 4 screws with M8 nuts.

ORD. NO.  
**M 00 SVR0 00 00 00 99**  
Predrilled holes and screws for attachment of the two stacked cabinets.

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17




YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC** IN 8  
COLOURS



PARTITIONING MATERIAL



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 2005 22 00</b> |
| 75                   | <b>F FH 2007 22 00</b> |
| 100 - 125            | <b>F FH 2010 22 00</b> |
| 150                  | <b>F FH 2015 22 00</b> |
| 200 - 250            | <b>F FH 2020 22 00</b> |

Set including:

4 Plain partitions 610 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 100 - 125            | <b>F FH 3010 02 00</b> |
| 150                  | <b>F FH 3015 02 00</b> |
| 200 - 250            | <b>F FH 3020 02 00</b> |
| 300                  | <b>F FH 3030 02 00</b> |

Set including:

2 Slotted partitions 610 mm  
8 Plain partitions 251 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 75                   | <b>F FH 3007 03 00</b> |
| 100 - 125            | <b>F FH 3010 03 00</b> |
| 150                  | <b>F FH 3015 03 00</b> |
| 200 - 250            | <b>F FH 3020 03 00</b> |
| 300                  | <b>F FH 3030 03 00</b> |

Set including:


4 Slotted partitions 610 mm  
21 Plain partitions 149 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 75                   | <b>F FH 3007 04 00</b> |
| 100 - 125            | <b>F FH 3010 04 00</b> |
| 150                  | <b>F FH 3015 04 00</b> |
| 200 - 250            | <b>F FH 3020 04 00</b> |
| 300                  | <b>F FH 3030 04 00</b> |

Set including:

3 Slotted partitions 610 mm  
5 Plain partitions 149 mm  
10 Plain partitions 200 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 3005 05 00</b> |
| 75                   | <b>F FH 3007 05 00</b> |
| 100 - 125            | <b>F FH 3010 05 00</b> |

Set including:

5 Slotted partitions 610 mm  
15 Plain partitions 98 mm  
5 Plain partitions 149 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 3005 06 00</b> |
| 75                   | <b>F FH 3007 06 00</b> |
| 100 - 125            | <b>F FH 3010 06 00</b> |

Set including:

6 Slotted partitions 610 mm  
24 Plain partitions 98 mm  
1 Plain partition 149 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 3005 07 00</b> |
| 75                   | <b>F FH 3007 07 00</b> |

Set including:

20 Plastic boxes 75x75 mm  
20 Plastic boxes 150x75 mm  
5 Plastic boxes 150x150 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 3005 08 00</b> |
| 75                   | <b>F FH 3007 08 00</b> |
| 100 - 125            | <b>F FH 3010 08 00</b> |

Set including:

20 Plastic boxes 150x75 mm  
10 Plastic boxes 150x150 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 3005 09 00</b> |
| 75                   | <b>F FH 3007 09 00</b> |
| 100 - 125            | <b>F FH 3010 09 00</b> |

Set including:

20 Plastic boxes 150x150 mm



The innovation in front of everything,  
in front of *everyone*

MASTER **54x36** EH



|                                  |          |          |          |          |
|----------------------------------|----------|----------|----------|----------|
| 18x27 EH                         | 27x27 EH | 36x27 EH | 54x27 EH | 27x36 EH |
| WIDTH = 1020 mm - DEPTH = 726 mm |          |          |          |          |

CABINETS  
SERIES  
MASTER  
54x36



SUPPLEMENTARY PARTS



■ Spare key

Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. **M 00 CF00 00 00 00 00**



■ Master key

Master key are available in 25 series, numbered from F 01 to F 25.

|                        |                                        |
|------------------------|----------------------------------------|
| Master key series F 01 | ORD. NO. <b>M 00 PF01 00 00 00 00</b>  |
| Master key series F 02 | ORD. NO. <b>M 00 PF02 00 00 00 00</b>  |
| Master key series F .. | ORD. NO. <b>M 00 PF .. 00 00 00 00</b> |
| Master key series F 25 | ORD. NO. <b>M 00 PF25 00 00 00 00</b>  |

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH



GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



700 MM



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 53 A070 C0 10 49 04 | FLEX | KEY  |
| M 53 A070 C0 10 50 04 | TELE | KEY  |
| M 53 A070 E1 10 49 04 | FLEX | CODE |
| M 53 A070 E1 10 50 04 | TELE | CODE |

Cabinet with 4 drawers.  
Dimensions mm 1020x726x700 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 53 A070 C0 10 31 04 | FLEX | KEY  |
| M 53 A070 C0 10 51 04 | TELE | KEY  |
| M 53 A070 E1 10 31 04 | FLEX | CODE |
| M 53 A070 E1 10 51 04 | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 1020x726x700 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 53 A070 C0 10 44 04 | FLEX | KEY  |
| M 53 A070 C0 10 45 04 | TELE | KEY  |
| M 53 A070 E1 10 44 04 | FLEX | CODE |
| M 53 A070 E1 10 45 04 | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 1020x726x700 h.

850 MM



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 53 A085 C0 10 88 04 | FLEX | KEY  |
| M 53 A085 C0 10 AP 04 | TELE | KEY  |
| M 53 A085 E1 10 88 04 | FLEX | CODE |
| M 53 A085 E1 10 AP 04 | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 1020x726x850 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 53 A085 C0 10 AK 04 | FLEX | KEY  |
| M 53 A085 C0 10 AL 04 | TELE | KEY  |
| M 53 A085 E1 10 AK 04 | FLEX | CODE |
| M 53 A085 E1 10 AL 04 | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 1020x726x850 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 53 A085 C0 10 AA 04 | FLEX | KEY  |
| M 53 A085 C0 10 AB 04 | TELE | KEY  |
| M 53 A085 E1 10 AA 04 | FLEX | CODE |
| M 53 A085 E1 10 AB 04 | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 1020x726x850 h.

850 MM



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 53 A085 C0 10 AM 04 | FLEX | KEY  |
| M 53 A085 C0 10 AN 04 | TELE | KEY  |
| M 53 A085 E1 10 AM 04 | FLEX | CODE |
| M 53 A085 E1 10 AN 04 | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 1020x726x850 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 53 A085 C0 10 95 04 | FLEX | KEY  |
| M 53 A085 C0 10 AU 04 | TELE | KEY  |
| M 53 A085 E1 10 95 04 | FLEX | CODE |
| M 53 A085 E1 10 AU 04 | TELE | CODE |

Cabinet with 7 drawers.  
Dimensions mm 1020x726x850 h.



| ORD. NO.              | TYPE  |      |
|-----------------------|-------|------|
| M 53 A085 C0 10 AE 04 | FLEX  | KEY  |
| M 53 A085 C0 10 AF 04 | TELE* | KEY  |
| M 53 A085 E1 10 AE 04 | FLEX  | CODE |
| M 53 A085 E1 10 AF 04 | TELE* | CODE |

Cabinet with 7 drawers.  
Dimensions mm 1020x726x850 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A100 C0 10 EA 04</b> | FLEX | KEY  |
| <b>M 53 A100 C0 10 EB 04</b> | TELE | KEY  |
| <b>M 53 A100 E1 10 EA 04</b> | FLEX | CODE |
| <b>M 53 A100 E1 10 EB 04</b> | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 1020x726x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A100 C0 10 DB 04</b> | FLEX | KEY  |
| <b>M 53 A100 C0 10 DC 04</b> | TELE | KEY  |
| <b>M 53 A100 E1 10 DB 04</b> | FLEX | CODE |
| <b>M 53 A100 E1 10 DC 04</b> | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 1020x726x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A100 C0 10 BE 04</b> | FLEX | KEY  |
| <b>M 53 A100 C0 10 BF 04</b> | TELE | KEY  |
| <b>M 53 A100 E1 10 BE 04</b> | FLEX | CODE |
| <b>M 53 A100 E1 10 BF 04</b> | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 1020x726x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A100 C0 10 CQ 04</b> | FLEX | KEY  |
| <b>M 53 A100 C0 10 CR 04</b> | TELE | KEY  |
| <b>M 53 A100 E1 10 CQ 04</b> | FLEX | CODE |
| <b>M 53 A100 E1 10 CR 04</b> | TELE | CODE |

Cabinet with 6 drawers.  
Dimensions mm 1020x726x1000 h.



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 53 A100 C0 10 BN 04</b> | FLEX  | KEY  |
| <b>M 53 A100 C0 10 BP 04</b> | TELE* | KEY  |
| <b>M 53 A100 E1 10 BN 04</b> | FLEX  | CODE |
| <b>M 53 A100 E1 10 BP 04</b> | TELE* | CODE |

Cabinet with 7 drawers.  
Dimensions mm 1020x726x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A100 C0 10 AW 04</b> | FLEX | KEY  |
| <b>M 53 A100 C0 10 BH 04</b> | TELE | KEY  |
| <b>M 53 A100 E1 10 AW 04</b> | FLEX | CODE |
| <b>M 53 A100 E1 10 BH 04</b> | TELE | CODE |

Cabinet with 7 drawers.  
Dimensions mm 1020x726x1000 h.



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A100 C0 10 BU 04</b> | FLEX | KEY  |
| <b>M 53 A100 C0 10 BV 04</b> | TELE | KEY  |
| <b>M 53 A100 P4 10 BU 04</b> | FLEX | CODE |
| <b>M 53 A100 P4 10 BV 04</b> | TELE | CODE |

Cabinet with 1 drawer, 2 retractable shelves,  
1 top shelf with 3 edges.  
Dimensions mm 1020x751x1023 h.

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A100 C0 10 BW 04</b> | FLEX | KEY  |
| <b>M 53 A100 C0 10 BX 04</b> | TELE | KEY  |
| <b>M 53 A100 P4 10 BW 04</b> | FLEX | CODE |
| <b>M 53 A100 P4 10 BX 04</b> | TELE | CODE |

Cabinet with 2 drawers, 1 retractable shelf,  
1 top shelf with 3 edges.  
Dimensions mm 1020x751x1023 h.

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A100 C0 10 BY 04</b> | FLEX | KEY  |
| <b>M 53 A100 C0 10 BZ 04</b> | TELE | KEY  |
| <b>M 53 A100 P4 10 BY 04</b> | FLEX | CODE |
| <b>M 53 A100 P4 10 BZ 04</b> | TELE | CODE |

Cabinet with 3 drawers, 1 retractable shelf,  
1 top shelf with 3 edges.  
Dimensions mm 1020x751x1023 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A100 C0 10 CA 04</b> | FLEX | KEY  |
| <b>M 53 A100 C0 10 CB 04</b> | TELE | KEY  |
| <b>M 53 A100 P4 10 CA 04</b> | FLEX | CODE |
| <b>M 53 A100 P4 10 CB 04</b> | TELE | CODE |

Cabinet with 3 drawers, 2 retractable shelves,  
1 top shelf with 3 edges.  
Dimensions mm 1020x751x1023 h.

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A100 C0 10 CC 04</b> | FLEX | KEY  |
| <b>M 53 A100 C0 10 CD 04</b> | TELE | KEY  |
| <b>M 53 A100 P4 10 CC 04</b> | FLEX | CODE |
| <b>M 53 A100 P4 10 CD 04</b> | TELE | CODE |

Cabinet with 4 drawers, 1 top shelf with 3 edges.  
Dimensions mm 1020x751x1023 h.

| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A100 C0 10 CE 04</b> | FLEX | KEY  |
| <b>M 53 A100 C0 10 CF 04</b> | TELE | KEY  |
| <b>M 53 A100 P4 10 CE 04</b> | FLEX | CODE |
| <b>M 53 A100 P4 10 CF 04</b> | TELE | CODE |

Cabinet with 5 drawers, 1 top shelf with 3 edges.  
Dimensions mm 1020x751x1023 h.

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE  
**5**  
 YEARS

**FLEX** flexible extraction  
 100% = 50 Kg  
 96% = 75 kg  
 92% = 100 Kg

**TELE** telescopic extraction  
 100% = 200 Kg

KEY = cylinder lock  
 page 12 - 13

CODE = electronic lock  
 page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS  
 AVAILABLE ON PAGE 10.

PR = Adjustable shelf  
 PE = Retractable shelf  
 \* 50 mm drawer height is available only in the flexible extraction



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17




YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction




| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A150 C0 10 FJ 04</b> | FLEX | KEY  |
| <b>M 53 A150 C0 10 FK 04</b> | TELE | KEY  |
| <b>M 53 A150 E1 10 FJ 04</b> | FLEX | CODE |
| <b>M 53 A150 E1 10 FK 04</b> | TELE | CODE |

Cabinet with 9 drawers.  
Dimensions mm 1020x726x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A150 C0 10 LX 04</b> | FLEX | KEY  |
| <b>M 53 A150 C0 10 LY 04</b> | TELE | KEY  |
| <b>M 53 A150 E1 10 LX 04</b> | FLEX | CODE |
| <b>M 53 A150 E1 10 LY 04</b> | TELE | CODE |

Cabinet with 9 drawers.  
Dimensions mm 1020x726x1500 h.



| ORD. NO.                     | TYPE  |      |
|------------------------------|-------|------|
| <b>M 53 A150 C0 10 LZ 04</b> | FLEX  | KEY  |
| <b>M 53 A150 C0 10 MA 04</b> | TELE* | KEY  |
| <b>M 53 A150 E1 10 LZ 04</b> | FLEX  | CODE |
| <b>M 53 A150 E1 10 MA 04</b> | TELE* | CODE |

Cabinet with 10 drawers.  
Dimensions mm 1020x726x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A150 C0 10 LA 04</b> | FLEX | KEY  |
| <b>M 53 A150 C0 10 LB 04</b> | TELE | KEY  |
| <b>M 53 A150 P4 10 LA 04</b> | FLEX | CODE |
| <b>M 53 A150 P4 10 LB 04</b> | TELE | CODE |

Cabinet with 3 drawers, 2 retractable shelves.  
Dimensions mm 1020x751x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A150 C0 10 LE 04</b> | FLEX | KEY  |
| <b>M 53 A150 C0 10 LF 04</b> | TELE | KEY  |
| <b>M 53 A150 P4 10 LE 04</b> | FLEX | CODE |
| <b>M 53 A150 P4 10 LF 04</b> | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 1020x751x1500 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 53 A150 C0 10 LC 04</b> | FLEX | KEY  |
| <b>M 53 A150 C0 10 LD 04</b> | TELE | KEY  |
| <b>M 53 A150 P4 10 LC 04</b> | FLEX | CODE |
| <b>M 53 A150 P4 10 LD 04</b> | TELE | CODE |

Cabinet with 3 adjustable shelves, 2 retractable shelves.  
Dimensions mm 1020x751x1500 h.

|          |          |          |          |          |
|----------|----------|----------|----------|----------|
| 36x36 EH | 45x36 EH | 54x36 EH | 64x36 EH | 78x36 EH |
|----------|----------|----------|----------|----------|

GUARANTEE

**5**

YEARS

**FLEX** flexible extraction

100% = 50 Kg  
96% = 75 kg  
92% = 100 Kg

**TELE** telescopic extraction

100% = 200 Kg

**KEY** = cylinder lock  
page 12 - 13

**CODE** = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction

**SYLOGIK**  
smart solutions



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE        |
|------------------------------|-------------|
| <b>M 53 A200 C5 10 FU 04</b> | <b>FLEX</b> |
| <b>M 53 A200 C5 10 FV 04</b> | <b>TELE</b> |

Cabinet with 4 drawers.  
Dimensions mm 1020x726x2000 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 53 A200 C0 10 FS 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 53 A200 C0 10 FT 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 53 A200 E1 10 FS 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 53 A200 E1 10 FT 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 7 drawers, 2 adjustable shelves.  
Dimensions mm 1020x726x2000 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 53 A200 C0 10 FY 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 53 A200 C0 10 FZ 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 53 A200 T2 10 FY 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 53 A200 T2 10 FZ 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 7 drawers, 3 adjustable shelves.  
Dimensions mm 1020x751x2000 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 53 A200 C0 10 FW 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 53 A200 C0 10 FX 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 53 A200 P4 10 FW 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 53 A200 P4 10 FX 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 3 drawers, 2 adjustable shelves,  
2 retractable shelves.  
Dimensions mm 1020x751x2000 h.



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 53 D150 C0 10 JC 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 53 D150 C0 10 JD 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 4 drawers, 4 retractable shelves.  
**Dimensions mm 1020x776x1500 h.**



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 53 D150 C0 10 JE 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 53 D150 C0 10 JF 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 6 drawers, 2 adjustable shelves,  
4 retractable shelves. **Dim. mm 1020x776x1500 h.**



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 53 D200 C0 10 JJ 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 53 D200 C0 10 JK 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 6 drawers, 6 adjustable shelves,  
2 retractable shelves. **Dim. mm 1020x776x2000 h.**



| ORD. NO.                     | TYPE        |            |
|------------------------------|-------------|------------|
| <b>M 53 D200 C0 10 JL 04</b> | <b>FLEX</b> | <b>KEY</b> |
| <b>M 53 D200 C0 10 JM 04</b> | <b>TELE</b> | <b>KEY</b> |

Cabinet with 8 drawers, 4 adjustable shelves.  
**Dimensions mm 1020x776x2000 h.**



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.


PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

EMPTY CABINET BODY WITH **LOCKING MECHANISM**

WIDTH = 1020 mm

DEPTH = 726 mm




| HEIGHT MM (A)                                    |    | 700                   | 850                   | 1000                  | 1325                  |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| USABLE HEIGHT MM (B)                             |    | 600                   | 750                   | 900                   | 1225                  |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 53 A070 X0 10 00 04 | M 53 A085 X0 10 00 04 | M 53 A100 X0 10 00 04 | M 53 A132 X0 10 00 04 |
| CABINET WITH VERTEBRATE BAR WITHOUT LOCK*        | C5 | M 53 A070 C5 10 00 04 | M 53 A085 C5 10 00 04 | M 53 A100 C5 10 00 04 | M 53 A132 C5 10 00 04 |
| KEY COMFORT                                      |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | C0 | M 53 A070 C0 10 00 04 | M 53 A085 C0 10 00 04 | M 53 A100 C0 10 00 04 | M 53 A132 C0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | C1 | M 53 A070 C1 10 00 04 | M 53 A085 C1 10 00 04 | M 53 A100 C1 10 00 04 | M 53 A132 C1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | C2 | M 53 A070 C2 10 00 04 | M 53 A085 C2 10 00 04 | M 53 A100 C2 10 00 04 | M 53 A132 C2 10 00 04 |
| CODE EASY                                        |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | E1 | M 53 A070 E1 10 00 04 | M 53 A085 E1 10 00 04 | M 53 A100 E1 10 00 04 | M 53 A132 E1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | E2 | M 53 A070 E2 10 00 04 | M 53 A085 E2 10 00 04 | M 53 A100 E2 10 00 04 | M 53 A132 E2 10 00 04 |
| EXTERNAL POWERED                                 | E4 | M 53 A070 E4 10 00 04 | M 53 A085 E4 10 00 04 | M 53 A100 E4 10 00 04 | M 53 A132 E4 10 00 04 |
| EXTERNAL POWERED - PROGRAMMABLE                  | E5 | M 53 A070 E5 10 00 04 | M 53 A085 E5 10 00 04 | M 53 A100 E5 10 00 04 | M 53 A132 E5 10 00 04 |
| CODE TOP                                         |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T0 | M 53 A070 T0 10 00 04 | M 53 A085 T0 10 00 04 | M 53 A100 T0 10 00 04 | M 53 A132 T0 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T1 | M 53 A070 T1 10 00 04 | M 53 A085 T1 10 00 04 | M 53 A100 T1 10 00 04 | M 53 A132 T1 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T2 | M 53 A070 T2 10 00 04 | M 53 A085 T2 10 00 04 | M 53 A100 T2 10 00 04 | M 53 A132 T2 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T3 | M 53 A070 T3 10 00 04 | M 53 A085 T3 10 00 04 | M 53 A100 T3 10 00 04 | M 53 A132 T3 10 00 04 |

\*The vertebrae bar and locking systems are available on pages 244 - 245

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3.  
In configurations with the letter T the remote control always acts on the output 1 (see page 15).  
Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions



|                       |                       |
|-----------------------|-----------------------|
| 1500                  | 2000                  |
| 1400                  | 1900                  |
| M 53 A150 X0 10 00 04 | M 53 A200 X0 10 00 04 |
| M 53 A150 C5 10 00 04 | M 53 A200 C5 10 00 04 |
| M 53 A150 C0 10 00 04 | M 53 A200 C0 10 00 04 |
| M 53 A150 C1 10 00 04 | M 53 A200 C1 10 00 04 |
| M 53 A150 C2 10 00 04 | M 53 A200 C2 10 00 04 |
| M 53 A150 E1 10 00 04 | M 53 A200 E1 10 00 04 |
| M 53 A150 E2 10 00 04 | M 53 A200 E2 10 00 04 |
| M 53 A150 E4 10 00 04 | M 53 A200 E4 10 00 04 |
| M 53 A150 E5 10 00 04 | M 53 A200 E5 10 00 04 |
| M 53 A150 T0 10 00 04 | M 53 A200 T0 10 00 04 |
| M 53 A150 T1 10 00 04 | M 53 A200 T1 10 00 04 |
| M 53 A150 T2 10 00 04 | M 53 A200 T2 10 00 04 |
| M 53 A150 T3 10 00 04 | M 53 A200 T3 10 00 04 |



KEY COMFORT

C0

C1

C2

CODE EASY

E1

E2

E4

E5

CODE TOP

T0

T1

T2

T3

SEE PAGE 12 - 14 - 15

18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

EMPTY CABINET BODY READY FOR WHEELS

WITH LOCKS

WIDTH = 1094 mm


DEPTH = 752 mm



|                                                  |    |                       |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 763                   | 913                   | 1063                  |
| USABLE HEIGHT MM (B)                             |    | 600                   | 750                   | 900                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 53 R070 X0 10 00 04 | M 53 R085 X0 10 00 04 | M 53 R100 X0 10 00 04 |
| KEY SMART (Push to Open)                         |    |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | S0 | M 53 R070 S0 10 00 04 | M 53 R085 S0 10 00 04 | M 53 R100 S0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | S1 | M 53 R070 S1 10 00 04 | M 53 R085 S1 10 00 04 | M 53 R100 S1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | S2 | M 53 R070 S2 10 00 04 | M 53 R085 S2 10 00 04 | M 53 R100 S2 10 00 04 |
| CODE PLUS (Push to Open)                         |    |                       |                       |                       |
| BATTERY POWERED                                  | P1 | M 53 R070 P1 10 00 04 | M 53 R085 P1 10 00 04 | M 53 R100 P1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | P2 | M 53 R070 P2 10 00 04 | M 53 R085 P2 10 00 04 | M 53 R100 P2 10 00 04 |
| CODE ADVANCE (Push to Open)                      |    |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A0 | M 53 R070 A0 10 00 04 | M 53 R085 A0 10 00 04 | M 53 R100 A0 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A1 | M 53 R070 A1 10 00 04 | M 53 R085 A1 10 00 04 | M 53 R100 A1 10 00 04 |


Full versions of cabinet includes: 4 border top with oil-resistant rubber cover, pair of handles, transversal wheel plates.  
Wheels available on page 239

\*The vertebrae bar and locking systems are available on pages 244 - 245



ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P1 - P2 - A0 - A1.  
In configurations with the letter A the remote control always acts on the output 1 (see page 17).  
Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI

MASTER

WHEELS


STANDARD RUBBER WHEELS



Ø 100  
Ø 125



Ø 150  
Ø 200



Ø 100  
Ø 125



Ø 150  
Ø 200

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BAC11 100</b> | 100  | 75           | 128  |
| <b>C RG BAC12 125</b> | 125  | 100          | 155  |
| <b>C RG BAC13 150</b> | 150  | 115          | 180  |
| <b>C RG BAC15 200</b> | 200  | 205          | 240  |

Standard rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DAC11 100</b> | 100  | 75           | 128  |
| <b>C RG DAC12 125</b> | 125  | 100          | 155  |
| <b>C RG DAC13 150</b> | 150  | 115          | 180  |
| <b>C RG DAC15 200</b> | 200  | 205          | 240  |

Standard rubber swivel wheels with brake

NYLON WHEELS



Ø 100  
Ø 125



Ø 160



Ø 100  
Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BAD10 100</b> | 100  | 125          | 128  |
| <b>C RN BAD11 125</b> | 125  | 180          | 155  |
| <b>C RN BAD04 160</b> | 160  | 300          | 200  |

Nylon fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DAD10 100</b> | 100  | 125          | 128  |
| <b>C RN DAD11 125</b> | 125  | 180          | 155  |
| <b>C RN DAD04 160</b> | 160  | 300          | 200  |

Nylon swivel wheels with brake

SYNTHETIC MARK-PROOF RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BPH22 125</b> | 125  | 100          | 155  |
| <b>C RG BPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DPH22 125</b> | 125  | 100          | 155  |
| <b>C RG DPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber swivel wheels with brake

ELASTIC RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BCE15 125</b> | 125  | 180          | 155  |
| <b>C RG BCE15 160</b> | 160  | 300          | 200  |

Elastic rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DCE15 125</b> | 125  | 180          | 155  |
| <b>C RG DCE15 160</b> | 160  | 300          | 200  |

Elastic rubber swivel wheels with brake

POLYURETHANE WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BDD31 125</b> | 125  | 180          | 155  |
| <b>C RN BDD44 160</b> | 160  | 300          | 200  |

Polyurethane fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DDD31 125</b> | 125  | 180          | 155  |
| <b>C RN DDD44 160</b> | 160  | 300          | 200  |

Polyurethane swivel wheels with brake



To calculate load capacity of the cabinet use the formula: (Ax3) - 180 kg  
A = wheel load capacity  
ATTENTION: for security reasons, the load capacity of the cabinet with wheels cannot be more than 600 kg.

18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock  
page 12 - 13

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

DOORS WITH LOCKS

WIDTH = 1020 mm

DOORS FOR FULL HEIGHT





PAIR  
OF DOORS



PAIR  
OF DOORS

|                                           |                                |                          |                                |                          |                       |
|-------------------------------------------|--------------------------------|--------------------------|--------------------------------|--------------------------|-----------------------|
| CABINET HEIGHT MM (B)                     | 850                            |                          | 1000                           |                          |                       |
| DOOR HEIGHT MM (A)                        | 794                            |                          | 944                            |                          |                       |
|                                           | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |                       |
| KEY COMFORT                               |                                |                          |                                |                          |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0                             | M 50 P075 C0 10 10 04    | M 50 P075 C0 00 10 04          | M 50 P090 C0 10 10 04    | M 50 P090 C0 00 10 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1                             | M 50 P075 C1 10 10 04    | M 50 P075 C1 00 10 04          | M 50 P090 C1 10 10 04    | M 50 P090 C1 00 10 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2                             | M 50 P075 C2 10 10 04    | M 50 P075 C2 00 10 04          | M 50 P090 C2 10 10 04    | M 50 P090 C2 00 10 04 |
| CODE PLUS (Push to Open)                  |                                |                          |                                |                          |                       |
| BATTERY POWERED                           | P4                             | M 50 P075 P4 10 10 04    | M 50 P075 P4 00 10 04          | M 50 P090 P4 10 10 04    | M 50 P090 P4 00 10 04 |
| BATTERY POWERED - PROGRAMMABLE            | P5                             | M 50 P075 P5 10 10 04    | M 50 P075 P5 00 10 04          | M 50 P090 P5 10 10 04    | M 50 P090 P5 00 10 04 |
| CODE ADVANCE (Push to Open)               |                                |                          |                                |                          |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2                             | M 50 P075 A2 10 10 04    | M 50 P075 A2 00 10 04          | M 50 P090 A2 10 10 04    | M 50 P090 A2 00 10 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3                             | M 50 P075 A3 10 10 04    | M 50 P075 A3 00 10 04          | M 50 P090 A3 10 10 04    | M 50 P090 A3 00 10 04 |

DOORS FOR PARTIAL HEIGHT





PAIR  
OF DOORS

|                                           |                                |                       |                          |
|-------------------------------------------|--------------------------------|-----------------------|--------------------------|
| OVERALL HEIGHT MM (D)                     | 775 (D)                        |                       |                          |
| USABLE HEIGHT MM (C) - DOOR HEIGHT MM (A) | 750 (C) - 794 (A)              |                       |                          |
|                                           | ORD. NO. Dark Grey plastic kit |                       | ORD. NO. no plastic kit* |
| KEY COMFORT                               |                                |                       |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0                             | M 50 P077 C0 10 11 04 | M 50 P077 C0 00 11 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1                             | M 50 P077 C1 10 11 04 | M 50 P077 C1 00 11 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2                             | M 50 P077 C2 10 11 04 | M 50 P077 C2 00 11 04    |
| CODE PLUS (Push to Open)                  |                                |                       |                          |
| BATTERY POWERED                           | P4                             | M 50 P077 P4 10 11 04 | M 50 P077 P4 00 11 04    |
| BATTERY POWERED - PROGRAMMABLE            | P5                             | M 50 P077 P5 10 11 04 | M 50 P077 P5 00 11 04    |
| CODE ADVANCE (Push to Open)               |                                |                       |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2                             | M 50 P077 A2 10 11 04 | M 50 P077 A2 00 11 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3                             | M 50 P077 A3 10 11 04 | M 50 P077 A3 00 11 04    |
| LOCKING PREPARED FOR T2 - T3 - A1         | A4                             | M 50 P077 A4 10 11 04 | M 50 P077 A4 00 11 04    |

\*Match the item number to one of the plastic kits available at page 241

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

123


456

CODE =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

SYLOGIK  
smart solutions



| 1500                           |                          | 2000                           |                          |
|--------------------------------|--------------------------|--------------------------------|--------------------------|
| 1444                           |                          | 1944                           |                          |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| M 50 P140 C0 10 10 04          | M 50 P140 C0 00 10 04    | M 50 P190 C0 10 10 04          | M 50 P190 C0 00 10 04    |
| M 50 P140 C1 10 10 04          | M 50 P140 C1 00 10 04    | M 50 P190 C1 10 10 04          | M 50 P190 C1 00 10 04    |
| M 50 P140 C2 10 10 04          | M 50 P140 C2 00 10 04    | M 50 P190 C2 10 10 04          | M 50 P190 C2 00 10 04    |
| M 50 P140 P4 10 10 04          | M 50 P140 P4 00 10 04    | M 50 P190 P4 10 10 04          | M 50 P190 P4 00 10 04    |
| M 50 P140 P5 10 10 04          | M 50 P140 P5 00 10 04    | M 50 P190 P5 10 10 04          | M 50 P190 P5 00 10 04    |
| M 50 P140 A2 10 10 04          | M 50 P140 A2 00 10 04    | M 50 P190 A2 10 10 04          | M 50 P190 A2 00 10 04    |
| M 50 P140 A3 10 10 04          | M 50 P140 A3 00 10 04    | M 50 P190 A3 10 10 04          | M 50 P190 A3 00 10 04    |

KEY COMFORT

C0

C1

C2

CODE PLUS (Push to Open)

123

456

P4

123

456

PROGRAMMABLE

P5

CODE ADVANCE (Push to Open)

123

456

PROGRAMMABLE

A2

123

456

PROGRAMMABLE

A3

123

456

A4

SEE PAGE 12 - 16 - 17


PLASTIC KIT FOR DOORS

Plastic kit for wing doors with handle and hinges.

| LOCKING            |             | KEY                   | CODE                  |
|--------------------|-------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE | <div></div> | M 00 PLS0 00 00 30 M1 | M 00 PLS0 00 00 31 M1 |
| SKY BLUE           | <div></div> | M 00 PLS0 00 00 30 M2 | M 00 PLS0 00 00 31 M2 |
| GLAMOUR RED        | <div></div> | M 00 PLS0 00 00 30 M3 | M 00 PLS0 00 00 31 M3 |
| RED CARPET         | <div></div> | M 00 PLS0 00 00 30 M4 | M 00 PLS0 00 00 31 M4 |
| JUICY ORANGE       | <div></div> | M 00 PLS0 00 00 30 M5 | M 00 PLS0 00 00 31 M5 |
| SUNNY YELLOW       | <div></div> | M 00 PLS0 00 00 30 M6 | M 00 PLS0 00 00 31 M6 |
| FOREST GREEN       | <div></div> | M 00 PLS0 00 00 30 M7 | M 00 PLS0 00 00 31 M7 |

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P4 - P5 - A2 - A3. In configurations with the letter A the remote control always acts on the output 1 (see page 17). Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC** IN 8  
COLOURS

**SYLOGIK**  
smart solutions

EMPTY DOUBLE BODY CABINET **WITH LOCKS**

**WIDTH = 2040 mm**

**DEPTH = 776/751 mm**

CABINET WITH DOUBLE SLIDING DOOR



| HEIGHT MM (A)                           |    | 850                            |                          | 1000                           |                          |
|-----------------------------------------|----|--------------------------------|--------------------------|--------------------------------|--------------------------|
| USABLE HEIGHT MM (B)                    |    | 750                            |                          | 900                            |                          |
|                                         |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                             |    |                                |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 53 D085 C0 10 OD 04          | M 53 D085 C0 00 OD 04    | M 53 D100 C0 10 OD 04          | M 53 D100 C0 00 OD 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 53 D085 C1 10 OD 04          | M 53 D085 C1 00 OD 04    | M 53 D100 C1 10 OD 04          | M 53 D100 C1 00 OD 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 53 D085 C2 10 OD 04          | M 53 D085 C2 00 OD 04    | M 53 D100 C2 10 OD 04          | M 53 D100 C2 00 OD 04    |

Cabinet body without lock and without anti-dumping bar.

\*Match the item number to one of the plastic kits available at page 243

CABINET WITH SINGLE RIGHT SLIDING DOOR



| HEIGHT MM (A)                           |    | 850                            |                          | 1000                           |                          |
|-----------------------------------------|----|--------------------------------|--------------------------|--------------------------------|--------------------------|
| USABLE HEIGHT MM (B)                    |    | 750                            |                          | 900                            |                          |
|                                         |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                             |    |                                |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 53 D085 C0 10 OS 04          | M 53 D085 C0 00 OS 04    | M 53 D100 C0 10 OS 04          | M 53 D100 C0 00 OS 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 53 D085 C1 10 OS 04          | M 53 D085 C1 00 OS 04    | M 53 D100 C1 10 OS 04          | M 53 D100 C1 00 OS 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 53 D085 C2 10 OS 04          | M 53 D085 C2 00 OS 04    | M 53 D100 C2 10 OS 04          | M 53 D100 C2 00 OS 04    |

Cabinet body without lock and without anti-dumping bar. **Attention:** drawers can only be insert in the left side of the cabinet.

\*Match the item number to one of the plastic kits available at page 243

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock

page 12 - 13

CODE

electronic lock

page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.


PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI

MASTER



| 1500                           |                          | 2000                           |                          |
|--------------------------------|--------------------------|--------------------------------|--------------------------|
| 1400                           |                          | 1900                           |                          |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| M 53 D150 C0 10 0D 04          | M 53 D150 C0 00 0D 04    | M 53 D200 C0 10 0D 04          | M 53 D200 C0 00 0D 04    |
| M 53 D150 C1 10 0D 04          | M 53 D150 C1 00 0D 04    | M 53 D200 C1 10 0D 04          | M 53 D200 C1 00 0D 04    |
| M 53 D150 C2 10 0D 04          | M 53 D150 C2 00 0D 04    | M 53 D200 C2 10 0D 04          | M 53 D200 C2 00 0D 04    |

PLASTIC KIT FOR DOUBLE CABINET

Plastic kit for sliding doors.

|                    | ORD. NO. for double sliding doors | ORD. NO. for single sliding door |
|--------------------|-----------------------------------|----------------------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 50 M1             | M 00 PLS0 00 00 40 M1            |
| SKY BLUE           | M 00 PLS0 00 00 50 M2             | M 00 PLS0 00 00 40 M2            |
| GLAMOUR RED        | M 00 PLS0 00 00 50 M3             | M 00 PLS0 00 00 40 M3            |
| RED CARPET         | M 00 PLS0 00 00 50 M4             | M 00 PLS0 00 00 40 M4            |
| JUICY ORANGE       | M 00 PLS0 00 00 50 M5             | M 00 PLS0 00 00 40 M5            |
| SUNNY YELLOW       | M 00 PLS0 00 00 50 M6             | M 00 PLS0 00 00 40 M6            |
| FOREST GREEN       | M 00 PLS0 00 00 50 M7             | M 00 PLS0 00 00 40 M7            |

KEY COMFORT

C0


C1

C2

SEE PAGE 12

ANTI-DUMPING BAR AND LOCKS

CYLINDER LOCK (KEY)



- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |    |                       |
|-----------------------------------------|----|-----------------------|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 53 V000 C0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 53 V000 C1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 53 V000 C2 00 00 00 |

VERTEBRATE BAR




The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.

| ORD. NO.              | Useful height<br>insertion drawers mm |
|-----------------------|---------------------------------------|
| M 00 V075 00 00 00 00 | 750                                   |
| M 00 V090 00 00 00 00 | 900                                   |
| M 00 V140 00 00 00 00 | 1400                                  |
| M 00 V190 00 00 00 00 | 1900                                  |

LOCKING SYSTEMS


ELECTRONIC LOCKING (CODE)

The electronic keypad can be inserted under the locking shelf or under for the top of the Master cabinet series and can be powered either from the grid with a transformer or with 4 AA batteries 1.5 V - 0.15 A. The **Programmable** card comes with two inputs and two outputs depending on the needs of the customer. For more information contact a Fami technician.




| CODE EASY                                 |    |                       |                                 |
|-------------------------------------------|----|-----------------------|---------------------------------|
| BATTERY POWERED                           | E1 | M 53 V000 E1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | E2 | M 53 V000 E2 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED                          | E4 | M 53 V000 E4 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED - PROGRAMMABLE           | E5 | M 53 V000 E5 00 00 00 | A + B + C + D + E + F + G       |
| CODE TOP                                  |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T0 | M 53 V000 T0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T1 | M 53 V000 T1 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T2 | M 53 V000 T2 00 00 00 | A + B + C + D + E + F + G + H   |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T3 | M 53 V000 T3 00 00 00 | A + B + C + D + E + F + G + H   |
| CODE PLUS (Push to Open)                  |    |                       |                                 |
| BATTERY POWERED                           | P1 | M 53 V000 P1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | P2 | M 53 V000 P2 00 00 00 | A + B + C + D + E + F + G       |
| CODE ADVANCE (Push to Open)               |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A0 | M 53 V000 A0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A1 | M 53 V000 A1 00 00 00 | A + B + C + D + E + F + G + H   |


CODE EASY




CODE TOP



CODE PLUS (Push to Open)




CODE ADVANCE (Push to Open)



SEE PAGE 14 - 17

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3 - P1 - P2 - A0 - A1. In configurations with the letter T and A the remote control always acts on the output 1 (see pages 15 and 17). Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions




VERTEBRATE BAR

The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.



| ORD. NO.              | Useful height<br>insertion drawers mm |
|-----------------------|---------------------------------------|
| M 00 V030 00 00 00 00 | 300                                   |
| M 00 V050 00 00 00 00 | 500                                   |
| M 00 V060 00 00 00 00 | 600                                   |
| M 00 V070 00 00 00 00 | 700                                   |
| M 00 V075 00 00 00 00 | 750                                   |
| M 00 V090 00 00 00 00 | 900                                   |
| M 00 V105 00 00 00 00 | 1050                                  |
| M 00 V122 00 00 00 00 | 1225                                  |
| M 00 V140 00 00 00 00 | 1400                                  |
| M 00 V152 00 00 00 00 | 1525                                  |
| M 00 V190 00 00 00 00 | 1900                                  |


CYLINDER LOCK (KEY)




- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |    |                       |
|-----------------------------------------|----|-----------------------|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 53 V000 C0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 53 V000 C1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 53 V000 C2 00 00 00 |
|                                         |    |                       |
| KEY SMART (Push to Open)                |    |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | S0 | M 53 V000 S0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | S1 | M 53 V000 S1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | S2 | M 53 V000 S2 00 00 00 |

KEY COMFORT



KEY SMART (Push to Open)



SEE PAGE 12 - 13

SHELVES FOR LOCKS AND ADJUSTABLE SHELF

UPPER SHELF FOR LOCKING SYSTEM

This upper shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 53 PS46 00 10 00 04 | 46              | 150              |

Dimensions mm 969x724x46 h.

LOWER SHELF FOR LOCKING SYSTEM

This lower shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 53 PS46 10 10 00 04 | 46              | 150              |

Dimensions mm 969x724x46 h.

ADJUSTABLE SHELF

This adjustable height shelf, comes standard with 2 guides and 1 reinforcement, is designed to be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 53 PR25 00 00 01 04 | 25              | 100              |

Usable dimensions mm 963x617x25 h.

SLOTTED ADJUSTABLE SHELF

This adjustable height shelf cannot be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 53 PR35 10 00 00 04 | 35              | 250              |

Dimensions mm 969x721x35 h.

DRAWERS AND RETRACTABLES SHELVES

FLEXIBLE EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom in fixed increments makes inserting the partitioning elements simple and rational. Drawers are supplied with the flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.

| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|----------------------------|----------------------------|
| <b>M 53 C050 01 10 0F 04</b>      | <b>M 53 C050 01 00 0F 04</b> | 50                 | 31                  | 28                | 100                        | 50                         |
| <b>M 53 C075 01 10 0F 04</b>      | <b>M 53 C075 01 00 0F 04</b> | 75                 | 56                  | 53                | 96                         | 75                         |
| <b>M 53 C100 01 10 0F 04</b>      | <b>M 53 C100 01 00 0F 04</b> | 100                | 81                  | 75                | 96                         | 75                         |
| <b>M 53 C125 01 10 0F 04</b>      | <b>M 53 C125 01 00 0F 04</b> | 125                | 106                 | 75                | 96                         | 75                         |
| <b>M 53 C150 01 10 0F 04</b>      | <b>M 53 C150 01 00 0F 04</b> | 150                | 131                 | 125               | 92                         | 100                        |
| <b>M 53 C200 01 10 0F 04</b>      | <b>M 53 C200 01 00 0F 04</b> | 200                | 181                 | 175               | 92                         | 100                        |
| <b>M 53 C250 01 10 0F 04</b>      | <b>M 53 C250 01 00 0F 04</b> | 250                | 231                 | 175               | 92                         | 100                        |
| <b>M 53 C300 01 10 0F 04</b>      | <b>M 53 C300 01 00 0F 04</b> | 300                | 281                 | 275               | 92                         | 100                        |

Volume / extractability    kg/% : 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 906x600.**

\*Match the item number to one of the plastic kits available at page 247

TELESCOPIC EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom with fixed increments make inserting the partitioning elements simple and rational. Drawers supplied with a telescopic extraction system with 8 bearings in high strength polymer allows a consistently smooth, durable and silent glide

| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit*  | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|------------------------------|--------------------|---------------------|-------------------|---------------------|---------------------|
| <b>M 53 C075 01 10 0T 04</b>      | <b>M 53 C075 01 00 0T 04</b> | 75                 | 56                  | 53                | 100                 | 200                 |
| <b>M 53 C100 01 10 0T 04</b>      | <b>M 53 C100 01 00 0T 04</b> | 100                | 81                  | 75                | 100                 | 200                 |
| <b>M 53 C125 01 10 0T 04</b>      | <b>M 53 C125 01 00 0T 04</b> | 125                | 106                 | 75                | 100                 | 200                 |
| <b>M 53 C150 01 10 0T 04</b>      | <b>M 53 C150 01 00 0T 04</b> | 150                | 131                 | 125               | 100                 | 200                 |
| <b>M 53 C200 01 10 0T 04</b>      | <b>M 53 C200 01 00 0T 04</b> | 200                | 181                 | 175               | 100                 | 200                 |
| <b>M 53 C250 01 10 0T 04</b>      | <b>M 53 C250 01 00 0T 04</b> | 250                | 231                 | 175               | 100                 | 200                 |
| <b>M 53 C300 01 10 0T 04</b>      | <b>M 53 C300 01 00 0T 04</b> | 300                | 281                 | 275               | 100                 | 200                 |

**Usable dimensions mm 906x600.**

\*Match the item number to one of the plastic kits available at page 247

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

KEY = cylinder lock  
page 12 - 13

CODE

CODE = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI MASTER

FLEXIBLE RETRACTABLE SHELVES

These retractable shelves were designed to fit in the cabinets. The shelves are supplied with a flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|----------------------------|----------------------------|
| M 53 C057 01 10 OF 04             | M 53 C057 01 00 OF 04       | 70                 | 53                | 96                         | 75                         |

Volume / extractability    kg/% : 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. **Usable dimensions mm 906x600.**

\*Match the item number to one of the plastic kits available in the table below

TELESCOPIC RETRACTABLE SHELVES

These retractable shelves were designed to be inserted in the cabinet. The shelves are supplied with a telescopic extraction system with 8 bearings in high strength polymer that allows a consistently smooth, durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|---------------------|---------------------|
| M 53 C057 01 10 OT 04             | M 53 C057 01 00 OT 04       | 70                 | 53                | 100                 | 200                 |

**Usable dimensions mm 906x600.**

\*Match the item number to one of the plastic kits available in the table below

PLASTIC KIT FOR DRAWERS AND RETRACTABLE SHELVES





Plastic kit for drawers and retractable shelves with left handle, door profile in white plastic, right plug h ≈25 mm

|                    |                                                                                     | ORD. NO.              |
|--------------------|-------------------------------------------------------------------------------------|-----------------------|
| MEDITERRANEAN BLUE |  | M 50 PLS1 00 00 00 M1 |
| SKY BLUE           |  | M 50 PLS1 00 00 00 M2 |
| GLAMOUR RED        |  | M 50 PLS1 00 00 00 M3 |
| RED CARPET         |  | M 50 PLS1 00 00 00 M4 |
| JUICY ORANGE       |  | M 50 PLS1 00 00 00 M5 |
| SUNNY YELLOW       |  | M 50 PLS1 00 00 00 M6 |
| FOREST GREEN       |  | M 50 PLS1 00 00 00 M7 |



ACCESSORIES

MDF TOP WITH RUBBER COVERING

|                                                                                                                                                                            |                                                                                                                                                                                           |                                                                                                                                                                                 |                                                                                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
|                                                                                           |                                                                                                         |                                                                                              |                      |
|                                                                                          |                                                                                                        |                                                                                             |                                                                                                         |
| ORD. NO.<br><b>M 53 T030 MD GM 21 07</b><br>MDF top with rubber covering and side profile.<br>For end cabinets.<br>Colour: Black RAL 9011.<br>Dimensions mm 1020x726x32 h. | ORD. NO.<br><b>M 53 T030 MD GM 11 07</b><br>MDF top with rubber covering, no side profile.<br>For additional central cabinets.<br>Colour: Black RAL 9011.<br>Dimensions mm 1020x726x32 h. | ORD. NO.<br><b>M 53 T030 MD GM 01 07</b><br>MDF top with rubber covering and 2 side profiles.<br>For single cabinet.<br>Colour: Black RAL 9011.<br>Dimensions mm 1020x726x32 h. | ORD. NO.<br><b>M 00 T030 MD 00 F0 00</b><br>Drilling of the cabinet upper shelf for the MDF top fixing. |

TOP SHELF WITH 3 EDGES

|                                                                                     |                                                                                                                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | ORD. NO.<br><b>M 53 T023 AG 00 31 07</b><br>Oil-resistant rubber cover top with 3 edges for single cabinet. Colour: Black RAL 9011.<br>Dimensions mm 1020x726x23 h. |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|

TOP SHELF WITH 4 EDGES

|                                                                                       |                                                                                                                                                                     |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | ORD. NO.<br><b>M 53 T023 AG 00 41 07</b><br>Oil-resistant rubber cover top with 4 edges for single cabinet. Colour: Black RAL 9011.<br>Dimensions mm 1020x726x23 h. |
|                                                                                       | ORD. NO.<br><b>M 00 T023 AG 00 F0 00</b><br>Predrilled cabinet top for fixing the top with 4 edges.                                                                 |

TUBE HANDLE

Handle complete with 2 nylon supports, one steel tube, screws for mounting. Colour: Black RAL 9011.



ORD. NO.  
**M 03 R000 00 00 00 07**

PAIR OF HANDLES

Steel handles coated in oil-resistant rubber with screws for fixing, applicable only for the top with 4 edges. The handles can be fitted towards the bottom thereby reducing the height by 37 mm. Colour: Black RAL 9011.



ORD. NO.  
**F AG 9330 00 07**

PAIR OF TRAVERSE WHEEL SUPPORTS



ORD. NO.  
**M 50 R013 00 00 00 07**  
Length 1016 mm. Colour: Black RAL 9011.

TWO SIDED ADHESIVE TAPE



ORD. NO.  
**R CMV 0025 00**  
Length 50 metri - Width 15 mm.

PLINTHS



ORD. NO.  
**M 53 Z050 00 00 00 04**  
Plinth. Dimensions mm 1018x725x50 h.



ORD. NO.  
**M 53 Z100 00 00 00 04**  
Plinth. Dimensions mm 1018x725x100 h.

PLINTHS FOR FORK LIFT TRUCK



ORD. NO.  
**M 03 Z060 20 00 00 07**  
Pair of plinths for fork lift truck.  
Colour: Black RAL 9011. Dim. mm 200x722x60 h.

ORD. NO.  
**M 50 Z060 21 00 00 07**  
Facing piece.  
Colour: Black RAL 9011. Dim. mm 1014x46x55 h.



ORD. NO.  
**M 03 Z100 20 00 00 07**  
Pair of plinths for fork lift truck.  
Colour: Black RAL 9011. Dim. mm 200x722x100 h.

ORD. NO.  
**M 50 Z100 21 00 00 07**  
Facing piece.  
Colour: Black RAL 9011. Dim. mm 1014x46x95 h.

FIXING


The cabinet must be fixed to the floor or wall. If the cabinets are stacked they must be secured to the wall and their load rating must to be divided by 2.



ORD. NO.  
**F AG 9200 00 99**  
Pair of galvanized brackets for mounting the cabinet to the floor, hole Ø 6 mm.



ORD. NO.  
**F AG 9204 00 99**  
Floor fixing set. Features:  
- N° 2 “HILTI” plugs for concrete floors ≥ to classes C 20/25  
- Recommended traction of the plug: 2.9 KN  
- Plug diameter: Ø 6 mm.



ORD. NO.  
**M 00 FIS0 00 00 00 99**  
Fixing set for cabinet including 4 screws with M8 nuts.

ORD. NO.  
**M 00 SVR0 00 00 00 99**  
Predrilled holes and screws for attachment of the two stacked cabinets.

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC** IN 8  
COLOURS

**SYLOGIK**  
smart solutions

PARTITIONING MATERIAL



FOR FRONT HEIGHTS mm

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 5005 01 00</b> |
| 75        | <b>F FH 5007 01 00</b> |
| 100 - 125 | <b>F FH 5010 01 00</b> |
| 150       | <b>F FH 5015 01 00</b> |
| 200 - 250 | <b>F FH 5020 01 00</b> |
| 300       | <b>F FH 5030 01 00</b> |

Set including:

|   |                    |        |
|---|--------------------|--------|
| 3 | Slotted partitions | 610 mm |
| 3 | Plain partitions   | 149 mm |
| 9 | Plain partitions   | 251 mm |



FOR FRONT HEIGHTS mm

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 5005 10 00</b> |
| 75        | <b>F FH 5007 10 00</b> |
| 100 - 125 | <b>F FH 5010 10 00</b> |
| 150       | <b>F FH 5015 10 00</b> |
| 200 - 250 | <b>F FH 5020 10 00</b> |
| 300       | <b>F FH 5030 10 00</b> |

Set including:

|   |                    |        |
|---|--------------------|--------|
| 2 | Slotted partitions | 610 mm |
| 2 | Plain partitions   | 302 mm |



FOR FRONT HEIGHTS mm

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 5005 11 00</b> |
| 75        | <b>F FH 5007 11 00</b> |
| 100 - 125 | <b>F FH 5010 11 00</b> |
| 150       | <b>F FH 5015 11 00</b> |
| 200 - 250 | <b>F FH 5020 11 00</b> |
| 300       | <b>F FH 5030 11 00</b> |

Set including:

|   |                    |        |
|---|--------------------|--------|
| 3 | Slotted partitions | 610 mm |
| 3 | Plain partitions   | 200 mm |



FOR FRONT HEIGHTS mm

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 5005 12 00</b> |
| 75        | <b>F FH 5007 12 00</b> |
| 100 - 125 | <b>F FH 5010 12 00</b> |
| 150       | <b>F FH 5015 12 00</b> |
| 200 - 250 | <b>F FH 5020 12 00</b> |
| 300       | <b>F FH 5030 12 00</b> |

Set including:

|   |                    |        |
|---|--------------------|--------|
| 4 | Slotted partitions | 610 mm |
| 4 | Plain partitions   | 149 mm |



FOR FRONT HEIGHTS mm

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 5005 07 00</b> |
| 75        | <b>F FH 5007 07 00</b> |
| 100 - 125 | <b>F FH 5010 07 00</b> |
| 150       | <b>F FH 5015 07 00</b> |
| 200 - 250 | <b>F FH 5020 07 00</b> |
| 300       | <b>F FH 5030 07 00</b> |

Set including:

|   |                    |        |
|---|--------------------|--------|
| 4 | Slotted partitions | 610 mm |
| 2 | Plain partitions   | 149 mm |
| 3 | Plain partitions   | 200 mm |



FOR FRONT HEIGHTS mm

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 5005 13 00</b> |
| 75        | <b>F FH 5007 13 00</b> |
| 100 - 125 | <b>F FH 5010 13 00</b> |
| 150       | <b>F FH 5015 13 00</b> |
| 200 - 250 | <b>F FH 5020 13 00</b> |
| 300       | <b>F FH 5030 13 00</b> |

Set including:

|    |                    |        |
|----|--------------------|--------|
| 5  | Slotted partitions | 610 mm |
| 12 | Plain partitions   | 149 mm |



FOR FRONT HEIGHTS mm

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 5005 14 00</b> |
| 75        | <b>F FH 5007 14 00</b> |
| 100 - 125 | <b>F FH 5010 14 00</b> |

Set including:

|   |                    |        |
|---|--------------------|--------|
| 6 | Slotted partitions | 610 mm |
| 6 | Plain partitions   | 98 mm  |
| 3 | Plain partitions   | 149 mm |
| 1 | Plain partition    | 200 mm |



FOR FRONT HEIGHTS mm

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 5005 15 00</b> |
| 75        | <b>F FH 5007 15 00</b> |
| 100 - 125 | <b>F FH 5010 15 00</b> |

Set including:

|    |                    |        |
|----|--------------------|--------|
| 7  | Slotted partitions | 610 mm |
| 12 | Plain partitions   | 98 mm  |
| 2  | Plain partitions   | 149 mm |



FOR FRONT HEIGHTS mm

ORD. NO.

|           |                        |
|-----------|------------------------|
| 50        | <b>F FH 5005 16 00</b> |
| 75        | <b>F FH 5007 16 00</b> |
| 100 - 125 | <b>F FH 5010 16 00</b> |

Set including:

|    |                    |        |
|----|--------------------|--------|
| 8  | Slotted partitions | 610 mm |
| 12 | Plain partitions   | 98 mm  |

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH



GUARANTEE  
**5**  
YEARS

**FLEX** flexible extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic extraction  
100% = 200 Kg

**KEY** = cylinder lock  
page 12 - 13

**CODE** = electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

**SYLOGIK** smart solutions

**SYLOGIK** smart solutions



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 5005 08 00</b> |
| 75                   | <b>F FH 5007 08 00</b> |
| 100 - 125            | <b>F FH 5010 08 00</b> |

Set including:  
12 Plastic boxes 150x75 mm  
18 Plastic boxes 150x150 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 5005 17 00</b> |
| 75                   | <b>F FH 5007 17 00</b> |

Set including:  
20 Plastic boxes 75x75 mm  
14 Plastic boxes 150x75 mm  
12 Plastic boxes 150x150 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 5005 18 00</b> |
| 75                   | <b>F FH 5007 18 00</b> |
| 100 - 125            | <b>F FH 5010 18 00</b> |

Set including:  
24 Plastic boxes 150x150 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 5005 19 00</b> |

Set including:  
16 Partitions 4 grooves  
30 Plain partitions 36 mm  
8 Partitions 3 grooves  
10 Plain partitions 47 mm




| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50 - 300             | <b>F FH 5005 09 00</b> |

Set including:  
8 Partitions 4 grooves  
15 Plain partitions 36 mm  
8 Partitions 3 grooves  
10 Plain partitions 47 mm  
8 Partitions 2 grooves  
6 Plain partitions 73 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 5005 20 00</b> |
| 75                   | <b>F FH 5007 20 00</b> |

Set including:  
4 Plastic boxes 75x75 mm  
6 Plastic boxes 150x75 mm  
2 Plastic boxes 150x150 mm  
1 Plain partition 610 mm  
5 Cutter holders Ø 15,5 mm  
5 Cutter holders Ø 21,5 mm  
5 Cutter holders Ø 26,5 mm



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 50                   | <b>F FH 5005 05 00</b> |
| 75                   | <b>F FH 5007 05 00</b> |
| 100 - 125            | <b>F FH 5010 05 00</b> |

Set including:  
5 Plain partitions 610 mm  
4 Plastic boxes 150x75 mm  
2 Plastic boxes 150x150 mm



Linear motion control,  
Push to Open

MASTER **78x36** EH



|                                  |          |          |          |          |
|----------------------------------|----------|----------|----------|----------|
| 18x27 EH                         | 27x27 EH | 36x27 EH | 54x27 EH | 27x36 EH |
| WIDTH = 1428 mm - DEPTH = 726 mm |          |          |          |          |

CABINETS  
SERIES  
MASTER  
78x36



SUPPLEMENTARY PARTS



■ Spare key

Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. **M 00 CF00 00 00 00 00**



■ Master key

Master key are available in 25 series, numbered from F 01 to F 25.

|                        |                                        |
|------------------------|----------------------------------------|
| Master key series F 01 | ORD. NO. <b>M 00 PF01 00 00 00 00</b>  |
| Master key series F 02 | ORD. NO. <b>M 00 PF02 00 00 00 00</b>  |
| Master key series F .. | ORD. NO. <b>M 00 PF .. 00 00 00 00</b> |
| Master key series F 25 | ORD. NO. <b>M 00 PF25 00 00 00 00</b>  |



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 15 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



1000 MM



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 73 A100 C0 10 EA 04</b> | FLEX | KEY  |
| <b>M 73 A100 C0 10 EB 04</b> | TELE | KEY  |
| <b>M 73 A100 E1 10 EA 04</b> | FLEX | CODE |
| <b>M 73 A100 E1 10 EB 04</b> | TELE | CODE |

Cabinet with 5 drawers.  
Dimensions mm 1428x726x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 73 A100 C0 10 DY 04</b> | FLEX | KEY  |
| <b>M 73 A100 C0 10 DZ 04</b> | TELE | KEY  |
| <b>M 73 A100 E1 10 DY 04</b> | FLEX | CODE |
| <b>M 73 A100 E1 10 DZ 04</b> | TELE | CODE |

Cabinet with 7 drawers.  
Dimensions mm 1428x726x1000 h.



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 73 A100 C0 10 CN 04</b> | FLEX | KEY  |
| <b>M 73 A100 C0 10 CP 04</b> | TELE | KEY  |
| <b>M 73 A100 E1 10 CN 04</b> | FLEX | CODE |
| <b>M 73 A100 E1 10 CP 04</b> | TELE | CODE |

Cabinet with 8 drawers.  
Dimensions mm 1428x726x1000 h.

1000 MM



| ORD. NO.                     | TYPE |      |
|------------------------------|------|------|
| <b>M 73 A100 C0 10 DD 04</b> | FLEX | KEY  |
| <b>M 73 A100 C0 10 DE 04</b> | TELE | KEY  |
| <b>M 73 A100 E1 10 DD 04</b> | FLEX | CODE |
| <b>M 73 A100 E1 10 DE 04</b> | TELE | CODE |

Cabinet with 8 drawers.  
Dimensions mm 1428x726x1000 h.



| ORD. NO.                     | TYPE |
|------------------------------|------|
| <b>M 73 A100 C5 10 EC 04</b> | FLEX |
| <b>M 73 A100 C5 10 ED 04</b> | TELE |

Cabinet with 1 drawer, 2 retractable shelves.  
Dimensions mm 1428x726x1000 h.



| ORD. NO.                     | TYPE |
|------------------------------|------|
| <b>M 73 A100 C5 10 CW 04</b> | FLEX |
| <b>M 73 A100 C5 10 CX 04</b> | TELE |

Cabinet with 2 retractable shelves.  
Dimensions mm 1428x726x1000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 73 A100 C0 10 BU 04 | FLEX | KEY  |
| M 73 A100 C0 10 BV 04 | TELE | KEY  |
| M 73 A100 P4 10 BU 04 | FLEX | CODE |
| M 73 A100 P4 10 BV 04 | TELE | CODE |

Cabinet with 1 drawer, 2 retractable shelves,  
1 top shelf with 3 edges.

Dimensions mm 1428x751x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 73 A100 C0 10 BW 04 | FLEX | KEY  |
| M 73 A100 C0 10 BX 04 | TELE | KEY  |
| M 73 A100 P4 10 BW 04 | FLEX | CODE |
| M 73 A100 P4 10 BX 04 | TELE | CODE |

Cabinet with 2 drawers, 1 retractable shelf,  
1 top shelf with 3 edges.

Dimensions mm 1428x751x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 73 A100 C0 10 BY 04 | FLEX | KEY  |
| M 73 A100 C0 10 BZ 04 | TELE | KEY  |
| M 73 A100 P4 10 BY 04 | FLEX | CODE |
| M 73 A100 P4 10 BZ 04 | TELE | CODE |

Cabinet with 3 drawers, 1 retractable shelf,  
1 top shelf with 3 edges.

Dimensions mm 1428x751x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 73 A100 C0 10 CA 04 | FLEX | KEY  |
| M 73 A100 C0 10 CB 04 | TELE | KEY  |
| M 73 A100 P4 10 CA 04 | FLEX | CODE |
| M 73 A100 P4 10 CB 04 | TELE | CODE |

Cabinet with 3 drawers, 2 retractable shelves,  
1 top shelf with 3 edges.

Dimensions mm 1428x751x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 73 A100 C0 10 CC 04 | FLEX | KEY  |
| M 73 A100 C0 10 CD 04 | TELE | KEY  |
| M 73 A100 P4 10 CC 04 | FLEX | CODE |
| M 73 A100 P4 10 CD 04 | TELE | CODE |

Cabinet with 4 drawers, 1 top shelf with 3 edges.

Dimensions mm 1428x751x1023 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 73 A100 C0 10 CE 04 | FLEX | KEY  |
| M 73 A100 C0 10 CF 04 | TELE | KEY  |
| M 73 A100 P4 10 CE 04 | FLEX | CODE |
| M 73 A100 P4 10 CF 04 | TELE | CODE |

Cabinet with 5 drawers, 1 top shelf with 3 edges.

Dimensions mm 1428x751x1023 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 15 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 73 A150 C0 10 MB 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 73 A150 C0 10 MC 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 73 A150 E1 10 MB 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 73 A150 E1 10 MC 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 10 drawers.  
Dimensions mm 1428x726x1500 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 73 A150 C0 10 MD 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 73 A150 C0 10 ME 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 73 A150 E1 10 MD 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 73 A150 E1 10 ME 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 11 drawers.  
Dimensions mm 1428x726x1500 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 73 A150 C0 10 MF 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 73 A150 C0 10 MG 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 73 A150 E1 10 MF 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 73 A150 E1 10 MG 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 12 drawers.  
Dimensions mm 1428x726x1500 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 73 A150 C0 10 LA 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 73 A150 C0 10 LB 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 73 A150 P4 10 LA 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 73 A150 P4 10 LB 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 3 drawers, 2 retractable shelves.  
Dimensions mm 1428x751x1500 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 73 A150 C0 10 LE 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 73 A150 C0 10 LF 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 73 A150 P4 10 LE 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 73 A150 P4 10 LF 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Dimensions mm 1428x751x1500 h.



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 73 A150 C0 10 LC 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 73 A150 C0 10 LD 04</b> | <b>TELE</b> | <b>KEY</b>  |
| <b>M 73 A150 P4 10 LC 04</b> | <b>FLEX</b> | <b>CODE</b> |
| <b>M 73 A150 P4 10 LD 04</b> | <b>TELE</b> | <b>CODE</b> |

Cabinet with 3 adjustable shelves, 2 retractable shelves.  
Dimensions mm 1428x751x1500 h.

36x36 EH

45x36 EH

54x36 EH

64x36 EH

78x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 15 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PR = Adjustable shelf  
PE = Retractable shelf  
\* 50 mm drawer height is available only in the flexible extraction

SYLOGIK

smart solutions



| ORD. NO.              | TYPE |
|-----------------------|------|
| M 73 A200 C5 10 FU 04 | FLEX |
| M 73 A200 C5 10 FV 04 | TELE |

Cabinet with 4 drawers.  
Dimensions mm 1428x726x2000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 73 A200 C0 10 FS 04 | FLEX | KEY  |
| M 73 A200 C0 10 FT 04 | TELE | KEY  |
| M 73 A200 E1 10 FS 04 | FLEX | CODE |
| M 73 A200 E1 10 FT 04 | TELE | CODE |

Cabinet with 7 drawers, 2 adjustable shelves.  
Dimensions mm 1428x726x2000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 73 A200 C0 10 FY 04 | FLEX | KEY  |
| M 73 A200 C0 10 FZ 04 | TELE | KEY  |
| M 73 A200 T2 10 FY 04 | FLEX | CODE |
| M 73 A200 T2 10 FZ 04 | TELE | CODE |

Cabinet with 7 drawers, 3 adjustable shelves.  
Dimensions mm 1428x751x2000 h.



| ORD. NO.              | TYPE |      |
|-----------------------|------|------|
| M 73 A200 C0 10 FW 04 | FLEX | KEY  |
| M 73 A200 C0 10 FX 04 | TELE | KEY  |
| M 73 A200 P4 10 FW 04 | FLEX | CODE |
| M 73 A200 P4 10 FX 04 | TELE | CODE |

Cabinet with 3 drawers, 2 adjustable shelves,  
2 retractable shelves.  
Dimensions mm 1428x751x2000 h.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 15 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PR** = Adjustable shelf  
**PE** = Retractable shelf  
\* 50 mm drawer height is  
available only in the flexible  
extraction



1113 MM



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 73 R085 S0 10 88 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 73 R085 P1 10 88 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 5 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
**Dimensions mm 1508x752x1113 h.**



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 73 R085 S0 10 AA 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 73 R085 P1 10 AA 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 6 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
**Dimensions mm 1508x752x1113 h.**



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 73 R085 S0 10 95 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 73 R085 P1 10 95 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 7 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
**Dimensions mm 1508x752x1113 h.**

1263 MM



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 73 R100 S0 10 DY 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 73 R100 P1 10 DY 04</b> | <b>FLEX</b> | <b>CODE</b> |


Cabinet with 7 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
**Dimensions mm 1508x752x1263 h.**



| ORD. NO.                     | TYPE        |             |
|------------------------------|-------------|-------------|
| <b>M 73 R100 S0 10 CN 04</b> | <b>FLEX</b> | <b>KEY</b>  |
| <b>M 73 R100 P1 10 CN 04</b> | <b>FLEX</b> | <b>CODE</b> |

Cabinet with 8 drawers.  
Ø 160 mm wheels in elastic rubber.  
Cabinet load capacity: 600 kg.  
**Dimensions mm 1508x752x1263 h.**

|                                              |  |                                                                                                                                                                      |  |                                                                                                                                         |  |                                                                                                                                           |  |                                                                                                                                       |  |                                                                                    |  |
|----------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------|--|
| 36x36 EH                                     |  | 45x36 EH                                                                                                                                                             |  | 54x36 EH                                                                                                                                |  | 64x36 EH                                                                                                                                  |  | 78x36 EH                                                                                                                              |  |                                                                                    |  |
| <b>GUARANTEE</b><br><b>5</b><br><b>YEARS</b> |  | <b>FLEX</b> flexible extraction<br><br>100% = 50 Kg<br>96 % = 75 kg<br>92% = 100 Kg |  | <b>TELE</b> telescopic extraction<br><br>100% = 200 Kg |  | <br><b>KEY</b> =<br>cylinder lock<br>page 12 - 13        |  | <br><b>CODE</b> =<br>electronic lock<br>page 15 - 17 |  |  |  |
|                                              |  |                                                                                                                                                                      |  | YOU CAN CHANGE THE<br>COLOUR OF ARTICLE 04 WITH<br>ONE OF 10 COLOURS<br>AVAILABLE ON PAGE 10.                                           |  | <b>PR</b> = Adjustable shelf<br><b>PE</b> = Retractable shelf<br>* 50 mm drawer height is<br>available only in the flexible<br>extraction |  |                                                    |  |                                                                                    |  |



18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS


SYLOGIK

smart solutions

EMPTY CABINET BODY WITH LOCKING MECHANISM

WIDTH = 1428 mm

DEPTH = 726 mm




|                                                  |    |                       |                       |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 700                   | 850                   | 1000                  | 1325                  |
| USABLE HEIGHT MM (B)                             |    | 600                   | 750                   | 900                   | 1225                  |
|                                                  |    |                       |                       |                       |                       |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 73 A070 X0 10 00 04 | M 73 A085 X0 10 00 04 | M 73 A100 X0 10 00 04 | M 73 A132 X0 10 00 04 |
| CABINET WITH VERTEBRATE BAR WITHOUT LOCK*        | C5 | M 73 A070 C5 10 00 04 | M 73 A085 C5 10 00 04 | M 73 A100 C5 10 00 04 | M 73 A132 C5 10 00 04 |
|                                                  |    |                       |                       |                       |                       |
| KEY COMFORT                                      |    |                       |                       |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | C0 | M 73 A070 C0 10 00 04 | M 73 A085 C0 10 00 04 | M 73 A100 C0 10 00 04 | M 73 A132 C0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | C1 | M 73 A070 C1 10 00 04 | M 73 A085 C1 10 00 04 | M 73 A100 C1 10 00 04 | M 73 A132 C1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | C2 | M 73 A070 C2 10 00 04 | M 73 A085 C2 10 00 04 | M 73 A100 C2 10 00 04 | M 73 A132 C2 10 00 04 |
|                                                  |    |                       |                       |                       |                       |
| CODE EASY                                        |    |                       |                       |                       |                       |
| BATTERY POWERED                                  | E1 | M 73 A070 E1 10 00 04 | M 73 A085 E1 10 00 04 | M 73 A100 E1 10 00 04 | M 73 A132 E1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | E2 | M 73 A070 E2 10 00 04 | M 73 A085 E2 10 00 04 | M 73 A100 E2 10 00 04 | M 73 A132 E2 10 00 04 |
| EXTERNAL POWERED                                 | E4 | M 73 A070 E4 10 00 04 | M 73 A085 E4 10 00 04 | M 73 A100 E4 10 00 04 | M 73 A132 E4 10 00 04 |
| EXTERNAL POWERED - PROGRAMMABLE                  | E5 | M 73 A070 E5 10 00 04 | M 73 A085 E5 10 00 04 | M 73 A100 E5 10 00 04 | M 73 A132 E5 10 00 04 |
|                                                  |    |                       |                       |                       |                       |
| CODE TOP                                         |    |                       |                       |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T0 | M 73 A070 T0 10 00 04 | M 73 A085 T0 10 00 04 | M 73 A100 T0 10 00 04 | M 73 A132 T0 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T1 | M 73 A070 T1 10 00 04 | M 73 A085 T1 10 00 04 | M 73 A100 T1 10 00 04 | M 73 A132 T1 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | T2 | M 73 A070 T2 10 00 04 | M 73 A085 T2 10 00 04 | M 73 A100 T2 10 00 04 | M 73 A132 T2 10 00 04 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE        | T3 | M 73 A070 T3 10 00 04 | M 73 A085 T3 10 00 04 | M 73 A100 T3 10 00 04 | M 73 A132 T3 10 00 04 |

\*The vertebrate bar and locking systems are available on pages 292 - 293

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3.  
In configurations with the letter T the remote control always acts on the output 1 (see page 15).  
Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |



|                       |                       |
|-----------------------|-----------------------|
| 1500                  | 2000                  |
| 1400                  | 1900                  |
| M 73 A150 X0 10 00 04 | M 73 A200 X0 10 00 04 |
| M 73 A150 C5 10 00 04 | M 73 A200 C5 10 00 04 |
|                       |                       |
| M 73 A150 C0 10 00 04 | M 73 A200 C0 10 00 04 |
| M 73 A150 C1 10 00 04 | M 73 A200 C1 10 00 04 |
| M 73 A150 C2 10 00 04 | M 73 A200 C2 10 00 04 |
|                       |                       |
| M 73 A150 E1 10 00 04 | M 73 A200 E1 10 00 04 |
| M 73 A150 E2 10 00 04 | M 73 A200 E2 10 00 04 |
| M 73 A150 E4 10 00 04 | M 73 A200 E4 10 00 04 |
| M 73 A150 E5 10 00 04 | M 73 A200 E5 10 00 04 |
|                       |                       |
| M 73 A150 T0 10 00 04 | M 73 A200 T0 10 00 04 |
| M 73 A150 T1 10 00 04 | M 73 A200 T1 10 00 04 |
| M 73 A150 T2 10 00 04 | M 73 A200 T2 10 00 04 |
| M 73 A150 T3 10 00 04 | M 73 A200 T3 10 00 04 |



KEY COMFORT

C0

C1

C2

CODE EASY

123

456

E1

123

456

PROGRAMMABLE

E2

123

456

E4

123

456

PROGRAMMABLE

E5

CODE TOP

123

456

T0

123

456

PROGRAMMABLE

T1

123

456

PROGRAMMABLE

T2

123

456

PROGRAMMABLE

T3

SEE PAGE 12 - 14 - 15

18x27 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 14 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK


smart solutions

EMPTY CABINET BODY READY FOR WHEELS

WITH LOCKS

WIDTH = 1502 mm

DEPTH = 752 mm




|                                                  |    |                       |                       |
|--------------------------------------------------|----|-----------------------|-----------------------|
| HEIGHT MM (A)                                    |    | 913                   | 1063                  |
| USABLE HEIGHT MM (B)                             |    | 750                   | 900                   |
| CABINET WITHOUT VERTEBRATE BAR AND WITHOUT LOCK* | X0 | M 73 R085 X0 10 00 04 | M 73 R100 X0 10 00 04 |
| KEY SMART (Push to Open)                         |    |                       |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS             | S0 | M 73 R085 S0 10 00 04 | M 73 R100 S0 10 00 04 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS          | S1 | M 73 R085 S1 10 00 04 | M 73 R100 S1 10 00 04 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS             | S2 | M 73 R085 S2 10 00 04 | M 73 R100 S2 10 00 04 |
| CODE PLUS (Push to Open)                         |    |                       |                       |
| BATTERY POWERED                                  | P1 | M 73 R085 P1 10 00 04 | M 73 R100 P1 10 00 04 |
| BATTERY POWERED - PROGRAMMABLE                   | P2 | M 73 R085 P2 10 00 04 | M 73 R100 P2 10 00 04 |
| CODE ADVANCE (Push to Open)                      |    |                       |                       |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A0 | M 73 R085 A0 10 00 04 | M 73 R100 A0 10 00 04 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE         | A1 | M 73 R085 A1 10 00 04 | M 73 R100 A1 10 00 04 |

Full versions of cabinet includes: 4 border top with oil-resistant rubber cover, pair of handles, transversal wheel plates.  
Wheels available on page 289

\*The vertebrate bar and locking systems are available on pages 292 - 293

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P1 - P2 - A0 - A1.  
In configurations with the letter A the remote control always acts on the output 1 (see page 17).  
Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

KEY SMART (Push to Open)

S0

S1

S2

CODE PLUS (Push to Open)

P1

P2

CODE ADVANCE (Push to Open)

A0

A1

SEE PAGE 12 - 14 - 15

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 15 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI MASTER

WHEELS

STANDARD RUBBER WHEELS



Ø 100  
Ø 125



Ø 150  
Ø 200



Ø 100  
Ø 125



Ø 150  
Ø 200

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BAC11 100</b> | 100  | 75           | 128  |
| <b>C RG BAC12 125</b> | 125  | 100          | 155  |
| <b>C RG BAC13 150</b> | 150  | 115          | 180  |
| <b>C RG BAC15 200</b> | 200  | 205          | 240  |

Standard rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DAC11 100</b> | 100  | 75           | 128  |
| <b>C RG DAC12 125</b> | 125  | 100          | 155  |
| <b>C RG DAC13 150</b> | 150  | 115          | 180  |
| <b>C RG DAC15 200</b> | 200  | 205          | 240  |

Standard rubber swivel wheels with brake

NYLON WHEELS



Ø 100  
Ø 125



Ø 160



Ø 100  
Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BAD10 100</b> | 100  | 125          | 128  |
| <b>C RN BAD11 125</b> | 125  | 180          | 155  |
| <b>C RN BAD04 160</b> | 160  | 300          | 200  |

Nylon fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DAD10 100</b> | 100  | 125          | 128  |
| <b>C RN DAD11 125</b> | 125  | 180          | 155  |
| <b>C RN DAD04 160</b> | 160  | 300          | 200  |

Nylon swivel wheels with brake

SYNTHETIC MARK-PROOF RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BPH22 125</b> | 125  | 100          | 155  |
| <b>C RG BPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber fixed wheels


| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DPH22 125</b> | 125  | 100          | 155  |
| <b>C RG DPH25 160</b> | 160  | 200          | 200  |

Synthetic mark-proof rubber swivel wheels with brake

ELASTIC RUBBER WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG BCE15 125</b> | 125  | 180          | 155  |
| <b>C RG BCE15 160</b> | 160  | 300          | 200  |

Elastic rubber fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RG DCE15 125</b> | 125  | 180          | 155  |
| <b>C RG DCE15 160</b> | 160  | 300          | 200  |

Elastic rubber swivel wheels with brake

POLYURETHANE WHEELS



Ø 125



Ø 160



Ø 125



Ø 160

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN BDD31 125</b> | 125  | 180          | 155  |
| <b>C RN BDD44 160</b> | 160  | 300          | 200  |

Polyurethane fixed wheels

| ORD. NO.              | Ø mm | Load cap. kg | C mm |
|-----------------------|------|--------------|------|
| <b>C RN DDD31 125</b> | 125  | 180          | 155  |
| <b>C RN DDD44 160</b> | 160  | 300          | 200  |

Polyurethane swivel wheels with brake



To calculate load capacity of the cabinet use the formula: (Ax3) - 220 kg  
A = wheel load capacity  
ATTENTION: for security reasons, the load capacity of the cabinet with wheels cannot be more than 600 Kg.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17



YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

**PLASTIC IN 8  
COLOURS**

**SYLOGIK**  
smart solutions

DOORS WITH LOCKS

WIDTH = 1428 mm

DOORS FOR FULL HEIGHT





PAIR  
OF DOORS



PAIR  
OF DOORS

|                                           |    |                                |                          |                                |                          |
|-------------------------------------------|----|--------------------------------|--------------------------|--------------------------------|--------------------------|
| CABINET HEIGHT MM (B)                     |    | 850                            |                          | 1000                           |                          |
| DOOR HEIGHT MM (A)                        |    | 794                            |                          | 944                            |                          |
|                                           |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                               |    |                                |                          |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0 | M 70 P075 C0 10 10 04          | M 70 P075 C0 00 10 04    | M 70 P090 C0 10 10 04          | M 70 P090 C0 00 10 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1 | M 70 P075 C1 10 10 04          | M 70 P075 C1 00 10 04    | M 70 P090 C1 10 10 04          | M 70 P090 C1 00 10 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2 | M 70 P075 C2 10 10 04          | M 70 P075 C2 00 10 04    | M 70 P090 C2 10 10 04          | M 70 P090 C2 00 10 04    |
| CODE PLUS (Push to Open)                  |    |                                |                          |                                |                          |
| BATTERY POWERED                           | P4 | M 70 P075 P4 10 10 04          | M 70 P075 P4 00 10 04    | M 70 P090 P4 10 10 04          | M 70 P090 P4 00 10 04    |
| BATTERY POWERED - PROGRAMMABLE            | P5 | M 70 P075 P5 10 10 04          | M 70 P075 P5 00 10 04    | M 70 P090 P5 10 10 04          | M 70 P090 P5 00 10 04    |
| CODE ADVANCE (Push to Open)               |    |                                |                          |                                |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2 | M 70 P075 A2 10 10 04          | M 70 P075 A2 00 10 04    | M 70 P090 A2 10 10 04          | M 70 P090 A2 00 10 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3 | M 70 P075 A3 10 10 04          | M 70 P075 A3 00 10 04    | M 70 P090 A3 10 10 04          | M 70 P090 A3 00 10 04    |

DOORS FOR PARTIAL HEIGHT



PAIR  
OF DOORS

| OVERALL HEIGHT MM (D)                     |    | 775 (D)                        |                          |
|-------------------------------------------|----|--------------------------------|--------------------------|
| USABLE HEIGHT MM (C) - DOOR HEIGHT MM (A) |    | 750 (C) - 794 (A)              |                          |
|                                           |    | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| KEY COMFORT                               |    |                                |                          |
| CYLINDER LOCK WITH DIFFERENT NUMBERS      | C0 | M 70 P077 C0 10 11 04          | M 70 P077 C0 00 11 04    |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS   | C1 | M 70 P077 C1 10 11 04          | M 70 P077 C1 00 11 04    |
| CYLINDER LOCK WITH IDENTICAL NUMBERS      | C2 | M 70 P077 C2 10 11 04          | M 70 P077 C2 00 11 04    |
| CODE PLUS (Push to Open)                  |    |                                |                          |
| BATTERY POWERED                           | P4 | M 70 P077 P4 10 11 04          | M 70 P077 P4 00 11 04    |
| BATTERY POWERED - PROGRAMMABLE            | P5 | M 70 P077 P5 10 11 04          | M 70 P077 P5 00 11 04    |
| CODE ADVANCE (Push to Open)               |    |                                |                          |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A2 | M 70 P077 A2 10 11 04          | M 70 P077 A2 00 11 04    |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A3 | M 70 P077 A3 10 11 04          | M 70 P077 A3 00 11 04    |
| LOCKING PREPARED FOR T2 - T3 - A1         | A4 | M 70 P077 A4 10 11 04          | M 70 P077 A4 00 11 04    |

\*Match the item number to one of the plastic kits available at page 291

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

cylinder lock  
page 12 - 13

CODE

electronic lock  
page 15 - 17


YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

78x36 EH



| 1500                           |                          | 2000                           |                          |
|--------------------------------|--------------------------|--------------------------------|--------------------------|
| 1444                           |                          | 1944                           |                          |
| ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* | ORD. NO. Dark Grey plastic kit | ORD. NO. no plastic kit* |
| M 70 P140 C0 10 10 04          | M 70 P140 C0 00 10 04    | M 70 P190 C0 10 10 04          | M 70 P190 C0 00 10 04    |
| M 70 P140 C1 10 10 04          | M 70 P140 C1 00 10 04    | M 70 P190 C1 10 10 04          | M 70 P190 C1 00 10 04    |
| M 70 P140 C2 10 10 04          | M 70 P140 C2 00 10 04    | M 70 P190 C2 10 10 04          | M 70 P190 C2 00 10 04    |
| M 70 P140 P4 10 10 04          | M 70 P140 P4 00 10 04    | M 70 P190 P4 10 10 04          | M 70 P190 P4 00 10 04    |
| M 70 P140 P5 10 10 04          | M 70 P140 P5 00 10 04    | M 70 P190 P5 10 10 04          | M 70 P190 P5 00 10 04    |
| M 70 P140 A2 10 10 04          | M 70 P140 A2 00 10 04    | M 70 P190 A2 10 10 04          | M 70 P190 A2 00 10 04    |
| M 70 P140 A3 10 10 04          | M 70 P140 A3 00 10 04    | M 70 P190 A3 10 10 04          | M 70 P190 A3 00 10 04    |

KEY COMFORT

C0

C1

C2

CODE PLUS (Push to Open)

P4

P5

CODE ADVANCE (Push to Open)

A2

A3

A4

SEE PAGE 12 - 16 - 17


PLASTIC KIT FOR DOORS

Plastic kit for wing doors with handle and hinges.

| LOCKING            | KEY                   | CODE                  |
|--------------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 30 M1 | M 00 PLS0 00 00 31 M1 |
| SKY BLUE           | M 00 PLS0 00 00 30 M2 | M 00 PLS0 00 00 31 M2 |
| GLAMOUR RED        | M 00 PLS0 00 00 30 M3 | M 00 PLS0 00 00 31 M3 |
| RED CARPET         | M 00 PLS0 00 00 30 M4 | M 00 PLS0 00 00 31 M4 |
| JUICY ORANGE       | M 00 PLS0 00 00 30 M5 | M 00 PLS0 00 00 31 M5 |
| SUNNY YELLOW       | M 00 PLS0 00 00 30 M6 | M 00 PLS0 00 00 31 M6 |
| FOREST GREEN       | M 00 PLS0 00 00 30 M7 | M 00 PLS0 00 00 31 M7 |

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations P4 - P5 - A2 - A3. In configurations with the letter A the remote control always acts on the output 1 (see page 17). Each receiver module can manage up to 10 remote controls.




| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

LOCKING SYSTEMS


ELECTRONIC LOCKING (CODE)

The electronic keypad can be inserted under the locking shelf or under for the top of the Master cabinet series and can be powered either from the grid with a transformer or with 4 AA batteries 1.5 V - 0.15 A. The **Programmable** card comes with two inputs and two outputs depending on the needs of the customer. For more information contact a Fami technician.




| CODE EASY                                 |    |                       |                                 |
|-------------------------------------------|----|-----------------------|---------------------------------|
| BATTERY POWERED                           | E1 | M 73 V000 E1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | E2 | M 73 V000 E2 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED                          | E4 | M 73 V000 E4 00 00 00 | A + B + C + D + E + F + G       |
| EXTERNAL POWERED - PROGRAMMABLE           | E5 | M 73 V000 E5 00 00 00 | A + B + C + D + E + F + G       |
| CODE TOP                                  |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T0 | M 73 V000 T0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T1 | M 73 V000 T1 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | T2 | M 73 V000 T2 00 00 00 | A + B + C + D + E + F + G + H   |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | T3 | M 73 V000 T3 00 00 00 | A + B + C + D + E + F + G + H   |
| CODE PLUS (Push to Open)                  |    |                       |                                 |
| BATTERY POWERED                           | P1 | M 73 V000 P1 00 00 00 | A + B + C + D + E + F + G       |
| BATTERY POWERED - PROGRAMMABLE            | P2 | M 73 V000 P2 00 00 00 | A + B + C + D + E + F + G       |
| CODE ADVANCE (Push to Open)               |    |                       |                                 |
| BATTERY POWERED - PRIVATE - PROGRAMMABLE  | A0 | M 73 V000 A0 00 00 00 | A + B + C + D + Ex2 + Fx2 + Gx2 |
| EXTERNAL POWERED - PRIVATE - PROGRAMMABLE | A1 | M 73 V000 A1 00 00 00 | A + B + C + D + E + F + G + H   |


CODE EASY




CODE TOP



CODE PLUS (Push to Open)



CODE ADVANCE (Push to Open)



SEE PAGE 14 - 17

ADDITIONAL RECEIVER MODULE WITH REMOTE CONTROL

Receiver module hardware with remote control to insert into the control card hardware for configurations E1 - E2 - E4 - E5 - T0 - T1 - T2 - T3 - P1 - P2 - A0 - A1. In configurations with the letter T and A the remote control always acts on the output 1 (see page 15 - 17). Each receiver module can manage up to 10 remote controls.



| Description                         | ORD. NO.              | References |
|-------------------------------------|-----------------------|------------|
| Receiver module with remote control | M 00 VRC0 00 00 00 00 | A+B        |
| Additional Remote Control           | M 00 VRC0 00 00 01 00 | A          |

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY

= cylinder lock  
page 12 - 13

CODE

= electronic lock  
page 15 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK

smart solutions

FAMI

MASTER


VERTEBRATE BAR

The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.



| ORD. NO.              | Useful height<br>insertion drawers mm |
|-----------------------|---------------------------------------|
| M 00 V030 00 00 00 00 | 300                                   |
| M 00 V050 00 00 00 00 | 500                                   |
| M 00 V060 00 00 00 00 | 600                                   |
| M 00 V070 00 00 00 00 | 700                                   |
| M 00 V075 00 00 00 00 | 750                                   |
| M 00 V090 00 00 00 00 | 900                                   |
| M 00 V105 00 00 00 00 | 1050                                  |
| M 00 V122 00 00 00 00 | 1225                                  |
| M 00 V140 00 00 00 00 | 1400                                  |
| M 00 V152 00 00 00 00 | 1525                                  |
| M 00 V190 00 00 00 00 | 1900                                  |


CYLINDER LOCK (KEY)




- Cylinder lock complete with:
- 1 cylinder lock with 2 keys
  - 1 sheathed steel cable
  - 1 front pin assembly
  - 1 back pin assembly

| KEY COMFORT                             |    |                       |
|-----------------------------------------|----|-----------------------|
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | C0 | M 73 V000 C0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | C1 | M 73 V000 C1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | C2 | M 73 V000 C2 00 00 00 |
|                                         |    |                       |
| KEY SMART (Push to Open)                |    |                       |
| CYLINDER LOCK WITH DIFFERENT NUMBERS    | S0 | M 73 V000 S0 00 00 00 |
| CYLINDER LOCK FOR GROUPS OF 160 NUMBERS | S1 | M 73 V000 S1 00 00 00 |
| CYLINDER LOCK WITH IDENTICAL NUMBERS    | S2 | M 73 V000 S2 00 00 00 |

KEY COMFORT



KEY SMART (Push to Open)



SEE PAGE 12 - 13

SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

UPPER SHELF FOR LOCKING SYSTEM

This upper shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 73 PS46 00 10 00 04 | 46              | 150              |

Dimensions mm 1377x724x46 h.

LOWER SHELF FOR LOCKING SYSTEM

This lower shelf is designed to be placed inside a cabinet.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 73 PS46 10 10 00 04 | 46              | 150              |

Dimensions mm 1377x724x46 h.

ADJUSTABLE SHELF

This adjustable height shelf, comes standard with 2 guides and 1 reinforcement, is designed to be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 73 PR25 00 00 01 04 | 25              | 150              |

Usable dimensions mm 1371x617x25 h.




SLOTTED ADJUSTABLE SHELF

This adjustable height shelf cannot be inserted in front of the vertebrate bar.



| ORD. NO.              | Front height mm | Load capacity kg |
|-----------------------|-----------------|------------------|
| M 73 PR35 10 00 00 04 | 35              | 300              |

Dimensions mm 1377x721x35 h.



DRAWERS AND RETRACTABLES SHELVES

FLEXIBLE EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom in fixed increments makes inserting the partitioning elements simple and rational. Drawers are supplied with the flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|-----------------------------|--------------------|---------------------|-------------------|----------------------------|----------------------------|
| M 73 C075 01 10 0F 04             | M 73 C075 01 00 0F 04       | 75                 | 58                  | 53                | 96                         | 75                         |
| M 73 C100 01 10 0F 04             | M 73 C100 01 00 0F 04       | 100                | 83                  | 75                | 96                         | 75                         |
| M 73 C125 01 10 0F 04             | M 73 C125 01 00 0F 04       | 125                | 108                 | 75                | 92                         | 100                        |
| M 73 C150 01 10 0F 04             | M 73 C150 01 00 0F 04       | 150                | 133                 | 125               | 92                         | 100                        |
| M 73 C200 01 10 0F 04             | M 73 C200 01 00 0F 04       | 200                | 183                 | 175               | 92                         | 100                        |
| M 73 C250 01 10 0F 04             | M 73 C250 01 00 0F 04       | 250                | 233                 | 175               | 92                         | 100                        |
| M 73 C300 01 10 0F 04             | M 73 C300 01 00 0F 04       | 300                | 283                 | 275               | 92                         | 100                        |

Volume / extractability kg/%: 50 kg / 100% - 75 kg / 96% - 100 kg / 92%. Usable dimensions mm 1314x600.

\*Match the item number to one of the plastic kits available at page 295

TELESCOPIC EXTRACTION DRAWERS

The Fami drawers are made from sturdy cold-formed sheet steel. The slotted internal side walls and perforated bottom with fixed increments make inserting the partitioning elements simple and rational. Drawers supplied with a telescopic extraction system with 8 bearings in high strength polymer allows a consistently smooth, durable and silent glide



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Usable<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|-----------------------------|--------------------|---------------------|-------------------|---------------------|---------------------|
| M 73 C075 01 10 0T 04             | M 73 C075 01 00 0T 04       | 75                 | 58                  | 53                | 100                 | 200                 |
| M 73 C100 01 10 0T 04             | M 73 C100 01 00 0T 04       | 100                | 83                  | 75                | 100                 | 200                 |
| M 73 C125 01 10 0T 04             | M 73 C125 01 00 0T 04       | 125                | 108                 | 75                | 100                 | 200                 |
| M 73 C150 01 10 0T 04             | M 73 C150 01 00 0T 04       | 150                | 133                 | 125               | 100                 | 200                 |
| M 73 C200 01 10 0T 04             | M 73 C200 01 00 0T 04       | 200                | 183                 | 175               | 100                 | 200                 |
| M 73 C250 01 10 0T 04             | M 73 C250 01 00 0T 04       | 250                | 233                 | 175               | 100                 | 200                 |
| M 73 C300 01 10 0T 04             | M 73 C300 01 00 0T 04       | 300                | 283                 | 275               | 100                 | 200                 |

Usable dimensions mm 1314x600.

\*Match the item number to one of the plastic kits available at page 295

36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

CODE =  
electronic lock  
page 15 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

SYLOGIK  
smart solutions

FLEXIBLE RETRACTABLE SHELVES

These retractable shelves were designed to fit in the cabinets. The shelves are supplied with a flexible extension system with 4 steel bearings in high-strength coated polymer that allows a consistently smooth, durable and silent glide. The flexible extraction system allows you to choose three levels of extraction linked to three different load capacities.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Preset<br>extractability % | Preset<br>load capacity kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|----------------------------|----------------------------|
| M 73 C057 01 10 0F 04             | M 73 C057 01 00 0F 04       | 70                 | 53                | 96                         | 75                         |

Volume / extractability    kg/%: 50 kg / 100% - 75 kg / 96% - 100 kg / 92%.    Usable dimensions mm 1314x600.

\*Match the item number to one of the plastic kits available in the table below

TELESCOPIC RETRACTABLE SHELVES

These retractable shelves were designed to be inserted in the cabinet. The shelves are supplied with a telescopic extraction system with 8 bearings in high strength polymer that allows a consistently smooth, durable and silent glide.



| ORD. NO.<br>Dark Grey plastic kit | ORD. NO.<br>no plastic kit* | Front<br>height mm | Side<br>height mm | Extractability<br>% | Load capacity<br>kg |
|-----------------------------------|-----------------------------|--------------------|-------------------|---------------------|---------------------|
| M 73 C057 01 10 0T 04             | M 73 C057 01 00 0T 04       | 70                 | 53                | 100                 | 200                 |

Usable dimensions mm 1314x600.

\*Match the item number to one of the plastic kits available in the table below

PLASTIC KIT FOR DRAWERS AND RETRACTABLE SHELVES

Plastic kit for drawers and retractable shelves with left handle, door profile in white plastic, right plug h =25 mm

|                    |  | ORD. NO.              |
|--------------------|--|-----------------------|
| MEDITERRANEAN BLUE |  | M 70 PLS1 00 00 00 M1 |
| SKY BLUE           |  | M 70 PLS1 00 00 00 M2 |
| GLAMOUR RED        |  | M 70 PLS1 00 00 00 M3 |
| RED CARPET         |  | M 70 PLS1 00 00 00 M4 |
| JUICY ORANGE       |  | M 70 PLS1 00 00 00 M5 |
| SUNNY YELLOW       |  | M 70 PLS1 00 00 00 M6 |
| FOREST GREEN       |  | M 70 PLS1 00 00 00 M7 |



18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 Kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13

**CODE** =  
electronic lock  
page 14 - 17


YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

## ACCESSORIES

### MDF TOP WITH RUBBER COVERING



ORD. NO.

**M 73 T030 MD GM 21 07**

MDF top with rubber covering and side profile.  
For end cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 1428x726x32 h.



ORD. NO.

**M 73 T030 MD GM 11 07**

MDF top with rubber covering, no side profile.  
For additional central cabinets.  
Colour: Black RAL 9011.  
Dimensions mm 1428x726x32 h.



ORD. NO.

**M 73 T030 MD GM 01 07**

MDF top with rubber covering and 2 side profiles.  
For single cabinet.  
Colour: Black RAL 9011.  
Dimensions mm 1428x726x32 h.



ORD. NO.

**M 00 T030 MD 00 F1 00**

Drilling of the cabinet upper shelf for the  
MDF top fixing.

### TOP SHELF WITH 3 EDGES



ORD. NO.

**M 73 T023 AG 00 31 07**

Oil-resistant rubber cover top with 3 edges for  
single cabinet. Colour: Black RAL 9011.  
Dimensions mm 1428x726x23 h.

### TOP SHELF WITH 4 EDGES



ORD. NO.

**M 73 T023 AG 00 41 07**

Oil-resistant rubber cover top with 4 edges for  
single cabinet. Colour: Black RAL 9011.  
Dimensions mm 1428x726x23 h.

ORD. NO.

**M 00 T023 AG 00 F0 00**

Predrilled cabinet top for fixing the top with 4  
edges.

### TUBE HANDLE

Handle complete with 2 nylon supports, one steel tube, screws for mounting. Colour: Black RAL 9011.



ORD. NO.

**M 03 R000 00 00 00 07**



### PAIR OF HANDLES

Steel handles coated in oil-resistant rubber with screws for fixing, applicable only for the top with 4 edges.  
The handles can be fitted towards the bottom thereby reducing the height by 37 mm.  
Colour: Black RAL 9011.



ORD. NO.

**F AG 9330 00 07**



36x36 EH

GUARANTEE

5 YEARS

FLEX

flexible extraction

100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY =  
cylinder lock  
page 12 - 13

1

2

3

4

5

6

CODE =  
electronic lock  
page 15 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

SYLOGIK

smart solutions

FAMI

MASTER

PAIR OF TRAVERSE WHEEL SUPPORTS



ORD. NO.

M 70 R013 00 00 00 07

Length 1424 mm. Colour: Black RAL 9011.

TWO SIDED ADHESIVE TAPE



ORD. NO.

R CMV 0025 00

Length 50 meters - Width 15 mm.

PLINTHS



ORD. NO.

M 73 Z050 00 00 00 04

Plinth. Dimensions mm 1426x725x50 h.



ORD. NO.

M 73 Z100 00 00 00 04

Plinth. Dimensions mm 1426x725x100 h.

PLINTHS FOR FORK LIFT TRUCK



ORD. NO.

M 03 Z060 20 00 00 07

Pair of plinths for fork lift truck.  
Colour: Black RAL 9011. Dim. mm 200x722x60 h.



ORD. NO.

M 03 Z100 20 00 00 07

Pair of plinths for fork lift truck.  
Colour: Black RAL 9011. Dim. mm 200x722x100 h.

ORD. NO.

M 70 Z060 21 00 00 07

Facing piece. Colour: Black RAL 9011.  
Dimensions mm 1422x46x55 h.

ORD. NO.

M 70 Z100 21 00 00 07

Facing piece. Colour: Black RAL 9011.  
Dimensions mm 1422x46x95 h.

FIXING

The cabinet must be fixed to the floor or wall. If the cabinets are stacked they must be secured to the wall and their load rating must to be divided by 2.



ORD. NO.

F AG 9200 00 99

Pair of galvanized brackets for mounting the cabinet to the floor, hole Ø 6 mm.




ORD. NO.

F AG 9204 00 99

Floor fixing set. Features:

- N° 2 “HILTI” plugs for concrete floors ≥ to classes C 20/25
- Recommended traction of the plug: 2.9 KN
- Plug diameter: Ø 6 mm.



ORD. NO.

M 00 FISO 00 00 00 99

Fixing set for cabinet including 4 screws with M8 nuts.

ORD. NO.

M 00 SVR0 00 00 00 99

Predrilled holes and screws for attachment of the two stacked cabinets.

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH

GUARANTEE  
**5**  
YEARS

**FLEX** flexible  
extraction  
100% = 50 Kg  
96 % = 75 kg  
92% = 100 Kg

**TELE** telescopic  
extraction  
100% = 200 Kg

**KEY** =  
cylinder lock  
page 12 - 13


**CODE** =  
electronic lock  
page 14 - 17

YOU CAN CHANGE THE  
COLOUR OF ARTICLE 04 WITH  
ONE OF 10 COLOURS  
AVAILABLE ON PAGE 10.

PLASTIC IN 8  
COLOURS

**SYLOGIK**  
smart solutions

PARTITIONING MATERIAL



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 75                   | <b>F FH 7007 01 00</b> |
| 100 - 125            | <b>F FH 7010 01 00</b> |

Set including:

|   |                    |            |
|---|--------------------|------------|
| 4 | Slotted partitions | 610 mm     |
| 2 | Plain partitions   | 610 mm     |
| 6 | Plain partitions   | 149 mm     |
| 6 | Plain partitions   | 200 mm     |
| 4 | Plastic boxes      | 150x75 mm  |
| 8 | Plastic boxes      | 150x150 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 75                   | <b>F FH 7007 02 00</b> |
| 100 - 125            | <b>F FH 7010 02 00</b> |
| 150                  | <b>F FH 7015 02 00</b> |
| 200 - 250            | <b>F FH 7020 02 00</b> |

Set including:

|   |                    |        |
|---|--------------------|--------|
| 5 | Slotted partitions | 610 mm |
| 6 | Plain partitions   | 149 mm |
| 9 | Plain partitions   | 251 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 75                   | <b>F FH 7007 03 00</b> |
| 100 - 125            | <b>F FH 7010 03 00</b> |
| 150                  | <b>F FH 7015 03 00</b> |

Set including:

|    |                    |        |
|----|--------------------|--------|
| 6  | Slotted partitions | 610 mm |
| 3  | Plain partitions   | 132 mm |
| 3  | Plain partitions   | 166 mm |
| 14 | Plain partitions   | 200 mm |



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 75                   | <b>F FH 7007 04 00</b> |
| 100 - 125            | <b>F FH 7010 04 00</b> |
| 150                  | <b>F FH 7015 04 00</b> |
| 200 - 250            | <b>F FH 7020 04 00</b> |
| 300                  | <b>F FH 7030 04 00</b> |

Set including:

|   |                    |        |
|---|--------------------|--------|
| 3 | Slotted partitions | 610 mm |
| 2 | Plain partitions   | 302 mm |

36x36 EH

GUARANTEE

5

YEARS

FLEX

flexible extraction

100% = 50 Kg

96 % = 75 kg

92% = 100 Kg

TELE

telescopic extraction

100% = 200 Kg

KEY = cylinder lock page 12 - 13

1

2

3

4

5


6

CODE = electronic lock page 15 - 17

YOU CAN CHANGE THE COLOUR OF ARTICLE 04 WITH ONE OF 10 COLOURS AVAILABLE ON PAGE 10.

PLASTIC IN 8 COLOURS

SYLOGIK smart solutions



| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 75                   | <b>F FH 7007 07 00</b> |
| 100 - 125            | <b>F FH 7010 07 00</b> |
| 150                  | <b>F FH 7015 07 00</b> |
| 200 - 250            | <b>F FH 7020 07 00</b> |
| 300                  | <b>F FH 7030 07 00</b> |

- Set including:
- |   |                    |        |
|---|--------------------|--------|
| 6 | Slotted partitions | 610 mm |
| 4 | Plain partitions   | 149 mm |
| 2 | Plain partitions   | 200 mm |
| 1 | Plain partition    | 302 mm |

| FOR FRONT HEIGHTS mm | ORD. NO.               |
|----------------------|------------------------|
| 75                   | <b>F FH 7007 08 00</b> |
| 100 - 125            | <b>F FH 7010 08 00</b> |
| 150                  | <b>F FH 7015 08 00</b> |
| 200 - 250            | <b>F FH 7020 08 00</b> |
| 300                  | <b>F FH 7030 08 00</b> |

- Set including:
- |   |                    |        |
|---|--------------------|--------|
| 5 | Slotted partitions | 610 mm |
| 2 | Plain partitions   | 149 mm |
| 2 | Plain partitions   | 200 mm |
| 2 | Plain partitions   | 302 mm |





salvagnini

Schiavi



Licenza OMADA

42038000  
Schiavi

Schiavi





**FAMI S.R.L.**

Via Stazione Rossano, 13 - 36027 Rosà (VI) - ITALY

**T** +39 0424 585455 r.a. - **F** +39 0424 585470

[www.famispaspa.com](http://www.famispaspa.com) - [commerciale@famispaspa.com](mailto:commerciale@famispaspa.com)

**EXPORT DEPARTMENT**

**T** +39 0424 585455 - **F** +39 0424 585472

[www.famispaspa.com](http://www.famispaspa.com) - [export@famispaspa.com](mailto:export@famispaspa.com)